

ISO??	32	46	68	100
NSF H1???	140349	140347	140348	140350
ASTM??	150	215	315	465
??, 15.6?(ASTM D-287)	0.875	0.877	0.88	0.88
????(ASTM D-445)				
@ 100?cSt	7.0	9.0	12.9	18.0
@ 40?cSt	33.7	45.0	67.9	98.4
????(ASTM D-2270)	180	186	194	202
??COC (ASTM D-92),?	245	251	260	264
??(ASTM D-97),?	-24	-21	-20	-18

