

科思创一级代理商源禾缘禾水性固化剂N 3900

产品名称	科思创一级代理商源禾缘禾水性固化剂N 3900
公司名称	上海缘禾化工有限公司
价格	.00/千克
规格参数	品牌:科思创 型号:N 3900 NCO co:23.5 ± 0.5
公司地址	浦东新区民民路380弄27幢
联系电话	02150311197 18918158830

产品详情

Desmodur N 3900

Solubility/thinnability Desmodur N 3900 is compatible with the following solvents ethyl acetate, butyl acetate, 1-methoxypropylacetate-2,

acetone, methyl ethyl ketone, methyl isobutyl ketone,

cyclohexanone, toluene, xylene, solvent naphtha 100 and

mixtures thereof. Aliphatic hydrocarbons are not suitable as solvents. Desmodur N 3900 should not be thinned to below a solids

content of 40 % by wt. Prolonged storage of a solution

with a lower solids content may result in turbidity and sedimentation.

Compatibility Desmodur N 3900 can be mixed with the following Desmodur

and Desmophen products: Desmodur N 75, N 100, N 3200,

N 3300, N 3390, N 3400, N 3600 and Z 4470; most polyester-based Desmophen products such as Desmophen

670, 680, VP LS 2971, VP LS 2089 and VP LS 2107; Desmophen

A products (acrylates). It is incompatible with Desmophen 650 and 651. Properties/Applications Desmodur N 3900 is used to formulate high-solids

systems for automotive refinishing, transportation coating and plastics coating.

Storage - Storage in original sealed Bayer

Material Science container. ° C. material. to
- Recommended storage temperature: 0 - 30
- Protect from moisture, heat and foreign
General information: The product is sensitive

moisture. Storage at higher temperatures will result

in increase of color and viscosity. Storage at

significant lower temperatures will result in

reversible adversely
solidification. This solidification is by briefly heating the product without

affecting the quality of the product.