

## 激光间隔聚焦透镜 FL 常见材料

产品名称	激光间隔聚焦透镜 FL 常见材料
公司名称	南京波长光电科技有限公司
价格	.00/个
规格参数	型号:FL 材质:常见材料 外形尺寸:100 ( mm )
公司地址	中国 江苏 南京市江宁区 湖熟工业集中区
联系电话	86 25 52657056-9018 13913395307

## 产品详情

型号	FL	材质	常见材料
外形尺寸	100 ( mm )	适用范围	据用途
装箱数	100		

## 间隔聚焦透镜(10.6um/1064nm/532nm/355nm)

聚焦镜用来聚焦激光光束. 聚焦的激光光束常用于材料处理加工.

part no	h (mm)	a (mm)	b (mm)	c (mm)	d (mm)	wave length (nm)		
							23.0	40.0
266nmfl82			82.4				30.0	40.0
266nmfl115			115.0				30.0	40.0
355nmfl48			48.2				23.0	40.0
355nmfl86			86.4				36.0x0.75	40.0

355nmfl115	115.0	30.0	40.0
532nmfl30	29.8	14.0	20.0
532nmfl89	88.9	30.0	41.0
532nmfl115	114.5	30.0	41.0
532nmfl170	170.3	30.0	41.0
532nmfl200	200.0	30.0	41.0
532nmfl271	270.6	30.0	41.0
yagfl30	30.0	14.0	20.0
yagfl35	35.0	16.0	20.0
yagfl40	40.3	20.0	23.0
yagfl60	60.0	20.0	23.0
yagfl66	65.8	33.0	41.0
yagfl71	70.8	26.0	28.0

yagfl81	80.6	41.0	48.0
yagfl85	85.3	26.0	28.0
yagfl100	100.2	31.0	41.0
yagfl101	100.6	40.0	48.0
yagfl120	120.1	48.0	54.0
yagfl149	148.9	45.0	50.0
yagfl153	153.4	68.0	75.0
yagfl163	162.6	35.0	41.0
yagfl170	170.3	45.0	50.0
yagfl200	200.1	68.0	75.0
yagfl201	201.4	48.0	54.0
yagfl250	249.8	48.0	54.0
yagfl250a	250.1	48.0	57.0

co2fl25	25.0	25.0	40.0
co2fl50	50.0	23.0	30.0
co2fl63.5	63.5	23.0	30.0
part no	a (mm)	b (mm)	c (mm)
266nmfl24	24.0	24.0	25.0
266nmfl57	57.3	34.0	41.0
355nmfl25	25.4	12.0	25.0
355nmfl47	47.0	34.0	41.0
355nmfl60	60.0	36.0	40.0
532nmfl47	47.0	34.0	41.0
532nmfl77	76.6	35.0	41.0
532nmfl80	80.0	34.0	45.0
532nmfl89	89.4	35.0	41.0
532nmfl100	99.8	20.0	41.0

part no a (mm) b (mm) c (mm) d (mm) screw thread spot size

yagfl25	25.2	12.5	25.0
yagfl40a	40.0	26.0	36.0
yagfl40	40.1	26.0	28.0
yagfl47	46.4	34.0	41.0
yagfl47a	47.0	34.0	41.0
yagfl50	50.0	23.5	35.0
yagfl50w	50.0	26.0	36.0
yagfl58a	58.0	34.0	41.0
yagfl58	58.2	34.0	41.0
yagfl77a	77.0	34.0	41.0
yagfl77	77.0	34.0	41.0
yagfl80	80.0	48.0	54.0
yagfl90	90.0	35.0	41.0

yagfl122	121.6	35.0	41.0
yagfl125	125.1	43.0	52.0
yagfl135	134.8	45.0	52.0