

# Foxboro智能双法兰差压变送器IDP10-DS1D01F-L1B1T

产品名称	Foxboro智能双法兰差压变送器IDP10-DS1D01F-L1B1T
公司名称	北京燕平顺通科技有限公司
价格	.00/个
规格参数	
公司地址	北京市通州区观音庵南街1号院1号楼2单元22层
联系电话	010-69520072 16601598128

## 产品详情

Foxboro智能双法兰差压变送器，型号：IDP10-DS1D01F-L1B1T

Foxboro智能双法兰差压变送器，24VDC，4~20mA，FOXCOM数字通讯；Foxboro differential pressure transmitter with S990B Flange Diaphragm Seal, Transmitter powered with 24VDC, FoxCom Adjustment Analog (4-20 mA); Transmitter model (变送器型号): 143DP-C1SS1V3N1FAAF-ASF, Diaphragm seals model (双发兰及毛细管型号): S990B-B1B1RD1M1;

BETA Pressure Switches Model No.: Z3-P708H-S7N-B1-RI-M, Serial No.: 20412282, Range: 3-76 BAR,

Two Manifold Valves (HLS2V) Model:A1...1/2 NPT;316SS-PTFE;260 0C(500F) max;414 Bar (6000 PSI)

Isolation valve NACE, 1/2" 316SS, 800LB @ 200 F. Valve inlet 1/2" NPT male, valve outlet 3 Port with 1/2" NPT female

Isolation valve K F-L8H-s, PG: 31.5 Mpa,

JAQUET FTFU 3024 MOTHERBOARD&JAQUET FTV 3090 RELAY CARD

FANTINI COSMI THERMOSTAT BACK PANEL CAPILLARY RANGE: 50-300DEGC  
500A, 240V (PART#C02B3)

Desmi termite

AIR BLOWER-ELECTRIC-PORTABLE-220V-600W-Heavy duty Part no.:UB1100

FERRIC CHLORIDE,40% 290KG/DRUM,200L/DRUM

Polyamine LSC52 50% solid content,,210KG/DRUM , 210L/DRUM

GUARD, ASTARO SECURITY GATEWAY 525 FULL BUNDLE 1 YEARS , RENEWAL

CABLE , FIBER OPTIC ENCLOSURES FOSC-500AA-S24LT-NN

YOKOGAWA OTDR, F/1310/1550 NM COMPLETEW/ALL ACCESSORIE model : AQ1200

Maloney 12 " Inflatable Sphere, Neoprene (black) P/N: +200-1200N

Sphere Picker P/N: +202-06-12PIASY

level switch type:LS-7

PEGSON REPAIR KIT RR TYPE: 100 C66T/218TSC.C200 IMPELLER DIA: 200MM

PEGSON SHAFT WATER PUMP COOLING RR TYPE: 100 C66T/218TSC.C200 IMPELLER DIA: 200MM

"SERVER, VIDEO DIN-RAIL TYPE: MPEG-4

1-channel H.264 Video Encoder" model:TCD-2100

Digital No-Flow Timer (DNFT-LED) Switch Assembly, including magnetic housing assembly, PN:.427-4837

AMERICAN METER CO. Pressure regulator, Model no:1883 ,Main ORI: 1/2" ,RANGE :5 1/2"-8", CODE NO: 0806

MURPHY Liquid Level switch Model: LS200, MWP: 2000 Psi, Conn: 2" NPT, P/N: 15051133

PHOENIX power supply module "Part

No.:QUINT-PS-100-240AC/24DC/40,"

METRIX vibration transmitter Part No.:ST5484E-123-010-00,METRIX ST5484E,with option 8200-001

MURPHY vibration switch art No.:VS2EX,MURPHY,Explosion-proof

Prosoft MVI module Part No.:MVI46-MCM

IEDC relay Part No.:RJ2S-CL-D24,IDEC,24VDC 8A 2NO/NC

Bright Temperature Guage Model:WSS-481

Bright Pressure switch model:KY16

BrightPressure gauge model:YTP-100H

Brand ProsKit Telecom Installation Kit, PK-12012H

Fiber Optic Cleaning Tool Kit HW-770S

ACQ-CCTV-TST-IPPOE10

Super CCTV Tester Model Number:TP-TE1430

Electronic Ballast Lamp Power 4X18W HGB-42098/125VDC Made in Malaysia

Pfannenbergl Ventilator "PF3000;

P/N:11030102000;F228683"

Fan-and-Filter assembly ventilator RITTAL SK 3325027 Fabr-Nr.:017100

Ventilator Legrand "Type:0365 71

220/240V~50/60 Hz 0.14A"

WD Elements SE Portable Huge Capacity (1T)

WD Elements SE Portable Huge Capacity (2T)

MITSUBISHI FILTER, OIL (PART#37540-01101)

MITSUBISHI FILTER, OIL (PART#37540-02100)

MITSUBISHI FILTER, FUEL (PART#32562-60300)

GCP Transformer Rectifier Unit (oil-cooled) RCP7

Iron Cover Kit Of Oil Filter 1622569900

HT cable termination kit Cold Kit (L - Type)

Trifurcating set (36 KV, 70-120 mm )

Conducting Shielding Tape (HT Rubber Tape) 38MM\*30FT

POSITIONER CONTROL BLOCK COMPLETE MODEL: PMV-D3 INCLUDE CABLE RUBBER SEAL  
FILTER-PLUG MODEL:PMV-D3I (PART#D3-SP1)

Water Bath Type No : SWB30-2

JULABO SW Series - shaking water baths 9550323,SW23 ,

Ansell PVA gloves Polyvinyl alcohol (PVA)gauntlet gloves. 14" Size 10, Model:15-554

Stanhope-Seta Centrifuge Tubes Tube 6 inch x 100ml cone-shaped (pack of 6) 90011-0

Alpha Dust Mask Model No : 8030v FFP3 Masks

Alpha Chemical or Gas Mask Model No : 5164

"LUTRON ELECTRONIC

METER" SOUND LEVEL MODEL: SL-4012

LUTRON ELECTRONIC THERMOMETER ALL IN ONE MODEL: PTM-816

AXIS video encoder Q7424-R Mk II

Ron 2000 测压器 Ron 2000-S25

1 1/2" 30吨 锚钩环 配套RON 2000测压器

SKF 润滑脂流量计 LAGM 1000E

SKF 小型感应加热器 TIH 030M

电磁铁 RSV 1751ES-24VDC Woodward 订货号 : 1700-4090

Weir 维尔阀门 XTV-7

Solenoid Valves 电磁阀 Y2H23AA1SA10300

Midland-ACS FILTER, AIR REGULATOR 空气调节阀 2FRMSV042A

SPP Spare Jockey pump complete as 0445032-3B

HP TRAY 2 PAPER PICKUP ASSEMBLY Mfg Part #: RG5-7453-000CN

HP Feeder assembly HP Model : RG5-7453-000CN

Dell 300W redundant power supply Dell Model : 7000240-0000

HP Ultrium 800GB storage media kit PN: C8017A

My Passport Essential SE 1TB Manufacturer : Western Digital WD Model : WDBABV0010BBK-NESN

Steel Heavy Duty Dough Mixer 20Lt triphase . 380-50 hz Model:SP 20/E

Motorola 1800mAh NiMh Impres IS Battery type no:HNN4002A

Satam Meter with Mechanical V.R. Register Model : ZC.17-80 3 ”

Franmar 电源适配器 , model : FDF0903-D model : FDF0903-D

测定氮含量的智能传感器 Intelligent Nitrogen Detector Type No: TY-FN 210-230V, 50Hz

无热再生吸附式干燥机控制器 UF UNIONFILTER XJK-XG1F

UQK-10DB-350

KOSO阀门定位器 EPB 811

SMC排气阀 supply press 0,2-0,9 Mpa VR3100-5FB

阀门 JELPC 3V210-08,P=0,5 - 0,8MPa,

气动阀门 tyco, KEYSTONE F79U 006 DOUBLE ACTING

控制器 D20N Microcontroller

电接点电极 DJM1615-87, M16x1,5x87

电磁阀 AIRTAC model 4V210-08,P=0,15 - 0,8MPa

Braun Speed sensor Type: A5S14-85793 speed sensor

Braun Safety Barrier Type: D461.21U1 Ex-Barrier, supply from 18-40 v UC

Gottgens Flow Glass Type: 11-881.

Honeywell Pressure Transmitter ST 3000 S100 R300,STR17G-11A-1A0JJGJBCD0K-F1,F5,HC,LP,MB,SM,TC,1C

MTL Isolator Model - IOP32

Weidmuller Ceramic 100 mA Fuse 5x20mm -Fast Part Number 043030

APC Power-Saving Back - UPS 700VA, 230V, BS1363

RKC Instrumen 温控器 RKC CD701 型号 : FK02 M \*GN NN Relay

RKC Instrumen 温控器 RKC CD701 型号: FK02 V \*GN-NN Voltage Pulse

火检探头连接电缆 Detector head cable assembly of flame Viewing Head for Scanners standard 2m length part No:363920611 ,

安全栅 Galvanic Isolator MTL5042 part No: 747832607

射频导纳液位计检测元件 (变送器单元) series level control transmitter model : 409-1000-001 TRANSMITTERS

Compair Rotron 风扇 "CR0424MB-C50 O32630

24VDC 0.07A"

阀位控制器 valve control meter Model : SFW-A-2-2-2

高能点火器 , HEA EXCITER , Model : XDH-20W 220VAC

CARLO GAVAZZI 固态继电器 solid state relays RJ1A6050U

AEG 可控硅开关 thyristor switch 1S 400-60 H1

Roller & Fisch 变压器 transformer "EP 1500 1500 VA

PRIM.:0/220...500 V

SEC.:115/230 V"

CARLO GAVAZZI 电流控制单元 currernt control unit DIA53 50A;AC 5...50 A

CARLO GAVAZZI 电流控制单元 currernt control unit DIA53 S724 100A

VLT 变频器 frequency convertor FC-302P2K2T5E20H1 2.2KW(400V)

"Coperion GmbH

ZSK133 Heater Plate 加热板" Part no.20032061

Old Part no.50977-935 12kw"

Coperion GmbH Heater Plate 加热板" Part no.20031987

Old Part no.50977-1367 11.4kw"

Coperion GmbH Heater Plate 加热板 "Part no.20415239

Old Part no.50977-1502 8.4kw"

P.W.Weidling & Sohn GmbH&Co.KG 48045 M ü nster/Germany 导热防卡剂Conductive and protective assembly paste Anti-Size AssemblyPaste AS040P

"PASOAL 盘车电机电磁阀

solenoid pilot actuated valve " DSG-02-2B2-N-A2

SYRIS 刷卡刷磁器 SYLINK-R Module

Alcatel BOARD, Ethernet ISA-ES4-8FE +1GIGE Board (Part# 3AL81879AB)

Dittmer Temperature Transmitter Type: 4.91.

ProVibTech Radial viberation transmitter Type: TM0180

ProVibTech Axial viberation transmitter Type: TM0180.

ProVibTech Radial viberation transmitter Type: TR4101

VEGA Level transmitter, radar type keep microwave VEGAFLEX 61

Barksdale temperature switch for hazardous location, T1X-H251S-12-A-EX

Biffi-ITALIA Electronic Actuator BIFFI WGR 1600-020/16000-39

Fiber Cyclic Timer Type: P385

C.D.C Off Delay Timer Type: TC82

C.D.C On Delay Timer Type: TC82

Phoenix Contact Auxiliary Relay Part No.2966207

Pepperl & Fuchs Safety Barrier Part No.: 132960, Type:KFA6-SR2-EX2.W,

Asco Solenoid Valve NF 8327B202

NET SAFETY H2 Gas Detectors SC310S-100-ASSY c/w M2B-A-S/0-LEL

NET SAFETY CALBRATION KIT 1 - H2 Model No. CAL-KIT-1/CAL-CYL-METH

KLAXON Bells 18-980851

KLAXON Beacons 18-980508

FUJI Two Valve Manifold Type: HALS2VRHV-FU

SHACKLE+.KUPLEX KUPLER-KCONNECTION, K23N 8+10, 21T

SHACKLE+.KUPLEX KUPLER-KCONNECTION, K26 8+10, 21T

SHACKLE+.KUPLEX KUPLER-KCONNECTION, TL23N, 16T

Versa 4-way solenoid Valve Model No: VSG-4302-316-HC-XISX6-D024

Maloney Prover sphere Size: 16" inch O.D: 15.30" inch Part No: \*200-1600X

Maloney Sphere Picker Part No: +202-14-24PICCUP, CUP O.D: 10-5/16 "

Turbine meter Complete set with body Size: 8" inch Range: 80 - 800m3/hr Model: TZN200-800

Turbine meter Pick-up coil Part: FH10-15-10

4-Way Valve soft goods kit, plug, slips, O-ring, slips seal "Spare parts for 4-way valve Size: 8" inch  
300# Model No: C4721

Four-way Op.: 1251 Class: 300"

Hitech Instruments Oxygen analyzer probe SN:522421;

SANWO Filter regulator过滤调节阀 SAW4000-04

SANWO 三合 Solenoid valve电磁阀 SVK0120-5G-01

Norgren Regulator pressure valve压力调节阀 R07-200-RNKG

Hitech Instruments oxygen analyzer氧分析仪 G1010 N type

YOKOGAWA SHANGHAI横河电机 vortex Flowmeter旋涡流量计 DY025 S1 EAL SS4-4D/NS1