

GIFAS 015796 type 23 插头

产品名称	GIFAS 015796 type 23 插头
公司名称	北京燕平顺通科技有限公司
价格	.00/个
规格参数	品牌:GIFAS 型号:015796 type
公司地址	北京市通州区观音庵南街1号院1号楼2单元22层
联系电话	010-69520072 16601598128

产品详情

GIFAS 015796 type 23 插头

GIFAS 015796 Plug, Plug type 23 250V/16A/PNE, IP44, rubber, blue, RAL5002, Item no.GIFAS: 015796

GIFAS 043358 Type 23 插座

GIFAS: 043358 Socket, Socket type 23, 250V/16A/3 P+N +E, IP54, blue, Item no. GIFAS: 043358

LOGO USB programming cable 6ED1 057- 1AA01- 0BA0

Display 6AV2124 1GC01 0AX0 (6AV6 642-0DA01-1AX1 updated)

Multimedia Memory Card 6AV6 671-1CB00-0AX2

Compact Unit 6ES7635-2EC02-0AE3 (6ES7 635-2EC01-0AE3 updated)

Temperature transmitter 7NG3211-0NN00 (7NG 3211-0NN0 is a wrong PN, please confirm whether is 7NG3211-0NN00)

Inverter Drive 6SE6440-2UD23-0BA1

STEP 7 Micro/WIN V4 programming software Order No : 6ES7 810 2CC03 0YX0

Intelligent USB/PPI multimaster cable Order No : 6ES7 901-3DB30-0XA0 FOR SIEMENS S7-200

"Component description: PROFIBUS DP module Model: EM277 : 6ES7 277-OAA22-OXAO

Component description: Analog Input Model EM231 CN Model : 6ES7 231-OHC22-OXA8

Component description: Digital Output Model EM222 CN Model : 222-IHF22-0XA8

Component description: CPU 226 Model SIPLUS S7-200 CPU226 Model ::6AG1216-2BD23-2XB0

Component description: POWER SUPPLY Model SITOP Model :: 6EP1334-2AA01
Component description: TOUCH SCREEN Model HMI 1000 Model 6AV6-648-OAE11-3AXO SIMATIC TP270 10" 24VDC

Component Description: communication module Model EM243-1 -6GK7243-1EX01-0XEO

WINCC FLEXIBLE 2008 ADVANCED ENGINEERING Part Number 6AV6-613-0AA51-3CA5

Component description: CPU Model :214-2BD23-0XBO N2 COMPRESSOR

Component description: IO Model 222-1HF22-0XAO N2 COMPRESSOR

Component description: IO Model 231-OHF22-0XAO N2 COMPRESSOR

Component description: CPU FOR DRIER Model 212-1BB23-0XB8 N2 COMPRESSOR

HMI Cable : 6AV6 671-8XD00-0AX0

HMI Cable : 6ES7 901-1BF00-0XA0

Zero Modem Cable Model No : 6ES7 901-1BF00-0XA0

DP- PTP CABLE Model No : 6xv1 830-0Axxx

Cross Cable - Point to point |||Model No :6XV1 870-3RH20

RS422-RS232 CONVERTOR CABLE : 6AV6 671 - 8XE00-0AX0

Component Description SITOP Moduler 24V / 40A 1/2 PH Power Supply Model - 6EP1-337-3BA00

CPU.+CPU 417-4H(6ES7 417-4HL04-0AB0)

MODULE.INPUT.RTD, 8CHANNEL 24VDC (6ES7-331-7PF01-0ABO)

CARD.MEMORY.FOR S7-400, LONGVERSION, 5V FLASH EPROM, 16 MB,NPPP

PROMMER.+USB FLASH WRITTERSIMATIC 220V AC 50HZ,

FUSE.2 AMP.2A, 500V, BOTTLE TYPE,DIAZED 5SB111

FUSE.4 AMP.4A, 500V, BOTTLE TYPE,DIAZED 5SB121

FUSE.6 AMP.6A, 500V, BOTTLE TYPE,DIAZED 5SB131

FUSE.25 AMP.25A, 500V, BOTTLE TYPE,DIAZED 5SB181

FUSE.32 AMP.32A, 500V, BOTTLE TYPE,DIAZED 5SB311

FUSE.CONTROL.2A, 3NW6002-1 F/MCC-207 3NW6002-1

FUSE.CONTROL .6A 3NW6 001-1

FUSE.CONTROL.10A, FOR MCC, EN-BUS-6-1/2 3NW6 003-1

FUSE.CONTROL.4A, FOR MCC, EN-BUS-6-1/2 3NW6 004-1

FUSE.+ .NH2, 500V /120KV, 400A, IS:13703, PT2/SEC1, IEC 269-2 3NA3 260

FUSE.+ .NH1, 500V /120KV, 200A, IS:13703, PT2/SEC1, IEC 269-2 3NA3 140

FUSE.+ .NH00, 500V /120KV, 125A, IS:13703, PT2/SEC1, IEC 269-2 3NA3 832

FUSE.+ .NH00, 500V /120KV, 63A, IS:13703, PT2/SEC1, IEC 269-2 3NA3 822

FUSE.+ .NH00, 500V /120KV, 32A, IS:13703, PT2/SEC1, IEC 269-2 3NA3 812

西门子风门执行器供应：

SERVO MOTOR CYCLIQUE SIEMENS SQN31,402A2700,30s/90 ° ,3Nm,220V-240V,50-60HZ.,6.5VA 7(1)A
250V-

SERVO MOTOR CYCLIQUE SIEMENS SQN31,481A2766,30s/90 ° ,3Nm,220V-240V,50-60HZ.,6.5VA 7(1)A
250V-

VANNE GAZ D'ETANCHEITE/GAS VALVE SEAL DUNG TYPE VPS504 S02 #219 878-(AC) 50HZ 230V
Imax:4A IP 40,P max: 500mbar

SIEMENS power SI TOP POWER 24伏直流稳压电源6EP1334-2BA00

SIEMENS DRIVER,MODBUS MASTER WITHOUT DONGLE FOR STEP7 SOFTWARE

SIEMENS DRIVER,SLAVE MODBUS WITHOUT DONGLE

SIEMENS STEP7,V5.5

SIEMENS Power supply,Siemens -Part no: SITOP, part no:6EP1 334-2AA01,has stop production, the replacement
model is 6EP1 334-2BA20 Output: 24VDC

Repairpart For Motors Normal Execution, IP55 1LA7, SIZE 132 Fan Plastic, 2-Pole Part No. 7.04,
LKZ:CZ

Repairpart For Motors Normal Execution IP55 1LA7, 1LE1, SIZE 132 Terminal Board, Complete Part No.5.10
LKZ:CZ

Repairpart For Motors Normal Execution IP55 1LG4,SIZE 250 -280 Fan Plastic Part No.7.04 LKZ:CZ

Repairpart For Motors Normal Execution IP55 1LG4, 1LG6, SIZE 250-280 Terminal Board W.Connection Parts

LKZ:CZ

Repairpart For Motors Shaft Sealing Ring 6.23 LKZ: DE

Repairpart For Motors Shaft Sealing Ring 1.43 LKZ: DE

Repairpart For Motors Normal Execution, IP55 Fan, Plastic, 2-Pole Part No.7.04 LKZ:DE

Repairpart For Motors Normal Execution, IP55 1LA5, 1LA6, 1LA&, 1LA(, SIZE 100 to 112 Terminal Board, Complete 1LY7116 Part No.5.10 LKZ:DE

SITOP Module 24V / 20A 1/2 PH Power Supply |||Model - 6EP1336-3BA00

接触器 contactor "3RT10 45-3AL20"

辅助触点 auxiliary contacts "3RH19 21-2HA22 2NC+2NO

软启动器 soft starter 3RW40 38-2BB14 37KW/400V

POSITIONER+.SIEMENS PART#6DR5210-0EN10-0AA0

PLC Powersupply Module, SIMATIC S7-200, 6ES7 212-1BB23-0XB8

S7-400机架底板S7-400 rack Model [型号]:6ES7 400-2JA10-0AA0,S VPXO364347

CP443-1CP443-1 Model [型号]:6GK7 443-1EX11-0XE0

PLC CPUPLC CPU , 6ES7 313-5BF03-0AB0 V2.6; 6ES7313-5BG04-0AB0

双作用阀门定位器Dual-action valve positioner SIEMENS 6DR5220-0En00-0AA0;

西门子PLC CPU PLC CPU SIEMENS CPU224 6ES7 214-1BD23-0XB8

西门子PLC CPU PLC CPU Type [类型]:SIEMENS CPU226 6ES7 216-2BD23-0XB8 ; /

热电偶输入模块Thermocouple input module Model [型号]:6ES7 EM231-7PD22-0XA0 , 6ES7 231-7PD22-0XA8

内存卡Memory card Model & specification [型号规格]:6AV6671-1CB00-0AX2 128M;

S7-400PLC后备电池SIMATIC Pufferbatterie back-up battery Model [型号]:6ES7 971-0BA00;System name[系统名称]:S7-400;

PLC输入卡件 plc input module (6ES7 235-0KD22-0XA8)

PLC CPUPLC CPU 6ES7 212-1BD30-0XB0 V1.0

PLC DO模块PLC DO MODULE 订货号222-1BP22;

光纤接口模块fiber port module 6ES7 960-1AA04-0XA0

光纤Optical fiber Model [型号]:6ES7 960-1AA04-5AA0 ,

CP1613通讯网卡CP1613 communication network card Model [型号]:6GK1 161-3AA00 /V6.0.5

CPU S7-200 CPU 224 CN DC/DC/DC Model: 6ES7 214-1AD23-0XB8

SIEMENS valve positioner, part No.6DR5220-0EG01-0AA0

Air Filter Reduction Valve AW20-02BG-WAIX

Air Filter AF50-10-A

SMC Position Switch D-F5BAL

SMC过滤减压阀 Filter-Regulator MODEL : AW30-N02-2-X2622C

优势供应Solution产品 :

"Temperature Transmitter, , Model no: T1000, Range: (0 -200C)531, Diameter:(L=140 mm)d, S/N: 08120701,

"Temperature Transmitter, , Model no: T1000, Range: (0 -200C)531, Diameter:(L=170 mm)d, S/N: 08120705,

"Temperature Transmitter, , Model no: T1000, Range: (0 -200C)531, Diameter:(L=130 mm)d, S/N: 08120707,

Temperature Transmitter, , Model no: T1000, Range: (0 -200C)531, Diameter:(L=290 mm)d, S/N: TT-101A,

"Temperature Transmitter, , Model no: T1000, Range: (0 -200C)53?6, Diameter:(L=190 mm)d, S/N: TT-101A ,

"Temperature Transmitter, , Model no: T1000, Range: (0 -200C)531, Diameter:(L=160 mm)d, S/N: TT-101A ,

Temperature Transmitter, , Model no: T1000, Range: (0 -200C)53?6, Diameter:(L=290 mm)d, S/N: TT-101A ,

"Temperature Transmitter, , Model no: T1000, Range: (0 -200C)53?6, Diameter:(L=160 mm)d, S/N: TT-101A ,

"Temperature Transmitter, , Model no: T1000, Range: (0 -200C)53?6, Diameter:(L=140 mm)d, S/N: TT-101A ,

"Temperature Transmitter, Model no: T1000, Range: (0 200C)53?6, Diameter:(L=170 mm)d, S/N: TT-101A ,

"Temperature Transmitter, Model no: T1000, Range: (0-200C)531, Diameter:(L=200 mm)d, S/N: TT-101A,

"Temperature Transmitter, Model no: T1000, Range: (0-200C)531, Diameter:(L=260 mm)d, S/N: TT-101A ,

"Temperature Transmitter, , Model no: T1000, Range: (0 -200C)53?6, Diameter:(L=120 mm)d, S/N: TT-101A ,

"Temperature Transmitter, , Model no: T1000, Range: (0 -200C)53?6, Diameter:(L=90 mm)d, S/N: TT-101A ,

优势供应Swagelok产品 :

Fitting connector Connector 1/4"MNPT X 1/4"MNPT SS-4-HN

Fitting connector Connector 1/4"MNPT X 1/2"MNPT SS-8-HRN-4

Fitting connector	Connector 1/4"MNPT X 3/8"MNPT	SS-6-HRN-4
Fitting connector	Connector 1/4"FNPT X 1/4"MNPT	SS-4-A
Fitting connector	Connector 1/4"FNPT X 1/2"MNPT	SS-8-RB-4
Fitting connector	Connector 1/4"FNPT X 3/8"MNPT	SS-6-RB-4
Fitting connector	Connector 1/4"FNPT X 1/4"FNPT	SS-4-HCG
Fitting connector	Connector 1/2"MNPT X 1/4"MNPT	SS-8-HRCG-4
Fitting connector	Connector 1/2"MNPT X 1/2"MNPT	SS-8-HN
Fitting connector	Connector 1/2"MNPT X 3/8"MNPT	SS-8-HRN-6
Fitting connector	Connector 1/2"MNPT X 3/4"MNPT	SS-12-HRN-8
Fitting connector	Connector 1/2"FNPT X 1/4"MNPT	SS-8-RA-4
Fitting connector	Connector 1/2"FNPT X 1/2"MNPT	SS-8-A
Fitting connector	Connector 1/2"FNPT X 3/8"MNPT	SS-8-RA-6
Fitting connector	Connector 1/2"FNPT X 1/2"FNPT	SS-8-HCG
Fitting connector	Connector 3/8"MNPT X 1/4"MNPT	SS-6-HRN-4
Fitting connector	Connector 3/8"MNPT X 1/2"MNPT	SS-8-HRN-6
Fitting connector	Connector 3/8"MNPT X 3/8"MNPT	SS-6-HN
Fitting connector	Connector 3/8"FNPT X 1/4"MNPT	SS-6-RA-4
Fitting connector	Connector 3/8"FNPT X 1/2"MNPT	SS-8-RB-6
Fitting connector	Connector 3/8"FNPT X 3/8"MNPT	SS-6-A
Fitting connector	Connector 3/8"FNPT X 3/8"FNPT	SS-6-HCG
Fitting connector	Connector 3/4"MNPT X 1/2"MNPT	SS-12-HRN-8
Fitting connector	Connector 3/4"MNPT X 3/4"MNPT	SS-12-HN
Fitting connector	Connector 3/4"FNPT X 1/2"MNPT	SS-12-RA-8
Fitting connector	Connector 3/4"FNPT X 3/4"MNPT	SS-12-A
Fitting connector	Connector 3/4"FNPT X 3/4"FNPT	SS-12-HCG

"Quick Connect Body, 1/4" NPT(F) Type no.SS-QF4-B-4PF

"Male Stud Connector, 1/4" O.D x 1/4" NPT MALE CONN # Type No. SS-400-1-4

"Proportional Relieve Valve, Part No.: SS-4R3A

优势供应Telemecanique 产品 :

ConneXium 8TX Ethernet Exchanger, TCSESM083F23F0

Power module ABL1RPM24042

SWITCH.PRESSURE.PLT 056 N027 XMPA06B2131

优势供应Thermon产品 :

RTD Junction Box Item no: 433.148.124 JB-K-0-PTD RTD

Support Bracket Item no: 479.000.022 XP-1-`40

Trace Heating Junction Box Item no: 431.131.155 B-K/XP+-SX

Heating Cable Termination Kit Item no: 422.301.211 PETK-1

Fibre Fixing Tape Item no: 460.552.660 FT-1H

Insulation Entry kit for RTD Item no: 454.105.010 IEK-TES

Blanking Plug Item no: 471.000.009 m25-bexe

Nylon Reducer Item no: UK051484-302 M40XM20(MXF)