

New Cosmos OS-3S-D 氧含量测定仪探头

产品名称	New Cosmos OS-3S-D 氧含量测定仪探头
公司名称	北京燕平顺通科技有限公司
价格	.00/个
规格参数	品牌:New Cosmos 型号:OS-3S-D
公司地址	北京市通州区观音庵南街1号院1号楼2单元22层
联系电话	010-69520072 16601598128

产品详情

New Cosmos OS-3S-D 氧含量测定仪探头

New Cosmos OS-3S-D Supply of spare Oxygen Sensor.

P/N.: OS-3S-D.

Model: XO-326ALA.

Make: New Cosmos, Japan.

门禁控制器 Part No.SY230NT4-SV4

VEE BEE RUBBER SEAL GASKET for Station Inlet Strainer F-21002A Part No.32/10235-0176

Foxboro智能双法兰差压变送器 Part No.IDP10-DS1D01F-L1B1T

Remote Seal, Flanged, Flush Diaphragm Part No.PSFPS-A3S0F314S

Spring for Fisher Actuator Part: 1E827227082

Repair kit for Fisher Actuator Part No.667-45

美国STANDARD桶泵 Barrel pump Part No.SP-280P-2-VCE

L&T Manual Changeover Switch CO4-400

Pre assembled Electric Junction Box 400V,50A,NH 1067, LC series

Waterproof electrical Distribution enclosure IP66,TAIS,TRE series

Waterproof electrical Distribution enclosure 400V IP65, 60A, DIDO-DCH series

Portable Electric junction Boxes 16-32A, QM Series

Composite Bushing ZnO Lightning Arrester HY5W-17/50

Surge Arrester 33KV, BOW-OCP2-27MX-BFF RPN: CR2112-000

StopAQ CZHT WRAP PING BAND (high temp. internal used) 200 mm*10000 mm

StopAQ out wrap HTTP (-30 to 120 degree calsius, for external used) 100mm* 30000mm

Isolator Model: MSC301-COCC

Safet PLC BATTERY P/N 14743-2

Siemens Power Contactor 3RT1034-1AP00

Siemens Power Contactor 3RT1026-1AP00

MOELLER Air Circuit Breaker IZMB5-4-A800

Vishay Speed trimmer Spectrol 534-1-1

Solenoid valve 201-00-0650

Flame display and control instrument 363920652

Smartsan potentiometer trim tool 205-FK-0001

Air pressure reducing valve 67CFR-224/K

Filter Regulator PRF404

Pressure Regulator R74R-4AK-RMN

Filter Regulator B74G-4AK-QM3-RMN/90

Ultrasonic liquid level SLM-800C+, top fix, ANSI 4"15O RF, SONDAR

Output drive form A (with stem nut) for AUMA actuators Type of actuator: SAREX 07.2-F10

Sperre Flexible Hose Type No.4598 1 1/4" X 800 mm

Sperre Flexible Hose Type No.4595 1/2" X 600 mm

Sperre Flexible Hose Type No.8346 HL2/120-160 1 1/4" X 370 mm

CHLORIDE POWER SUPPLY CAR Part No.0416012093

Solenoid Directional valve Id.Nr. 9713535

Solenoid valve Code: 032U719432, Part No: 037681

Small fuse bases 8560/51-4222

Communication server with DCS APC2004 P

回讯器, SWITCH BOX, TOPWORX, TXP-M2CGNPM

电磁阀, SOLENOID VALVE NKE374A017MS

Throttle and check modular valve MSW-03-X-40

Socket, Socket type 23 GIFAS: 043358

Plug, Plug type 23 GIFAS: 015796

电磁阀 Solenoid Valve "线圈 (Coil Insulation class): 497105C2

型号 (Cat): U033X7156"

型号 (Cat): U133X7156"

电磁阀 Solenoid Valve FP06P-S1-04-32-NU-V-77A-24D-M-35-K85

电磁阀 Solenoid Valve "线圈 (Coil Insulation class): EF8003G300

型号 (Cat): VCEFCMG551H301M0"

Single type Mooring HAWSER 55 METRE, NYLON BRAIDWIDE S, Bridon

Combination 0-10" Dial Pit Gauge

Tester, Under ground Insulator

电源装置 Yokogawa PW482-10

处理器装置 Yokogawa CP451-10

SITOP 模块20A 单相/2相 6EP13363BA00

YOKOGAWA REMOTE SEAL TYPE LEVEL TRANSMITTER EJA118W-EHSA1FB-AAZ-94DB/NS1

Fluke Milliamp Process Clamp Meter 773

industrial vacuum cleaner Attix 360-2H/Attix30-2H

New Cosmos spare Oxygen Sensor OS-3S-D

New Cosmos Oxygen Gas Detector XO-326ALA

SMC电动机 motor YSJ8024 0.75KW 380V

RAEL MOTORI ELETTRICI 电动机 Motor RL63B 4 (RL0011) 0.18KW

Lovato DC Contactor BF25.22/BF26T D

LOCATOR WITH iLOC .+.PIPE&CABLE,UNIVERSAL PRECISION,CENTROS
ENABLED,POWER,RADIO,CATV&CPS PASSIVE MODES,50HZ-200KHZ RD8000 PDLB

Transmitter TX-10 With iLOC With Li-ion rechargeable battery pack and main charger

Hitech Instruments Limited Galvanic oxygen cell 522421

United electric controls Pressure switch J120-190 0.3-2.1bar

YOKOGAWA Flow transmitter AXF050C-E2AL1S-BA11-21B/NF2/CH; 0-10m3/H

YOKOGAWA Pressure transmitter EJA430A-EAS4A-22DC/NF1 0-3000kPa

DC POWER SUPPLY SYSTEM GP4860

RECTIFIER BLOC GPA397

FUJI ELECTRIC CONTACTOR SC-05 AUXILIARY CONTACT 1A 1B (1N), Part no.4NCOGO

FUJI ELECTRIC CONTACTOR SZ-A11

CUTLER HAMMER CONTACTOR C25FNF350B

Omron SWITCH.FLOATLESS.LEVEL SWITCH 61F GN-AC120-240

TABLE+TRIPPLE SCISSOR SC-500-T-E

ISOLATOR.OPTICAL. 9SPOP2

SERIAL SERVER.WIRELESS ESR901WB

OMNICELL 3.6v ER26500

Surge controller 5099-595

"CEAG 2P+E,16AMPS,6H;250VAC,415V-IP66;EXI,2G,II C,T6,112D;IECX

Plug,socket and coupler " GHG5114306R001

MV Breaker Fuse 7.2KV WFNHO 125 Amp

螺杆轴 SHAFT SCREW,ASSEMBLY(DRIVE & DRIVEN),P/N:100,FOR HOUTTUIM PUMP
TYPE:236.2 10/064.100-40,P-84002/P-84003,S/N:40.718 AND 40.719

DRIVE END BEARING, INCLUDING 2 SETS OF SHAFT CUT SEALS, (NOTE: ONLY BEARING SLEEVE WITHOUT HOUSING), ITEM NO.: 10, TYPE: EFNLB-11-125, PN: 427 756/1-98, FOR INDUCTION MOTOR, TYPE: N3RXCE560K18C, QUATY.: 2, DWG.NO.: EZ91323100, FOR HYDROGEN COMPRESSOR, TAG NO.: K4201/A&B, TYPE: 3EHPX4GT-310-190-135

NON DRIVE END BEARING, INCLUDING 2 SETS OF SHAFT CUT SEALS, (NOTE: ONLY BEARING SLEEVE WITHOUT HOUSING), ITEM NO.: 11, TYPE: EFNLB-11-125, PN: 427 756/2-98, FOR INDUCTION MOTOR, TYPE: N3RXCE560K18C, QUATY.: 2, DWG.NO.: EZ91323100, FOR HYDROGEN COMPRESSOR, TAG NO.: K4201/A&B, TYPE: 3EHPX4GT-310-190-135,

THREADING MACHINE PIPE 1/4" - 4" BOLT 1/4" - 2" MOTOR 1 1/2HP SINGLE PHASE 50HZ

YOKOGAWA Pressure Transmitter EAS5B-99DB/KU2/X1/N4/M11/T03

ENDRES+HAUSER FLOW METER 10W1H-UL0A1RA0B5AA

VSD, Altivar 61 serials ATV61HC25N4

Cooling fan of(VSD 250 KW).Model (ECOFIT) 2GDFut 65 match ATV61HC25N4 VSD

Display Module for ATV61HC25N4 VSD VW3A1101

Cooling Fan of(Variable Speed Controller) "Type:ACS800-01-0100-3+E200 +K454+L501

type no.D2D 160- BE02-11"

Galvanic Oxygen Cell Type : N; Serial No : 447005

ICS Triplex- CHINA Trusted TMR Processor Model - T8110B

Glass Fuse 1A- 5x20mm - Slow BUSSMAN S506-1-R

Ceramic 250 mA Fuse 5x20mm -Fast Weidmuller 043030

Brother Lable Printer PT-2730 PC

TZ STARTER TAP - YELLOW COLOUR - 0.35" (9mm) FOR BROTHER LABEL PRINTER PT-2730 PC MODEL

Shneider Surge Protective Device SAFE-PRO GB18802

BP DAM RS-485 Repater BP-7510

SMC SCREEN HMI HMI TPC7062 Model :: 7661150111102820

Weidmuller Fuse Terminal ASK1EN-24V DC

ABB or Jron FUSE RT18-32X- 32A

THE BE1-11g GENERATOR PROTECTION RELAY BE1-11-G-1-B-3-N-0-H-1-S-0-E-000

SWITCH.PROXIMITY EI-08-01-NACS 50142309906

LOVATO CONTACTOR MOTOR BG0910A 220V-50-60HZ

LOVATO RELAIS THERMIC RF 962 3,5-6,2A

BLOC SG513 SATRONIC-Honeywell TYPE SG513 MOD C2 230V, 50/60HZ Ts 3 SeC 5A cos Q0,4

INSTRUCTION MODEL 78 SERIES MODEL NUMBER : 78-4

INSTRUCTION MODEL 78 SERIES MODEL NUMBER : 78-40

operated pump WL80/AAAB/BN/BN/ABN/014

"氧化锆的电子总成

electronic assembly of zirconia O2 contente transmitter " 3D39861G01

"电磁流量计传感器(带法兰垫片)

PROMAG electric magnatic flow sensor (with match gaskets)" 50W2F-HL0A1AK2BBAA

"阀门定位器

electropneumatic valve positioner" EPB811

"超声波液位计 ultrasonic liquid level " SLM800C

"可燃气体报警器通道卡的传感器驱动模块 catalytic sensor drive" 05701-A-0284

STEWARTS PRESSURE GAUGE MODEL:634GF

Roots valve DMFEDF0840BA15NF3S-FS

ABB CAPACITOR " CLMD43-30

odel No 65100010."

塑料防渗膜 , Plastic Fabric GH-1

Pump,prominent dosing HP2aH064022SST0100L1000

Pump,prominent dosing HP2aH025040SST0100L1000

Blower,Anlet air BE65E

Top worx magnetic proximity switch TXS-R21FNMM

倍加福PEPPERL+FUCHS inductive proximity switch NJ2-V3-N

TAV engineering SWITCH,FLOAT LEVEL TYPE:B70.229.102 24VDC DUAL

Limit switch M9CTQMSUL

CONTROLLER,LEVEL MOBERY INDUSTRIAL MFG : SOLARTRON Mobrey LTD
TYPE#70711/1141/2 MAX PRESSURE 19.6BAR

DNVPS SAMPLING BOTTLE DNV-BTLE

Burkert SOLENOID VALVE, TYPE: 0280 (PART#00462527)

Burkert SOLENOID VALVE TYPE: 783 (PART#170916)

DIGITAL CONTROLLER EXCITATION MFG: BASLER ELECTRIC, HIGHLAND
Item : DECS-100-B11 SERIAL#H00913701

DIGITAL CONTROLLER EXCITATION MFG: BASLER ELECTRIC, HIGHLAND
ITEM#DECS-200-1L SERIAL#H00719516

Gas Analyzer. Manufacturer: BW-Canada Part no: Gas alert Micro 5. M5-XW0Y-A-P-0-Y-E

EasySHIP Water in Oil Reagent Pack (50) FG-K2-101-KW

kittiwake Reagent FG-K2-002-KW

kittiwake REAGENT, A (500ML/BOTTLE) REAGENT, B (50/SACHETS/BOX) FG-
K2-001-KW

kittiwake REAGENT C 500ML/BOTTLE FG-K2-002-KW

kittiwake REAGENT J 500ML/BOTTLE FG-K2-003-KW

Lovibond Chloride tabs (Bottle /250 Tab) Lovibond tabs for Chloride

Lovibond Total Hardness tabs (Bottle/250 Tab) Lovibond tabs for Total Hardness

HV live line tester METROHM LLT11

Phase sequence Meter KYORITSU Part No KEW8031F

Hydrometer for battery(Digital) Mitchell instrument PART NO:ATG-ATA3499

Megger oil Test set OTS 60SX 60 KV

Megger DLRO 10HD Low resistance ohmmeter RS 712-5768

Megger Transformer- Ohm Meter Input: 240 Volts, 50Hz, Part No.: MTO300

Megger USB Portable Thermal Printer Volts:230V, 50Hz, Part No.: 36494- 1- Kit

AURA GMBH(ELMESS) HEATING FLANGE, 4"- ,EX, II2G TYPE DHFB3-15-PT 100 PN: 15KW

AUTRONICA SMOKE DETECTOR, AUTROSAFE BHH-200

AUTRONICA HEAT DETECTOR, AUTROSAFE BDH-200

DET-TRONICS Flame Detector UVIR Flame Detector X5200

PEGSON REPAIR KIT RR TYPE: 100 C66T/218TSC.C200 IMPELLER DIA: 200MM

PEGSON SHAFT WATER PUMP COOLING RR TYPE: 100 C66T/218TSC.C200 IMPELLER DIA:
200MM