

# 化学发泡生产线 ( EXTRUSION FOR CHEMICAL FOAM PE CABLE )

产品名称	化学发泡生产线 ( EXTRUSION FOR CHEMICAL FOAM PE CABLE )
公司名称	林上峰
价格	.00/个
规格参数	品牌:江新机械 电源电压:380
公司地址	中国 江苏 常州市 武进区
联系电话	86 0519 88520878 15161138838

## 产品详情

品牌	江新机械	型号	20+35双层共挤泡+皮发泡 电缆压出生产线等
电源电压	380	主轴方向	各种机型不同规格
适用线径	各种机型各有不同 ( mm )	步序记忆容量	500m/min(max)

适用于各类通讯电缆，数据线缆，同轴电缆，射频电线，rg、jis等芯线或实心挤出。如：ieee1394,dvi,hdm i等细和高要求的发泡线。

applied to multiple communication cables,date cable radio-cable.coaxial-cable.rg,jis etc. core-wiresolid wire extrusion.such as: ieee1394, dvi. hdml.foam wire.

plc+专业数控软件，工业计算机操控，储存显示及修正各种工艺参数，调整，监控生产线状能。选备瑞士 ( microdia ) 或ml二层共挤机头或包皮+包芯+世皮三层共挤机头，实现内外层精密共挤，并配置汇料阀。

配备精密的外径检测反馈装置，使生产线构成闭循环反馈系统，全程控制电缆的绝缘外径、发泡度，偏心等参数，使之符合工艺要求。

选配水中电容测试仪器+自动反馈控制系统，系统根据电容反馈值自动调节机头和水槽的距离，以控制发泡度。

本生产线最高速度可达到500m/min ( max )。

本生产线自动化程度高，工艺水平佳，居于行业先进水平，是替代国外同类设备的首选。

plc+pro-face control,store display and revise parmeter,whole controlling adjusting,monitoring the state of the line.

equip switzerland(microdia) or chemical foam two layer cross-head or core+skin three layer cross-head achieve inside and outside extruding together precisely,equip the by-pass of material-unload valve.

equip precise diameter and capacitance detect feedback unit,form the closed-loop feedback control system,auto-control the dia of the insulation layer,foam degree,eccentricity,insure the quality.

use imported in-water capacitance detect+auto feedback system,auto-adjust the distance between the cross-hand and the trough to control the foam degree.

speed:500m/min(max).

this high degree of automation product line is a level of good living in the industry advanced level of similar equipment which is the alternative of choice abroad.

20+35双层共挤泡+皮发泡电缆押出生产线。 20+35double-lauer co-extrude,foam+skin extrusion line for hdml,dvi,1394

25+40+25,25+30+25三层共挤pe发泡电线押出生产线。 20+40+25,25+30+25chemical foam pe extrusion.

适用于applied material:fm-pe,pe,pp,pvc,sr-pvc等材料。

导体直径conductor dia:0.4-1.2mm.

发泡后线径conductor dia:0.6-5.0mm.

发泡度foam degree:foam pe 50%(max).

线径控制精度wire dia control precision:<0.01mm.

常州市江新机械有限公司是一家专业从事电线、电缆机械设备研发、设计、制造于一体的现代化企业，公司的前身为东莞三新机械有限公司，公司从事电线、电缆设备行业已有近二十年，积累了丰富的实践经验。本公司不但拥有一些稳定而经验丰富的专业技术团队，而且及时引进欧美、日本等地的先进技术。在设备零配件及电气产品的选配上更是精益求精。截止到目前，本公司已成功开发了网线成套设备、物理-化学发泡生产线、特种电缆（氟塑料）生产线等。经用户使用后均得到用户的一致好评。本公司将一如既往地坚持“务实求新、开拓进取”的企业精神，恪守“质量第一、服务至上”的服务理念，为更多的新老客户服务。 changzhou jiangxin machine co.,ltd.is a modern enterprise specializing in r&d , design and manufacture of wire and cable mechanical equipment. the predecessor of our company is dongguan sanxin machine co.,ltd.we have been engaged in wire and cable equipment for nearly 20 years,and have gained rich practical experience. our company does not only have a team of stable and well-experienced professional technicians,but also promptly introduce advanced technology from europe, america and japan.with regards to selection of equipment parts and electrical products,we are not content with our achievements and always keep on improving ourselves.up to now,our company has successfully developed complete equipment set of network wire, physical-chemical foaming production line,special cable(flurorplastic) production line,etc,which have gained unanimous good comments from customer after their application.our company will adhere to the enterprise spirit of "pragmatism,Innovation and pioneering",stick to the service principle of"quality and service first",and provide service to our new and old customers.

常州市江新机械有限公司林上峰先生(经理)

地址：	中国 江苏 常州市 武进区
邮编：	213104
传真：	0519 88520778
电话：	0519 88520878
邮箱：	dgsxling@sina.com
公司主页：	<a href="http://www.jiangxin666.com">http://www.jiangxin666.com</a>