

VF-0.28/(30-200)-250加气站/空压机

产品名称	VF-0.28/(30-200)-250加气站/空压机
公司名称	蚌埠市鸿申特种气体压缩机厂
价格	.00/件
规格参数	压缩介质:气体 工作原理:活塞式压缩机 润滑方式:无油空压机
公司地址	安徽省蚌埠市淮上区工业园区创业东路108号
联系电话	0552-2071959 19905524485

产品详情

压缩介质	气体	工作原理	活塞式压缩机
润滑方式	无油空压机	品牌	鸿申
用途	天然气加气站用	型号	:VF-0.28/(30-200)-250
功率	见产品说明书 (Kw)	冷却方式	见产品说明书
传动方式	见产品说明书	产品类型	全新
型式	封闭压缩机	排气量大小	中型
排气压力	见产品说明书 (MPa)	外形尺寸 (长*宽*高)	见产品说明书 (mm)
性能	低噪音	噪音	见产品说明书 (dB)

蚌埠市鸿申特种气体压缩机厂致力于石油、化工、城市燃气等行业需要的各类低、中、高压特种气体压缩机的研发和制造，秉承国内外压缩机行业先进技术和设计理念，充分利用企业集优重组的资源优势，运用科学的企业管理，全力提升产品质量，争创国内特种压缩机品牌。企业通过iso9001:2000国际质量体系认证。

产品六大系列：a.液化气系列；b.天然气系列；c.天然气高压充瓶；d.油井气、(干气、湿气)套管气、富气、煤气系列；e.化工、工业气体系列压缩机；f.工程、空气中、高压系列压缩机，近百个规格品种，排气量从0.2-40 m³/min，排气压力从0.2 mpa -25 mpa。

产品广泛用于天然气、煤气、油田气、富气、丙烯、二氧化碳、氯气、二甲醚、氨气、氮气、氟利昂、二氟乙烷等特殊工业气体。在回收、集气、注气、扫线及石油工艺流程中的稳压、压缩及输送领域中普遍采用。为便于广大用户、设计院、安装单位设计选购安装，我厂设有销售专线电话。欢迎来电咨询，同时欢迎浏览我厂的网站：

<http://www.lpgcompressor.com>(中文实名查找“鸿申压缩机”),获取更多的企业信息。

销售热线：0552-2071656 2071959 3117978 2040831

bengbu hongshen special gas compressor manufactory, established in the basis of the former bengbu compressor general works (northern works) with over 50 years experience in design and manufacture endeavor to r/d and manufacture diversified types of low-mid-high pressure special gas compressors utilized in etroleum, chemistry, urban fuel gas and other applications pursuing the advanced technology and design concepts of compressor industry both home and abroad, employing fully the enterprise 's reorganized and optimized resources advantages, carrying out the scientific management to heighten the products quality and create the prestigious special gas compressor brank in china. hongshen enterprise was awarded as the factory in the first group of " quality emphasized, contract honored and credit well commented in china " in " quality 10,000 kilometres investigation " in 2003 and success fully awarded the certific ations of iso9001:2000 international quality system authorization. the 6 series products range: a) lg series; b) lpg series; c) high pressure natural gas bottle filling; d) oil well gas, casing gas (dry and wet), rich gas and coal gas series; e) chemistry, industrial gas series compressors; f) engineering, mid/high pressure air compressors series; over a hundred specifications and the exhaust volumes range from 0.2 ~ 80m³/min and exhaust pressure goes from 0.2mpa ~ 25mpa. these compressors are widely used in the special gas such as natural gas, coal gas, oil filed gas, rich gas, propylene, carbon dioxide, chlorine gas, dimethylether, ammonia gas, chloromethane, freon, nitrogen gas, ethylidene (di) fluoride etc and also extensively applied in the recycling, gas collection, gas filling, pipeline purging and the pressure stabilization, compression, and conveyance in petro chemical processes. a special sales phone line is provided for the convenience in the selection and installation of the customers, design institutes and installing companies. we will send you free related seopducts and sales documentations if you leave us the correspondent address and at the same time, you are welcome to browse our website. <http://www.lpgcompressor.com> (search chinese character: "hongshen compressor") to acquire more information.

蚌埠市鸿申特种气体压缩机厂主营产品：压缩机；空压机；氮气压缩机；二氧化碳压缩机；天然气压缩机；二氟乙烷压缩机；二甲醚压缩机；煤气压缩机；特殊化工气体压缩机；丙烯压缩机；氯乙烯压缩机；氯甲烷压缩机；

蚌埠市鸿申特种气体压缩机厂交天下朋友、欢迎广大客户朋友来电咨询/

电话:86 0552 2071959

蚌埠市鸿申特种气体压缩机厂致力于石油、化工、城市燃气等行业需要的各类低、中、高压特种气体压缩机的研发和制造，秉承国内外压缩机行业先进技术和设计理念，充分利用企业集优重组的资源优势，运用科学的企业管理，全力提升产品品质，争创国内特种压缩机品牌。企业通过iso9001:2000国际质量体系认证。产品六大系列：a.液化气系列；b.天然气工艺增压系列；c.天然气子站、标准站系列高压充瓶压缩机(cng加气站)；d.油井气、(干气、湿气)套管气、富气、煤气系列；e.化工、工业气体系列压缩机；f.工程、空气中、高压系列压缩机 近百个规格品种，排气量从0.2-40 m³/min，排气压力从0.2 mpa -25 mpa。产品广泛用于天然气、煤气、油田气、富气、丙烯、二氧化碳、氯气、二甲醚、氨气、氮气、氟利昂、二氟乙烷等特殊工业气体。在回收、集气、注气、扫线及石油化工工艺流程中的稳压、压缩及输送领域中普遍采用。

用于cng井口加气站的天然气压缩机

用于cng加气子站、标准站的天然气压缩机(图为带隔音仓和不带隔音仓两款机型)

用于液化石油气储运站、液化石油气罐瓶厂以及部分化工厂的液化气压缩机，即lpg压缩机

用于化工工艺增压、余气回收的压缩机，其工作介质为氮气、煤气、二氧化碳、丙烯、氨气、乙烯、氯乙烯、二丁烯、氯甲烷、二氟乙烷、二甲醚、一氧化碳、氮氢气、富气、氟里昂、沼气、甲烷、乙烷、

套管气、二氟甲烷、异丁烯等特殊介质。

用于油田气举、扫线、深井加压以及军工高压领域的高压空气压缩机

用于工程、吹扫、矿山、仪表检测等领域的动力空气压缩机

欢迎各界人士来我厂参观考察！