

优质镀钛切管圆锯片铣刀 现货

产品名称	优质镀钛切管圆锯片铣刀 现货
公司名称	昆山市周市镇精刃机械经销部
价格	90.00/片
规格参数	样品或现货:现货 是否标准件:标准件 标准编号:HSS
公司地址	周市镇朱家湾村综合楼底层第四间
联系电话	86-051255161269 13405155380

产品详情

样品或现货	现货	是否标准件	标准件
标准编号	HSS	品牌	精刃机械
型号	齐全	材质	高速钢
用途	切金属专用锯片	是否进口	否
是否涂层	涂层	规格	齐全
适用机床	切割机	是否库存	库存
是否批发	批发		

专业生产高速钢圆锯片，锯片铣刀，切口铣刀，切管圆锯片，并承接非标定制各种款式锯片。经过长期磨练，在锯片设计、制造方面积累了丰富的经验。建立了完善的质量管理体系，选用优质原材料组织生产，技术力量雄厚，检测设备齐全，加工设备精良。在工具生产厂家中实行质量承诺服务，真正做到以诚为本，信誉至上。公司以：“优异的品质，实惠的价格，优良的服务”为宗旨来满足用户的需求，竭诚欢迎新老客户前来洽谈垂询。

高速钢圆锯片说明：

产品性能：锯片铣刀，金属锯片，切口铣刀，切管圆锯片,高速钢圆锯片等

型号参数：外径 20~400mm，孔径 5~40mm,厚度，0.2~8.0mm

齿型：无齿，粗齿，中齿，细齿；开刃

齿形：尖齿，圆弧齿，交错齿（左右齿，高低齿）

开齿方式：铣齿，磨齿，全磨齿，开刃（双面刃，单面刃）

表面涂层：本色，镀钛涂层，氮化涂层，氮化铬涂层。

材料：w6mo5cr4v2(m2, 6542)、w18cr4v(w18), w9mo3cr4v(w9)等高性能高速钢，钴系类m35、m42超硬高性能高速钢。高速钢材料均锻打处理，高精度控制淬火处理，硬度更高，耐磨更好，综合性能更好

硬质合金（钨钢）。

用途：主要用于铁，铝，铜等中硬以下金属材料窄而深的槽加工或切断。也可用于塑料木材等非金属的铣削加工。

售后服务；（反复修磨齿尖，终身维修）

不锈钢专用圆锯片说明；

采用超硬材质，颜色为七彩；具有切割表明光滑，无毛刺，安全，环保，无灰尘等优点，是一种新的多层抗磨镀层,推荐切割速度和进料速度比较高硬度的材料使用,产品厚度强，韧性好，耐磨程度高，用后可以反复修磨齿尖；并可根据客户要求加工订做,不同孔位；直径大小和厚度为客户带来方便。欢迎来电洽谈。（纸箱包装,当天可以发货，可含快递费）

联系人；屈先生/张小姐

电话：86 0512 55161269

移动电话：13405155380

传真：86 0512 55161269

地址：中国江苏昆山市周市镇朱家湾村委大楼一层第四间

邮编：215314

公司网站：<http://ksjrjx.cn.alibaba.com>

professional production hss circular saw blades, milling cutter blades, incision, cutting and circular saw blades, non-standard customized blades of various styles. after a long, in the blade design, manufacture, has accumulated rich experience. set up a perfect quality management system of quality raw materials, production organization, strong technical force, complete test equipment, processing equipments. implement quality tool manufacturer in home a commitment to co-oriented, the supremacy of credibility. companies with "excellent quality, affordable price, excellent service" as the aim to satisfy the demand of users, sincerely welcome old and new customers to negotiate.

hss circular saw blades:

the properties of product: blades, metal blades, incision milling cutter, pipe circular saw blades, hss circular saw blades, etc

type parameters: diameter, 20 - 5 ~ 400mm diameter 40mm, thickness, 0.2-8.0 mm

tooth type: toothless, thick tooth, the presentation;, usually.if

gear tooth shape: pointed, arc tooth gear tooth, crisscross, around (tooth)

open mode: milling gear, gear, gear grinding mill tooth, single (double blade, usually .if blade)

the surface coating of titanium coating, coating, coating, nitriding, chromium nitride coating.

ingredients: w6mo5cr4v2 (m2, 6542), w18cr4v (w18), w9mo3cr4v (w9) high speed steel, cobalt is m35 class, m42 super-hard high-performance hss. hss materials, precision forging quenching process control, hardness higher, wear-resisting, comprehensive performance is better

hard alloy (tungsten).

use: mainly used for road, aluminum, copper, iron under hard metallic materials in narrow and deep processing or cut off the slot. also can be used for plastic wood etc. nonmetal of milling.

after-sales service, (repeated grinding teeth, lifelong maintenance}

stainless steel that special circular saw blades,

using qualitative, color superhard for colour, that has cut, safe, environmental protection, no dust etc, it is a kind of new multi-storey anti-wear coating, recommend cutting speed and feed rate of the materials compared with high hardness and thickness of the products, using high toughness, good wear-resisting degree, can relapse after grinding teeth, pointed, and according to the customer request processing customized, different hole, the diameter size and thickness, bring convenience for the customer. welcome to negotiate. (the carton packing, the goods can contain courier fees),

united department, s: mr watt/miss zhang

power word: 55161269 0512-86

mobile phones: 13405155380

pass is 55161269 0512-86

to address: china zhuguwan town kunshan city, jiangsu province weeks between the fourth building a seat

ed: 215314 mail

company website:<http://ksjrjx.cn.alibaba.com>