

蓄电池 MANHONG 启动型蓄电池

产品名称	蓄电池 MANHONG 启动型蓄电池
公司名称	江门市新会区会城银辉电器厂
价格	.00/个
规格参数	品牌:MANHONG 类型:启动型蓄电池 电池盖和排气栓结构:阀控式密闭蓄电池
公司地址	江门市新会区会城群胜旧路工业区（小学旧址）
联系电话	86 0750 6316968 13702597784

产品详情

品牌	MANHONG	类型	启动型蓄电池
电池盖和排气栓结构	阀控式密闭蓄电池	荷电状态	免维护蓄电池
型号	55415	化学类型	铅酸蓄电池
额定容量	54	电压	12 (V)
外型尺寸	293*171*174 (mm)	产品认证	ISO9001-2001
适用范围	汽车		

本公司采用独特的铅膏配方及电阻较低的电解质，使电池具备更高的引擎启动性能，采用银合金技术，独特的板栅设计，使电池具有更好的低温启动性能、具良好的即用性能；最优化的设计，使电池的能力比更高，而且寿命长，真正能满足驻车启动和现代车辆电子设备的需要。

具有更强的抗腐蚀性，更大的放电效果。

极低的电池内阻，超强的启动电流

不受温度控制的电解质

提高抗腐蚀性能，减缓蓄电池的“老化”

极低的自放电率，充电后储存时间长，

安装方便，使用者没有与酸液接触的机会

正常充电不产生温度，不耗水，氢氧重新复合

无液态或气态酸产生，不污染环境。

our company battery adopted special formula of lead ointment and electrolyte, which has low inner resistance, and this increase the function of engine start up. with the use of silver alloy technology, special contrivance of the material the battery has a better function of engine start up in low degree temperature condition, better capacity forthwith, best designing, more energy and longevity, all of which satisfy the demand of start up and modern electronic equipment.

the advantages:

stronger resistance to corrode, more effective discharging

extremely low inner resistance, supper discharging

electrolyte can ' t be effected by temperature

stronger resistance to corrode, extend the life of batteries

extremely low rate of self-discharging long storing time after electrification

convenient fixing, users have no chance to touch acid liquid

no temperature rising during regular charging, no water consuming, recombination of oxygen and hydrogen

no liquid or gaseous acid comes into being, no pollution to environment.

charact of the product

sliver alloy grid

batter function of discharging

supper cold cranking performance

20% longger service life

long storing time

no leak of acid

absolutely maintenance free

environment protective product

银合金板栅

强劲的放电功能

卓越的冷起能能力

寿命长20%

储存期长

不跑漏

绝对保养

环保电池