

现货直销宁波华液HOYEA叠加式单向阀DA-02-A-31.5a-70

产品名称	现货直销宁波华液HOYEA叠加式单向阀DA-02-A-31.5a-70
公司名称	苏州鹏和液压有限公司
价格	.00/个
规格参数	
公司地址	相城区元和街道汇萃商业广场2幢
联系电话	0512-65468600 15862468879

产品详情

HOYEA电磁阀 华液电磁阀

FW-02-3C2-D24-50 FW-02-3C3-D24-50 FW-02-3C4-D24-50 FW-02-3C5-D24-50

FW-02-3C6-D24-50 FW-02-3C7-D24-50 FW-02-3C8-D24-50 FW-02-3C9-D24-50

FW-02-3C10-D24-50 FW-02-3C11-D24-50 FW-02-3C12-D24-50 FW-02-3C25-D24-50

FW-02-2B2-D24-50 FW-02-2B3-D24-50 FW-02-2B8-D24-50 FW-02-2B2B-D24-50

FW-02-2B3B-D24-50 FW-02-2B4B-D24-50 FW-02-2B9B-D24-50 FW-02-2B11B-D24-50

FW-02-2B12B-D24-50 FW-02-2B2BL-D24-50 FW-02-2B3BL-D24-50 FW-02-2B2L-D24-50

FW-02-2B3L-D24-50 FW-02-2B8L-D24-50 FW-02-2B11BL-D24-50 FW-02-2B12BL-D24-50

FWH系列电液换向阀 HOYEA换向阀 HOYEA电液换向阀 华液换向阀 华液FWH电液换向阀

FWH-04-2B2-A220Z5L, FWH-04-2B3-A220Z5L, FWH-04-2B8-A220Z5L, FWH-06-3C2-A220Z5L,

FWH-06-3C4-A220Z5L, FWH-06-3C3-A220Z5L, FWH-04-3C3-D12Z5L, FWH-04-3C40-D12Z5L,

FWH-04-3C60-D12Z5L, FWH-04-3C9-D12Z5L, FWH-04-3C10-D12Z5L, FWH-04-3C11-D12Z5L,

FWH-04-3C12-D12Z5L, FWH-04-2D2-D12Z5L, FWH-04-2B2-D12Z5L, FWH-04-2B3-D12Z5L

FWH-06-2B2-D12Z5L, FWH-06-2B3-D12Z5L FWH-06-3C60-A220Z5L,FWH-06-3C9-A220Z5L
FWH-06-3C11-A220Z5L,FWH-03-3C2-A220Z5L, FWH-03-3C4-A220Z5L FWH-04-3C2-A110Z5L,
FWH-04-3C4-A110Z5L FWH-04-3C2-D24Z5L, FWH-04-3C4-D24Z5L FWH-06-3C4-D24Z5L

HOYEA电液换向阀部分型号如下：

FWH-04-3C2-A220Z5L, FWH-04-3C4-A220Z5L, FWH-04-3C3-A220Z5L,
FWH-04-3C40-A220Z5L,FWH-04-3C60-A220Z5L,FWH-04-3C9-A220Z5L
FWH-04-3C10-A220Z5L,FWH-04-3C11-A220Z5L,FWH-04-3C12-A220Z5L

HOYEA叠加式单向阀部分型号如下：

DA-02-P-31.5a-70 DA-02-A-31.5a-70 DA-02-B-31.5a-70
DA-02-W-31.5a-70 DA-02-T-31.5a-70 DA-02-P-31.5b-70
DA-02-A-31.5b-70 DA-02-B-31.5b-70 DA-02-W-31.5b-70
DA-02-T-31.5b-70 DA-02-P-31.5c-70 DA-02-A-31.5c-70
DA-02-B-31.5c-70 DA-02-W-31.5c-70 DA-02-T-31.5c-70
DA-03-P-31.5a-70 DA-03-A-31.5a-70 DA-03-B-31.5a-70
DA-03-W-31.5a-70 DA-03-T-31.5a-70 DA-03-P-31.5b-70
DA-03-A-31.5b-70 DA-03-B-31.5b-70 DA-03-W-31.5b-70
DA-03-T-31.5b-70 DA-03-P-31.5c-70 DA-03-A-31.5c-70
DA-03-B-31.5c-70 DA-03-W-31.5c-70 DA-03-T-31.5c-70

检验分类：

- 1、产品在出厂前必须对阀逐一进行技术要求的2、3、4、9条款的规定检验。
- 2、每季度对出厂的产品随机抽样15%(不少于10只)，按技术要求的5、8条款的规定检验。

型式检验

有下列情况之一时，应进行型式检验：

- a) 首批生产的产品；

- b) 生产工艺和使用材料发生变化；
- c) 成批生产的阀应每三年进行一次；
- d) 国家质量监督结构提出型式检验的要求。

结构编辑

脉冲阀由电磁阀、小阀体、大阀体、小膜片、弹簧、大膜片构成，阀体材质为合金铝。

工作原理编辑

膜片把电磁脉冲阀分成前、后二个气室，当接通压缩空气通过节流孔进入后气室，此时后气室压力将膜片紧贴阀的输出口，电磁脉冲阀处于“关闭”状态。脉冲喷吹控制仪电信号消失，电磁脉冲阀衔铁复位，后气室放气孔关闭，后气室压力升高使膜片紧贴阀出口，电磁脉冲阀又处于“关闭”状态。

台湾海特克叶片泵 台湾HIGH-TECH叶片泵

台湾HIGH-TECH海特克双联叶片泵

PVL12-6-26-F-1R-UU-10 PVL12-8-26-F-1R-UU-10

PVL12-10-26-F-1R-UU-10 PVL12-12-26-F-1R-UU-10

PVL12-14-26-F-1R-UU-10 PVL12-17-26-F-1R-UU-10

PVL12-19-26-F-1R-UU-10 PVL12-23-26-F-1R-UU-10

PVL12-25-26-F-1R-UU-10 PVL12-28-26-F-1R-UU-10

PVL12-31-26-F-1R-UU-10

PVL12-6-33-F-1R-UU-10 PVL12-8-33-F-1R-UU-10

PVL12-10-33-F-1R-UU-10 PVL12-12-33-F-1R-UU-10

PVL12-14-33-F-1R-UU-10 PVL12-17-33-F-1R-UU-10

PVL12-19-33-F-1R-UU-10 PVL12-23-33-F-1R-UU-10

PVL12-25-33-F-1R-UU-10 PVL12-28-33-F-1R-UU-10

PVL12-31-33-F-1R-UU-10

PVL12-6-41-F-1R-UU-10 PVL12-8-41-F-1R-UU-10

PVL12-10-41-F-1R-UU-10 PVL12-12-41-F-1R-UU-10

PVL12-14-41-F-1R-UU-10 PVL12-17-41-F-1R-UU-10

PVL12-19-41-F-1R-UU-10 PVL12-23-41-F-1R-UU-10

PVL12-25-41-F-1R-UU-10 PVL12-28-41-F-1R-UU-10

PVL12-31-41-F-1R-UU-10

PVL12-6-47-F-1R-UU-10 PVL12-8-47-F-1R-UU-10

PVL12-10-47-F-1R-UU-10 PVL12-12-47-F-1R-UU-10

PVL12-14-47-F-1R-UU-10 PVL12-17-47-F-1R-UU-10

PVL12-19-47-F-1R-UU-10 PVL12-23-47-F-1R-UU-10

PVL12-25-47-F-1R-UU-10 PVL12-28-47-F-1R-UU-10

PVL12-31-47-F-1R-UU-10

PVL12-6-53-F-1R-UU-10 PVL12-8-53-F-1R-UU-10

PVL12-10-53-F-1R-UU-10 PVL12-12-53-F-1R-UU-10

PVL12-14-53-F-1R-UU-10 PVL12-17-53-F-1R-UU-10

PVL12-19-53-F-1R-UU-10 PVL12-23-53-F-1R-UU-10

PVL12-25-53-F-1R-UU-10 PVL12-28-53-F-1R-UU-10

PVL12-31-53-F-1R-UU-10

PVL12-6-59-F-1R-UU-10 PVL12-8-59-F-1R-UU-10

PVL12-10-59-F-1R-UU-10 PVL12-12-59-F-1R-UU-10

PVL12-14-59-F-1R-UU-10 PVL12-17-59-F-1R-UU-10

PVL12-19-59-F-1R-UU-10 PVL12-23-59-F-1R-UU-10

PVL12-25-59-F-1R-UU-10 PVL12-28-59-F-1R-UU-10

PVL12-31-59-F-1R-UU-10