

## 圆型裸端头 科威 RNB

产品名称	圆型裸端头 科威 RNB
公司名称	乐清市科威电力金具厂
价格	.00/个
规格参数	品牌:科威 型号:RNB 应用范围:电脑
公司地址	乐清市柳市镇三里村
联系电话	86 0577 62733422 13706779197

## 产品详情

品牌	科威	型号	RNB
应用范围	电脑	种类	端子(terminal)
接口类型	1394		

## 圆形裸端头

技术参数 / technical parameter

type				
	d2	b	l	
rnb1.25-3	3.2	5.7	12.6	
rnbs1.25-4	4.3	8.0	15.8	
rnb1.25-5	5.3	8.0	15.8	
rnb1.25-6	6.5	11.6	21.8	
rnb1.25-8	8.4	11.6	21.8	
rnb1.25-10	10.5	13.6	25.5	
rnb2-3.2	3.2	6.6	16.0	
rnb2-3.7s	3.7	6.6	16.0	

rnb2-3.7m	3.7	6.6	16.0	
rnb2-3.7l	3.7	8.5	16.8	
rnb2-4s	4.3	6.6	16.0	
rnb2-4l	4.3	8.5	16.8	
rnb2-5s	5.3	8.5	16.8	
rnb2-5l	5.3	9.5	16.8	
rnb2-6	6.5	12.0	21.8	
rnb2-8	8.4	12.0	21.8	
rnb2-10	10.5	13.6	25.5	
rnb3.5-5	5.3	8.0	18.0	
rnb3.5-5s	5.3	8.0	18.0	
rnb3.5-5l	5.3	12.0	21.4	
rnb3.5-6	6.5	12.0	21.4	
rnb5.5-3.7	3.7	7.2	15.7	
rnb5.5-4s	4.3	7.2	15.7	
rnb5.5-4l	4.3	9.5	19.8	
rnb5.5-5	5.3	9.5	19.8	
rnb5.5-6	6.5	12.0	25.8	
rnb5.5-8	8.4	15.0	28.0	
rnb5.5-10	10.5	15.0	28.0	
rnb5.5-12	13.0	19.2	32.4	

rnb8-4	4.3	8.8	23.8	9.3	8.5	
rnb8-5s	5.3	8.8	23.8	11.1		
rnb8-5m	5.3	12.0	23.8	9.3		
rnb8-5l	5.3	15.0	29.8	13.8		
rnb8-6s	6.5	12.0	23.8	9.3		
rnb8-6l	6.5	15.0	29.8	13.8		
rnb8-8	8.4	15.0	29.8	13.8		
rnb8-10	10.5	15.0	29.8	13.8		
rnb14-4	4.3	12.0	29.8	13.3	10.5	
rnb14-5	5.3	12.0	29.8	13.3		
rnb14-6s	6.5	12.0	29.8	13.3		
rnb14-6l	6.5	16.0	32.8	13.3		

rnb14-8	8.4	16.0	32.8	14.5		
rnb14-10	10.5	16.0	32.8	14.5		
rnb14-12	13.0	22.0	41.0	19.5		
rnb22-5s	5.3	12.2	33.2	14.5	12	
rnb22-5l	5.3	16.5	33.7	13.5		
rnb22-6s	6.5	12.2	33.2	14.5		
rnb22-6l	6.5	16.5	33.7	13.5		
rnb22-8	8.4	16.5	33.7	13.5		
rnb22-10	10.5	16.5	33.7	13.5		
rnb22-12	13.0	22.0	42.5	19.5		
rnb38-5	5.3	15.3	39.0	18.3		14
rnb38-6	6.5	15.3	39.0	18.3		
rnb38-8s	8.4	15.3	39.0	18.3		
rnb38-8l	8.4	22.0	42.7	17.7		
rnb38-10s	10.5	15.3	39.0	18.3		
rnb38-10l	10.5	22.0	42.7	17.7		
rnb38-12	13.0	22.0	42.7	17.7		
rnb60-6	6.5	22.0	49.7	20.7	18	
rnb60-8	8.4					
rnb60-10	10.5					
rnb60-12	13.0					
rnb60-14	15.0	32.0	57.5	23.5		
rnb60-16	17.0					
rnb60-18	19.0					
rnb60-20	21.0					
rnb60-22	23.0					

rnb70-6	6.5	24.0	51.0	20.0	19.0	
rnb70-8	8.4					
rnb70-10	10.5					
rnb70-12	13.0					
rnb70-14	15.0	32.0	61.0	26.0		
rnb70-16	17.0					
rnb70-18	19.0					

rnb70-20	21.0					
rnb70-22	23.0					
rnb80-6	6.5	27.0	54.2	20.7	20.0	
rnb80-8	8.4					
rnb80-10	10.5					
rnb80-12	13.0					
rnb80-14	15.0					
rnb80-16	17.0	32.0	68.0	32.0		
rnb80-18	19.0					
rnb80-20	21.0					
rnb80-22	23.0					
rnb100-6	6.5					
rnb100-8	8.4					
rnb100-10	10.5					
rnb100-12	13.0					
rnb100-14	15.0	32.0	69.0	32.0		
rnb100-16	17.0					
rnb100-18	19.0					
rnb100-20	21.0					
rnb100-22	23.0					

rnb150-8	8.4	36.0	66.0	23.0	27.0	
rnb150-10	10.5					
rnb150-12	13.0					
rnb150-14	15.0					
rnb150-16	17.0					
rnb150-18	19.0		81.0	36.0		
rnb150-20	21.0					
rnb150-22	23.0					
rnb150-24	25.0					
rnb150-27	28.0					
rnb185-8	8.4	38.5	69.0	24.5	28.5	
rnb185-10	10.5					
rnb185-12	13.0					

rnb185-14	15.0				
rnb185-16	17.0				
rnb185-18	19.0		86.6	39.0	
rnb185-20	21.0				
rnb185-22	23.0				
rnb185-24	25.0				
rnb185-27	28.0				
rnb325-8	8.4	50.5	88.0	33.5	35.5
rnb325-10	10.5				
rnb325-12	13.0				
rnb325-14	15.0				
rnb325-16	17.0				
rnb325-18	19.0		105.7	45.0	
rnb325-20	21.0				
rnb325-22	23.0				
rnb325-24	25.0				
rnb325-27	28.0				