

欧标工字钢海外进口尺寸,多材质欧标工字钢

产品名称	欧标工字钢海外进口尺寸,多材质欧标工字钢
公司名称	上海欣榕商贸有限公司
价格	4900.00/吨
规格参数	执行标准:EN10034 型号:IPE100 产地:12米
公司地址	上海嘉定区曹安公路2038号华拓大厦1020室
联系电话	021-60953732

产品详情

欧标工字钢海外进口尺寸,多材质欧标工字钢

HE	kg/m	mm	mm	mm
HE 100 AA	12.2	91	100	4.2
HE 100 A	16.7	96	100	5
HE 100 B	20.4	100	100	6.0
HE 100 C	30.9	110	103	9
HE 100 M	41.8	120	106	12
HE 120 AA	14.6	109	120	4.2
HE 120 A	19.9	114	120	5.0
HE 120 B	26.7	120	120	6.5
HE 120 C	39.2	130	123	9.5
HE 120 M	52.1	140	126	12.5
HE 140 AA	18.1	128	140	4.3
HE 140 A	24.7	133	140	5.5
HE 140 B	33.7	140	140	7
HE 140 C	48.2	150	143	10
HE 140 M	63.2	160	146	13
HE 160 AA	23.8	148	160	4.5
HE 160 A	30.4	152	160	6
HE 160 B	42.6	160	160	8.0
HE 160 C	59.151	170	163	11
HE 160 M	76.2	180	166	14
HE 180 AA	28.7	167	180	5
HE 180 A	35.5	171	180	6.0
HE 180 B	51.2	180	180	8.5
HE 180 C	69.827	190	183	11.5

HE 180 M	88.9	200	186	14.5
HE 200 AA	34.6	186	200	5.5
HE 200 A	42.3	190	200	6.5
HE 200 B	61.3	200	200	9.0
HE 200 C	81.9	210	203	12
HE 200 M	103	220	206	15
HE 220 AA	40.4	205	220	6
HE 220 A	50.5	210	220	7.0
HE 220 B	71.5	220	220	9.5
HE 220 C	94.1	230	223	12.5
HE 220 M	117.0	240	226	15.5
HE 240 AA	47.4	224	240	6.5
HE 240 A	60.3	230	240	7.5
HE 240 B	83.2	240	240	10
HE 240 C	119.466	255	244	14
HE 240 M	157	270	248	18
HE 260 AA	54.1	244	260	6.5
HE 260 A	68.2	250	260	7.5
HE 260 B	93.0	260	260	10.0
HE 260 C	132.2	275	264	14
HE 260 M	172	290	268	18
HE 280 AA	61.2	264	280	7
HE 280 A	76.4	270	280	8.0
HE 280 B	103	280	280	10.5
HE 280 C	145.3	295	284	14.5
HE 280 M	189	310	288	18.5
HE 300 AA	69.8	283	300	7.5
HE 300 A	88.3	290	300	8.5
HE 300 B	117.0	300	300	11.0
HE 300 C	177	320	305	16
HE 300 M	238	340	310	21
HE 320 AA	74.2	301	300	8
HE 320 A	97.6	310	300	9.0
HE 320 B	127	320	300	11.5
HE 320 C	186	340	305	16
HE 320 M	245.0	359	309	21.0
HE 340 AA	78.9	320	300	8.5
HE 340 A	105	330	300	9.5
HE 340 B	134	340	300	12
HE 340 M	248	377	309	21
HE 360 AA	83.7	339	300	9
HE 360 A	112	350	300	10
HE 360 B	142	360	300	12.5
HE 360 M	250.0	395	308	21.0
HE 400 AA	92.4	378	300	9.5
HE 400 A	125	390	300	11
HE 400 B	155	400	300	13.5
HE 400 M	256.0	432	307	21.0
HE 450 AA	99.7	425	300	10
HE 450 A	140	440	300	11.5
HE 450 B	171	450	300	14

HE 450 M	263	478	307	21
HE 500 AA	107	472	300	10.5
HE 500 A	155.0	490	300	12.0
HE 500 B	187	500	300	14.5
HE 500 M	270	524	306	21
HE 550 AA	120	522	300	11.5
HE 550 A	166.0	540	300	12.5
HE 550 B	199	550	300	15
HE 550 M	278	572	306	21
HE 600 AA	129.0	571	300	12.0
HE 600 A	178.0	590	300	13.0
HE 600 B	212	600	300	15.5
HE 600 M	285	620	305	21
HE 600 x 337	337	632	310	25.5
HE 600 x 399	399	648	315	30
HE 650 AA	138	620	300	12.5
HE 650 A	190	640	300	13.5
HE 650 B	225.0	650	300	16.0
HE 650 M	293	668	305	21
HE 650 x 343	343	680	309	25
HE 650 x 407	407	696	314	29.5
HE 700 AA	150.0	670	300	13.0
HE 700 A	204	690	300	14.5
HE 700 B	241	700	300	17
HE 700 M	301	716	304	21
HE 700 x 352	352	728	308	25
HE 700 x 418	418	744	313	29.5
HE 800 AA	172.0	770	300	14.0
HE 800 A	224	790	300	15
HE 800 B	262	800	300	17.5
HE 800 M	317	814	303	21
HE 800 x 373	373.0	826	308	25.0
HE 800 x 444	444	842	313	30
HE 900 AA	198	870	300	15
HE 900 A	252.0	890	300	16.0
HE 900 B	291.0	900	300	18.5
HE 900 M	333	910	302	21
HE 900 x 391	391	922	307	25
HE 900 x 466	466	938	312	30
HE 1000 AA	222	970	300	16
HE 1000 x 249	249.0	980	300	16.5
HE 1000 A	272.0	990	300	16.5

2020年以来，沙钢开发的桥梁缆索钢、超薄带结构钢、高强钢等多个牌号的新品填补了国内空白。“X60及以上管线钢用钢板”被工业和信息化部、中国工业经济联合会评定为制造业单项产品。沙钢“实施基于精益管理系统+MES系统的质量管控经验”被评选为五家钢铁企业之一。沙钢大力开展铁前、炼钢、轧制及自动化全流程工艺优化研发，开发出高效低成本超低磷9Ni钢冶炼工艺并一次性试制成功，攻克了技术瓶颈。