

# PP韩国韩华道达尔 BB110 耐冲击 可以食品接触 用于片材挤出成型 热成型

产品名称	PP韩国韩华道达尔 BB110 耐冲击 可以食品接触 用于片材挤出成型 热成型
公司名称	东莞市东艳塑胶原料有限公司
价格	12.50/公斤
规格参数	
公司地址	东莞市樟木头镇百果洞社区塑胶原料市场
联系电话	18938274862

## 产品详情

聚丙烯具有良好的耐热性，制品能在100 以上温度进行消毒灭菌，在不受外力的条件下，150 也。脆化温度为-35 ，在低于-35 会发生脆化，耐寒性不如聚乙烯。对于聚丙烯玻璃化温度的报道值有一18q C, OqC, 5 等，这也是由于人们采用不同试样，其中所含晶相与无定形相的比例不同，使分子链中无定形部分链长不同所致。聚丙烯的熔融温度比聚乙烯约提高40—50%，约为164—170 ，等规度聚丙烯熔点为176

### PP用

途：汽车：PP越来越成为汽车配件的主导材料，成为\*一大汽车用塑料品种。增韧PP用于保险杠和轮壳罩等，增强PP则用于仪表盘、方向盘、手柄、容器、蓄电池壳等。日用品：普通PP常用于注塑衣架、椅子、凳子、桶、盆、玩具、文具、办公用品、家具、铰链、周转箱等。

### 韩华道达尔 PP 部分PP相关供应

Hanwha Total PP HJ730

Hanwha Total PP HJ730L

Hanwha Total PP HS120

Hanwha Total PP HTB52

Hanwha Total PP HTB72

Hanwha Total PP HTH52

Hanwha Total PP HU300

Hanwha Total PP HU330

Hanwha Total PP HU730

Hanwha Total PP HY200

Hanwha Total PP HY300

Hanwha Total PP HY301

Hanwha Total PP KH52T

Hanwha Total PP NH53G

Hanwha Total PP NH54G

Hanwha Total PP NH54I

Hanwha Total PP RE400

Hanwha Total PP RF401

Hanwha Total PP RF402

Hanwha Total PP RJ570Z

Hanwha Total PP RJ580Z

Hanwha Total PP RJ581Z

Hanwha Total PP RJ710

Hanwha Total PP RJ770

Hanwha Total PP RJ772

Hanwha Total PP RJ781Z

Hanwha Total PP RR73E

Hanwha Total PP SB52S

Hanwha Total PP SH52

Hanwha Total PP SH52C

Hanwha Total PP SI51C

Hanwha Total PP SI83R

Hanwha Total PP TB24

Hanwha Total PP TB51

Hanwha Total PP TB52

Hanwha Total PP TB52L

Hanwha Total PP TB52U

Hanwha Total PP TB53

Hanwha Total PP TB53L

Hanwha Total PP TB54

Hanwha Total PP TB54I

Hanwha Total PP TB71HW

Hanwha Total PP TB71S

Hanwha Total PP TB72P

Hanwha Total PP TB72W

Hanwha Total PP TB81W

Hanwha Total PP TF400

Hanwha Total PP TF402