

# 韩国进口HANSSEM100%纯亚克力人造石新平衡

产品名称	韩国进口HANSSEM100%纯亚克力人造石新平衡
公司名称	上海劲耐商贸有限公司
价格	.00/个
规格参数	产地/品牌:HANSSEM 规格:3680*760*13 ( mm )
公司地址	上海市金山区枫泾镇建贡路183弄12号五楼502室
联系电话	86 021 50838142 13004183828

## 产品详情

产地/品牌	HANSSEM	规格	3680*760*13 ( mm )
1.compositionandinformationoningredients			
composition	othername	casno.	h.sno.
polymethylmethacrylate	-	9011-14-7	-
aluminum tri-hydroxide	-	21645-51-2	-
impactstrength	-	-	-

2.hazardsidentification		
emergency overview		
potential chronic health effect	eyes	dust or small particle may irritate the eyes

potential	
chronic health effect	
<del>any sharp edge may cut the skin and dust generated by fabrication may cause skin sensitization.</del>	
potential	
chronic health effect	
<del>resin generated during fabrication may cause irritation to respiratory tract.</del>	
potential	
chronic health effect	
not applicable	
potential	
chronic health effect	
not applicable	
potential	
chronic health effect	
not applicable	

### 3. first aid procedures

eyes contact

fusheyes immediately with large amounts of water for a minimum of 15 minutes. medical treatment by a qualified doctor.

skincontact	thiswouldbeaproblem, butmaycauseskinsensitization.			
inhallation	simplywashthecontaminatedskinwithrunningwater. medicaltreatmentcanbeconsulted, ifneeded. removetofreshair, ifnecessary, victimshouldbetakentowellventilatedarea. medicaltreatmentcanbeconsulted, ifneeded.			
ingestion	n/a			
notesforphysician	noadditionalinformation			
	materialsafetydatasheet(msds)			

**4.flammabilityandexplosioncontrol**

flashingpoint	n/a	auto-ignitiontemperature	n/a	min. & max.flammable-temperaturelimit
---------------	-----	--------------------------	-----	---------------------------------------

flammablecondition non-flammablefromshocks,heat

firefightingmeterial co2,h2o

instruction usedrychemicals,co2,

incaseoffire

hazardsingredient hazardouscarbonoxidizedgascanbeoccurred  
fromfire

**5.handlingandstorage**  
**precaution** donotbreathedust. iffabricatorsgenerateddust, makesureto

wastedisposal proceedthejobatthewellventilatedareaonly. keeptheproductinflatandsafeareaanddustshouldbeappropriatetoolstoputsolidssurfaceinarightcontainer

handling

and treat this dust by related draw

6.storage&fabrication

how to keep

keep this material away from the fire

storage&fabrication

keep this material inside of the building, well ventilated area

7.exposure controls

inhalation

use ventilation to keep the good air at fabrication place.

eyes

wear safety glasses

body

wear safety gloves

sanitary caution

use ventilation to keep the place good conditions

exposure limit

n/a

8.physical&chemical properties

appearance

solid sheet

ph

n/a

solubility

insoluble

boiling point

n/a

melting point

n/a

exposure	n/a	oxidation	none
vaporpressure	n/a	gravity	1.6~1.8
molecularw.t.	n/a	vapordensity	n/a

material safety data sheet(msds)

9.stabilityandreactivity	
stability	stableinhightemperatureandpressure
instableconditions	extremeheat,sparkandfire
avoidedmaterial	strongacid,oxidizing-accelerator
harzards	carbonoxidizationcanbeoccurredwhenburned
whenreacted	
hazardous	n/a
polymerization	
10.toxicologicalinformation	
toxicitytoanimal	thisproducthasnotbeentestedforanimaleffects.
toxicitytohuman	thisproductisnottoxic toblood.kidneys,lungs,nervoussystem.

11.ecologicalinformation	
ecologicalaffect	notavailable
ecotoxicity	notavailable
bodsandcod	notavailable
specialremarks	noadditionalremark
12.disposalconsiderations	
wastedisposal	useappropriatetoolstoputthedustandsolidinadecentwastedisposalcontainer
howtotreat	nospecialremark, butbyreasonablewaytotakecareofwaste.
specialremarks	buryorburnthewastebynationallawandlocallaw