

# EAS antenna,EAS system, EAS电子防盗天线 , rf gate

产品名称	EAS antenna,EAS system, EAS电子防盗天线 , rf gate
公司名称	北京斯克瑞迪电子有限公司
价格	.00/个
规格参数	品牌:CSS 型号:RF5000D 供电电源:110-220 ( V )
公司地址	中国 北京市 北京市海淀区远大路20号鹏安世纪大厦F座6D
联系电话	86 10 88594540 13501233505

## 产品详情

品牌	CSS	型号	RF5000D
供电电源	110-220 ( V )	通讯方式	Radio Frequency System
环境温度	0-40 ( )	环境湿度	0-90%RH(non-condensing) ( % )
外形尺寸	430*1600*93 ( mm )	适用范围	supermarket,Clothing retailers,department stores

antenna control system

specifications:

central frequency: 8.2mhzsweeping bandwidth: 7.8 ~ 8.6mhz (8.2 ± 0.4mhz)aisle width: 90 ~ 180cm (depending on performance of labels/tags,

synchronization, quality of power source and noise level

of environment)buzzer volume: 90db

alarm sound duration: 3sdimensions: 1650x428x20 mm (base thickness: 93mm)

antenna material: acrylic

power source: 220/110 vac ± 10%, 50/60 hz

power consumption: 12w

I rf5000d system with dsp receiver board has more advantages comparing to rf5000 system with scm receiver board.

- 1 – better noise immunity. more stable in noisy environment;
- 2 – wider aisle protection;
- 3 – more easy in tuning, synchronization and service

article number rf5000/rf5000d

width 430mm

height 1600mm

thickness 0mm

thickness at base 93mm

weight 20.5kg

standard frequency 8.2mhz

rf5000:

4 x 4cm labels 1.5m (max.)

mini square 1.7m (max.)

large square 2.0m (max.)

maximum detection range

rf5000d:

4 x 4cm labels 1.6m (max.)

mini square 1.8m (max.)

large square 2.2m (max.)

