

普立万PP 301 Black 1284-11 S

产品名称	普立万PP 301 Black 1284-11 S
公司名称	东莞市晶宏塑胶原料有限公司
价格	.00/个
规格参数	品牌:美国普立万 型号:301 Black 特性:阻燃
公司地址	东莞市樟木头镇百果洞百顺小区三巷5号一楼 (注册地址)
联系电话	076989977070 18200646066

产品详情

普立万PP 301 Black 1284-11 S--FR flame-retardant polyolefin compounds and masterbatches meet stringent flammability performance requirements defined by industry agencies, including Underwriters Laboratories UL 94 V-2, V-0, and 5VA performance ratings. In addition, many compounds in the Maxxam FR portfolio offer elevated Relative Thermal Index (RTI) ratings.

Information provided by PolyOne

PolyOne Maxxam FR PP 301 Black 1284-11 S Polypropylene, Unspecified (PP, Unspecified) 物性表

物理性能额定值 (公制) 额定值 (英制) 测试方法

0.978 g/cc

熔体流动速率

4.0 - 12 g/10 min

@Load 2.16 kg, Temperature 230 °C

机械性能额定值 (公制) 额定值 (英制) 测试方法

拉伸强度(屈服)

2300 MPa

弯曲模量

1.03 GPa

悬壁梁缺口冲击强度

0.270 J/cm

@Thickness 3.18 mm, Temperature 23.0 ° C

热变形温度(ISO)额定值(英制)测试方法

90.0 ° C

@Thickness 3.18 mm

可燃性(UL94)

V-0

@Thickness 0.750 mm

V-0

@Thickness 1.50 mm

V-0

@Thickness 3.00 mm

