

KM9206烟气分析仪

产品名称	KM9206烟气分析仪
公司名称	北京亿赛得科技发展有限责任公司
价格	.00/个
规格参数	品牌:凯恩 型号:KM9206烟气分析仪 名称:KM9206
公司地址	北京市西城区
联系电话	010-66189322 13520573897

产品详情

KM9206?????

?????? ?kane9206 quintox???kane9106????????????????????????KM9206???KM9106???
 ??? KM9206????????????6????????????????????????????
 ???10%????????????????????????????????1????TUUML?V SUU
 ML?D EM50379??? ????O2?CO?NO?NO2?SO2?H2S?CO2?HC?????3? ??5????????????1??????
 ???4? 15??/????????5? ?????/USB????PC6? GPS?????? KANE LIVE????????????8? ???64000?
 ?????9? ?????????????????????10? ?????????????????????????11? ?????????12? ?????????????????????13? ??????
 ??????????????????????????

测量	项目	分辨率	精度	范围
	O2	0.1%	-0.1%+0.2%	0 ~ 25%
	CO	1ppm	± 5ppm <100ppm m ± 5% >100 0ppm <2000ppm ± 10 % >2000ppm <4000ppm	0 ~ 2000ppm
	SO2 (H)	1ppm	± 5ppm <100ppm ± 5% >100ppm m <2000ppm ± 10% >2000ppm <5	0 ~ 2000ppm

	SO2 (L)	1ppm	000ppm ± 5 <100 ppm ± 10% >100 ppm <300ppm	0 ~ 100ppm
	NO(H)	1ppm	± 5ppm <100ppm ± 5% >100ppm m <2000ppm ± 10% >2000ppm <5 000ppm	0 ~ 1000ppm
	NO(L)	1ppm	± 5 <100 ppm ± 10% >100 ppm <300ppm	0 ~ 100ppm
	NO2	1ppm	± 5 <100 ppm ± 10% >100 ppm <1000ppm	0 ~ 100ppm
	H2S	1ppm	± 5ppm <100ppm ± 5% >100ppm m <200ppm ± 10% >200ppm <300p pm	0 ~ 200ppm
	HC (IR)	1ppm	± 5%	0 ~ 5000ppm
	CO2 (IR)	0.1%	± 5%	0 ~ 20%
	CO (IR)	0.1%	± 5%	0 ~ 10%
	烟气温度	0.1	+1 ± 0.3%	0 ~ 1100
	环境温度	0.1	+1	0 ~ 55
	送风温度	0.1	+1 ± 0.3%	0 ~ 600
	压力	0.01mbar	+0.5%	0 ~ 150mbar
计算	CO2	0.1%	+0.3%	0 ~ 99.9%
	NOx	1ppm	+5ppm<100ppm+5%>10	~ 6000ppm
	净温度	0.1	00ppm +1	0 ~ 1100
	效率	0.1%	+1.0% 读数	0 ~ 99.9%
	过空系数	0.1%	+0.2%	0 ~ 2885.0%
	损失	0.1%	+0.2%	0 ~ 99.9%
	CO/CO2	0.0001	+0.01	0 ~ 0.9999
T90(S)	< 30s			
采样泵	2L/min			
预热时间	3min			
工作温度	5-50 °			
工作湿度	10-80%RH			
手操器	240*135*70mm			
主机	420*345*225mm			
电池	镍氢充电电池 (12V , 2AH)			
使用时间	8小时			
充电时间	12小时/4小时快充			
探针	KMCP6 285mm长600 °			
选配	KMCLP6 1m长600 °、KMCHP6 285mm长1000 °、KMCHLP6 1m长1000 °、KHPURQ电 9206P排水系统、传感器加热器等			

