

规格自动硫化机 自动排气硫化机 自动开合模硫化机

产品名称	规格自动硫化机 自动排气硫化机 自动开合模硫化机
公司名称	青岛金港湾机械公司
价格	.00/个
规格参数	类型:平板硫化机 样式:立式
公司地址	中国 山东 青岛市 临港工业园188号
联系电话	86 0532 85185085 15806563897

产品详情

类型	平板硫化机	型号	XLB-D400X400X2/0.50MN
样式	立式	运行方式	全自动硫化机
品牌	青岛港湾	最大宽度	400 450 (mm)
切割刀宽	400 450 (mm)	最大行程	260 (mm)
公称合模力	0.50 (MN)	电动机功率	2.2 (KW)
外形尺寸	1500X670X1680 (m)	重量	1700 (kg)

自动排气硫化机 自动开合模硫化机产品型号：xlb-d400x400x2/0.50mn

xlb-dq350x350x2/0.50 mn

(多种型号)

热板规格：400x400 450x450 500x500.....mm

热板间距：125 150 200.....mm

柱塞直径：200220 250 260mm

柱塞行程：250 260 300mm

加热方式：电加热蒸汽 导热油 (按需求)

温度范围：0-270度

电机功率：2.2 3 4.....kw

机器重量：1700 kg

外形尺寸：1500x570x1680 mm

自动恒温自动计时 自动报警 自动排气 自动开模

本机适用于硫化各种橡胶、塑料模型制品和非模型制品。

该机为柱式结构，主要由主机、液压站、电控柜组成。

主机有下机座、柱塞、活动平台、上横梁、强制开模装置等零件组成。上横梁、活动平台与热板之间分别装有优质隔热板，防止热板的热量传递至活动平台，引起工作液的温度升高。

product name: pillar type vulcanizing press, small vulcanizing press household vulcanizing press experiment with vulcanizing press origin: chinese qingdao

the product model: xlb - series

the hot plate 300x300 350x350 specifications: 400x400 500x500... mm

the hot plate spacing: 100 125 150 to 200 300... mm

piston stroke: 2.5 mm

heating mode: electric heating oil heat or steam all can (according to the contract)

temperature range: 0-300 degrees

motor power: 2.2 three four kw

shape dimension: 1280x560x1500 mm

the weight: 1500 kg

the machine is suitable for various rubber products, silica gel products, four fluorine products, pu products of moulding and non moulded products production and processing, is individual and industrial and commercial door, family workshop rich ideal products; with long service life is not easy to damage, simple operation, stress and stability, saving energy, than similar type of energy-saving 60%, fuselage material has been replaced by pressure stronger resistant ductile iron for this product of raw materials of... for details, please contact the harbour mechanical department. consulting

本机适用于一般橡胶制品的模压及非模压生产，也可以用于胶木的压合使用

the product model: xlb - d400x400x2 /.50 origin: chinese qingdao

the hot plate specification: 400x400 450x450 500x500 mm

the hot plate spacing: 125mmx2

plunger diameter: 200mm

piston stroke: 250mm

heating mode: electric heating

temperature range: 0-300 degrees

motor power: 4kw 2.2 3

machine weight: 1300 kg

automatic constant temperature producers: qingdao golden harbor company