

EE22 PC40软磁 2300

产品名称	EE22 PC40软磁 2300
公司名称	海宁富华电子有限公司
价格	.00/个
规格参数	初始磁导率:2300 居里温度:220 () 饱和磁通密度:500 (T)
公司地址	海宁市周王庙镇新丰路10号
联系电话	0573-87658685

产品详情

初始磁导率	2300	居里温度	220 ()
饱和磁通密度	500 (T)	剩磁	110 (T)
矫顽力	47 (KA/m)	密度	4.9 (g/cm3)

ee型pc40材料磁芯,品种全、价格优惠,正规厂家可开票.欢迎新老客户来人来电指导,参观,采购!联系人:钱先生1360

型号 type		尺寸 dimensions(mm)						c1	ae	le	ve	al ± 25%
名称1	名称2	a	b	c	d	e	f	mm-1	mm2	mm	mm3	pc40
ee5/5/2	ee5	5.25 ± 0.1	2.65 ± 0.08	1.95 ± 0.1	1.35 ± 0.1	3.8min	2.0 ± 0.08	4.85	2.6	12.7	32.8	260
ee6.3/6/2	ee6.3	6.3+0/-0.2	3 ± 0.1	1.9 ± 0.1	1.35 ± 0.1	3.6min	2.0 ± 0.1	3.87	3.3	12.7	41.3	330
	5											
ee8.3/8/4a	ee8.3	8.3 ± 0.3	4.2 ± 0.2	3.9 ± 0.2	2.15 ± 0.15	6.3min	3.2 ± 0.15	2.7	7.5	20.1	150	675
ee10/11/5	ee10	10.2 ± 0.3	5.5 ± 0.2	4.85 ± 0.15	2.5 ± 0.2	7.5min	4.3 ± 0.2	2.23	11.8	26.3	311	810
ee12.5/13/4	ee12.5	12.7 ± 0.4	6.4 ± 0.2	3.6 ± 0.2	3.7 ± 0.2	8.8min	4.65 ± 0.3	2.31	12.8	29.7	381	800
ee13/12/6	ee13	13.0 ± 0.3	6.2 ± 0.2	5.8 ± 0.2	2.6 ± 0.15	10.0min	4.8 ± 0.2	1.31	23.5	30.7	732	1420
ee13/12/8	ee13-1	13.0 ± 0.3	6.2 ± 0.2	8.0 ± 0.2	3.0 ± 0.15	10.0 ± 0.3	4.8 ± 0.2	1.31	23.5	30.7	732	1420
ee13/13/10	ee13-2	13.0 ± 0.3	6.5 ± 0.2	9.8 ± 0.2	3.55 ± 0.15	8.9min	4.6 ± 0.2	0.85	34.6	29.4	1018	2240
ee13/13/6a	ee13-3	12.8 ± 0.3	6.3 ± 0.2	5.8 ± 0.3	3.5 ± 0.3	9.3 ± 0.3	4.6 ± 0.2	1.46	20.2	29.5	596	1210
ee16/15/5	ee16	16.0 ± 0.4	7.3 ± 0.3	4.9 ± 0.2	4.0 ± 0.2	11.7min	5.1 ± 0.2	1.85	19.3	35.7	687	1100

ee19/16/5	ee19	19 ± 0.4	8.0 ± 0.3	4.8 ± 0.3	4.75 ± 0.25	13.8min	5.8 ± 0.25	1.68	23.3	39.2	914	1100
ee19/27/5	ee19	19.2 ± 0.4	13.6 ± 0.3	4.85 ± 0.25	4.85 ± 0.25	14.0min	11.3 ± 0.3	2.67	23	62.1	1428	840
ee20/20/6	ef20	20.0 ± 0.6	9.9 ± 0.2	5.65 ± 0.25	5.7 ± 0.2	14.1min	7.2 ± 0.2	1.19	30.8	42.2	1429	1450
ee20/20/9	ee20	20.0 ± 0.4	10.15 ± 0.25	9.2 ± 0.25	4.5 ± 0.2	15.2min	7.9 ± 0.2	1.21	41.1	49.7	2042	1730
ee20/27/5	ee120	20.0 ± 0.3	13.7 ± 0.2	4.85 ± 0.25	4.95 ± 0.15	15.1min	11.3 ± 0.2	2.65	23.1	63	1460	850
ee22/18/6	ee22	22.0 ± 0.6	9.2 ± 0.3	5.7 ± 0.3	5.75 ± 0.25	15.6min	5.5 ± 0.25	1.19	35.6	42.4	1506	1600
ee25/20/6	ee25	25.4 ± 0.5	10.0 ± 0.3	6.4 ± 0.3	6.4 ± 0.3	18.6min	6.8 ± 0.3	1.21	40.7	49.2	2003	1720
ee28/21/1	ee28	28.5 ± 0.5	10.5 ± 0.3	10.8 ± 3	7.2 ± 0.3	18.6min	6.3 ± 0.3	0.58	87.7	50.8	4453	3600
ee30/26/1	ee30	30.0 ± 0.5	13.3 ± 0.3	10.7 ± 0.3	10.7 ± 0.3	19.6min	8.3 ± 0.3	0.53	109	58.5	6377	3800
ee35/28/1	ee35	34.5 ± 1.0	14.35 ± 0.35	9.5 ± 0.4	9.4 ± 0.3	25.4min	9.7 ± 0.3	0.83	84.3	69.7	5871	2700
ee40/35/1	ee40	40.0 ± 0.7	17.3 ± 0.3	11.8 ± 0.3	11.7 ± 0.3	26.8min	10.3 ± 0.3	0.52	147.9	77.2	11414	4350
ee42/42/1	ee42	42.1 ± 1.0	21.2 ± 0.4	14.9 ± 0.3	11.9 ± 0.3	29.5min	15.2 ± 0.3	0.54	178.1	97.8	17501	4680
ee42/42/2	ee42-1	42.1 ± 1.0	21.2 ± 0.4	20.0 ± 0.5	11.9 ± 0.3	29.5min	15.2 ± 0.3	0.41	235	97.4	22889	5850
ee50/55/2	ee50	55.15 ± 1.05	27.5 ± 0.3	20.6 ± 0.4	16.95 ± 0.35	37.5min	18.8 ± 0.3	0.35	352.5	123.4	43478	6000

型号	材质	单价	是否含税
ee8.3	pc40	0.040	是
ee12.5	pc30	0.045	否
ee12.7	pc30	0.045	否
ee13	pc30	0.050	否
ee16	pc30	0.070	否
ee19	pc30	0.080	否
ef20	pc30	0.160	否
ee22	pc30	0.160	否
ee25	pc30	0.180	否
ef25	pc30	0.280	否
ee13	pc40	0.085	是
ef20	pc40	0.220	是
ee10	pc30	0.045	否
ee16	pc40	0.095	是

ee19	pc40	0.120	是
ee20	pc40	0.220	是
ef20	pc40	0.220	是
ee25	pc40	0.250	是
ef25	pc40	0.400	是
ei28	pc40	0.550	是
ei30	pc40	0.884	是
ei33	pc40	1.014	是
efd15	pc40	0.234	是
efd20	pc40	0.390	是
efd25	pc40	0.624	是
pq2620	pc40	0.975	是
pq2625	pc40	1.040	是
pq3220	pc40	1.300	是
pq3230	pc40	1.560	是
rm5	pc40	0.325	是
rm6	pc40	0.364	是
rm8	pc40	0.650	是
rm10	pc40	0.975	是
rm12	pc40	1.235	是
rm14	pc40	3.640	是