

# 建材EN 13830幕墙CE认证

产品名称	建材EN 13830幕墙CE认证
公司名称	深圳市实测通技术服务有限公司
价格	.00/个
规格参数	服务1:速度快 服务2:价格优 服务3:包通过
公司地址	深圳市罗湖区翠竹街道翠宁社区太宁路145号二单元705
联系电话	17324413130 17324413130

## 产品详情

### 建材 EN 13830幕墙CE认证

摘要：幕墙CE检测、CE认证要求

#### 1. 幕墙申请CE证书需符合的欧盟法规指令

Construction products (CPR) Regulation (EU) No 305/2011

#### 2. 幕墙CE认证标准

EN 13830:2003 Curtain walling - Product standard

幕墙-产品标准

最新版本为EN 13830:2015

#### 3. EN 13830幕墙适用产品范围

本欧洲标准规定用于建筑围护结构的幕墙组件的要求，以提供耐候性、使用安全性、能源经济性和保温性，并提供相关性能的测试/评估/计算方法和遵守标准。

本标准所覆盖的幕墙组件应具有自身的整体性和机械稳定性，但不影响主楼结构的承载力或稳定性，可以独立更换。

本标准适用于幕墙组件从垂直位置偏离垂直角度  $\pm 15^\circ$ 。任何倾斜的部分应该包含在幕墙组件内。

本标准适用于所有幕墙组件，包括固定件。

根据本标准，幕墙将作为建筑围护结构的一部分。

本欧洲标准不包含

- ' patent glazing ' (glazed sloping roofs) kits; 专利玻璃（屋顶倾斜玻璃）组件
- roof glazing constructions; 玻璃屋面结构
- facades made of precast concrete panels as part of the wall (see EN 14992)  
外墙以预制混凝土板作为墙体的一部分

#### 4. CE认证-幕墙测试项目：

I Reaction to fire of components 部件对火的反应

I Fire resistance 耐火

I Fire propagation 火蔓延

I Watertightness 水密性

I Resistance to its own dead loads 抗自重

I Wind load resistance 抗风压

I Resistance to snow load (only for elements subjected to snow load) 抗雪压

I Impact resistance / safe breakage 耐冲击/安全破坏

I Resistance to live horizontal loads at sill level 抗水平载荷

I Seismic resistance 抗震性

I Thermal shock resistance 耐热冲击

I Direct airborne sound insulation 直接空气隔音

I Flanking sound insulation 侧翼隔音

I Thermal transmittance 热传导

I Air permeability 透气性

I Water vapour permeability 透湿性

I Radiation properties (total solar energy transmittance; light transmittance) 辐射特性

I Durability of watertightness: - of gaskets; - of sealant 防水耐久性

I Durability of thermal transmittance: - of low E coated glass; - of insulated glass units; - of core thermal insulation product 热传导的耐久性

I Durability of air permeability: - of gaskets; - of sealant 透气度的耐久性

### 5. 幕墙CE认证模式

幕墙CPR认证，有如下认证模式可选：

产品	用途	性能等级（防火）	认证模式
幕墙组件	有防火性能要求的外墙用	A1,A2,B,C（生产过程包含增强防火性能的工艺，例如添加防火剂）	A
		A1,A2,B,C,D,E	B
	无防火性能要求的外墙用		

### 6. CE标识加贴要求-幕墙CPR

建材产品必须要加贴CE名牌才能刚进入欧盟市场，每种产品其认证标准里面欧盟均有详细的CE名牌格式要求和内容要求，上海部盟有专业认证工程师辅助厂家设计CE名牌，以符合欧洲市场要求。

### 7. DOP性能声明-建材CPR

CPR法规实施后，欧盟要求厂家的产品在进入欧盟市场时必须提供DOP（Declaration of Conformity）性能声明，且CPR法规 [Regulation \(EU\) No 305/2011](#)

官方文件里详细列明了DOP性能声明的要求，上海部盟专业认证工程师会指导厂家准备该文件，以此帮助厂家顺利进入欧盟市场。

### 8. 幕墙CE认证流程

#### 1. 提交申请表

2. 准备测试样品
3. 样品寄国外测试
4. 测试通过后准备厂审
5. 公告号机构验厂审核
6. 审核通过后颁发CE证书
7. 加贴CE标识，随货签署DOP性能声明，产品进入欧洲市场

认证全程会由欧盟认证工程师辅导厂家准备资料和样品及审核前准备和审核后整改工作。

我们的服务：

- | 经验丰富的工程师全程指导准备样品和技术资料
- | 公告机构认可的实验室按照最新欧洲标准测试
- | 直接公告机构授权拿证，节省成本，提高效率