

# 食品接触级LDPE LD 100AC埃克森美孚

产品名称	食品接触级LDPE LD 100AC埃克森美孚
公司名称	东莞市晶宏塑胶原料有限公司
价格	.00/个
规格参数	品牌:沙特埃克森美孚 型号:LD 100AC 特性:好的光学性能
公司地址	东莞市樟木头镇百果洞百顺小区三巷5号一楼(注册地址)
联系电话	076989977070 18200646066

## 产品详情

食品接触级LDPE LD 100AC埃克森美孚---Product Description: LD 100 series are LDPE grades, offering a good balance of optical and mechanical properties. Several additive packages are available according to the required surface properties.

Availability: Africa & Middle East, Asia Pacific and Europe

Additive:

Antiblock: 450 ppm

Slip: 500 ppm

Thermal Stabilizer: Yes

Applications:

Blend Partner

Cast Film

Compounding

Foams

Food packaging

Form Fill and Seal Packaging

Freezer Film

Lamination Film

Light Duty Shrink Film

Liners

Mail Bag

Produce Bags

Shoppers

Textile Packaging

Tough Medium Sized Molding

Information provided by ExxonMobil

LDPE LD 100AC物性信息：

物理性能额定值 (公制) 额定值 (英制) 测试方法	0.923 g/cc
熔体流动速率	2.0 g/10 min @Load 2.16 kg, Temperature 190 ° C
Antiblock Level	450 ppm
Slip Level	500 ppm
机械性能额定值 (公制) 额定值 (英制) 测试方法	11.0 MPa

抗张强度(TD : 屈服)	11.0 MPa
断裂伸长率 , MD	330 %
断裂伸长率 , TD	550 %
埃尔曼多夫抗撕强度(MD)	150 g
埃尔曼多夫抗撕强度(TD)	120 g
落锤试验	80.0 g
抗张强度(MD : 断裂)	24.8 MPa
抗张强度(TD : 断裂)	22.1 MPa
割线模量(1% 正割 MD)	207 MPa
割线模量(1% 正割 TD)	228 MPa