

剪板机折弯机 QC12Y

产品名称	剪板机折弯机 QC12Y
公司名称	沈阳兴盛宏机电设备有限公司
价格	.00/个
规格参数	型号:QC12Y 主电机功率:22 ( kw ) 类型:折弯机
公司地址	沈阳市皇姑区陵北街125号253室
联系电话	18602444046 13842018547

产品详情

型号 类型	QC12Y 折弯机		主电机功率			22 ( kw )	
型 号	可剪规格	剪切角度	行程次数	后挡料调 节范围	主电机功 率	机器重量	机床外外 型尺寸
qc12y4 × 2 500	4 × 2500	1 ° 30"	16	20-600	5.5	4800	3040 × 158 0 × 1600
qc12y4 × 3 200	4 × 3200	1 ° 30"	12	20-600	7.5	6000	3840 × 161 0 × 1650
qc12y4 × 4 000	4 × 4000	1 ° 30"	10	20-600	7.5	7000	4640 × 188 0 × 1700
qc12y6 × 2 500	6 × 2500	1 ° 30"	16	20-600	7.5	5800	3040 × 161 0 × 1650
qc12y6 × 3 200	6 × 3200	1 ° 30"	12	20-600	7.5	6600	3840 × 161 0 × 1650
qc12y6 × 4 000	6 × 4000	1 ° 30"	10	20-600	7.5	8500	4640 × 188 0 × 1700
qc12y6 × 5 000	6 × 5000	1 ° 30"	8	20-600	11	16000	5786 × 220 0 × 2160

qc12y6 × 6 000	6 × 6000	1 ° 30"	7	20-600	15	22000	6900 × 257 0 × 2280
qc12y8 × 2 500	8 × 2500	1 ° 30"	12	20-600	17.5	6700	3040 × 161 0 × 1650
qc12y8 × 3 200	8 × 3200	1 ° 30"	10	20-600	17.5	8000	3840 × 161 0 × 1650
qc12y8 × 4 000	8 × 4000	1 ° 30"	8	20-600	11	9200	4680 × 188 0 × 1700
qc12y8 × 5 000	8 × 5000	1 ° 30"	7	20-600	15	19000	5786 × 220 0 × 2160
qc12y8 × 6 000	8 × 6000	1 ° 30"	5	20-600	18.5	25000	6900 × 257 0 × 2280
qc12y10 × 2500	10 × 2500	2 °	10	20-600	11	8200	3350 × 205 0 × 1950
qc12y10 × 3200	10 × 3200	2 °	9	20-600	11	9500	4050 × 205 0 × 1950
qc12y10 × 4000	10 × 4000	2 °	8	20-600	15	10700	4800 × 220 0 × 2100
qc12y12 × 2500	12 × 2500	2 °	10	20-800	15	10000	3225 × 212 7 × 2235
qc12y12 × 3200	12 × 3200	2 °	9	20-800	18.5	12400	4820 × 235 0 × 2235
qc12y12 × 4000	12 × 4000	2 °	8	20-800	18.5	16700	4820 × 235 0 × 2300
qc12y16 × 2500	16 × 2500	2 °	8	25-800	18.5	12000	3245 × 212 7 × 2235
qc12y16 × 3200	16 × 3200	2 °	7	25-800	18.5	14000	3945 × 212 7 × 2235
qc12y16 × 4000	16 × 4000	2 °	5	25-800	22	16000	4850 × 235 0 × 2300
qc12y20 × 2500	20 × 2500	2 ° 30"	6	30-800	22	15000	3440 × 208 8 × 2570
qc12y20 ×	20 × 3200	2 ° 30"	5	30-800	37	20000	4150 × 208

3200							8 × 2570
qc12y20 × 4000	20 × 4000	2 ° 30"	5	30-800	37	28000	4920 × 2400 × 2730
qc12y25 × 2500	25 × 2500	3 °	5	30-800	37	19000	3500 × 2400 × 2500
qc12y25 × 3200	25 × 3200	3 °	4	30-800	37	26000	4200 × 2400 × 2500
qc12y25 × 4000	25 × 4000	3 °	4	30-800	37	30000	4950 × 2500 × 2600