

煤油检测GB 253-2008

产品名称	煤油检测GB 253-2008
公司名称	鉴联国检（广州）检测技术有限公司
价格	1000.00/个
规格参数	报告用途:质量评价 样品量:500毫升 检测周期:5个工作日
公司地址	广州市天河区岑村沙埔大街323号B-5栋
联系电话	15915704209 13620111183

产品详情

一、燃料油检测包括:

燃料油(GB17930质量指标)煤油(GB6875喷气燃料油(ISO燃料油)准)柴油(GB253普通柴油/GB19147车用柴油), 船用残渣

汽油(GB17930质量指标)检测项目:研究法辛值、马达法辛值、抗爆指数、馏程、蒸气压、未洗胶质、溶剂量、含硫量、铜片腐蚀、铁钎试验、博士试验、机械杂质及水分、苯含量、芳、烯烃、氧含量、含氮量、含磷量、铜片腐蚀、铁钎试验、博士试验、机械杂质及水分、苯含量、芳、烯烃、氧含量

煤油(GB6875喷气燃料油)检测项目:馏程、蒸气压、未洗胶质、闭口闪点、铜片腐蚀、密度、分馏指数、馏程、蒸气压、未洗胶质、闭口闪点、铜片腐蚀、密度、分馏指数

柴油(GB253普通柴油/GB19147车用柴油)检测项目:密度、粘度、闪点、凝点、冷滤点、馏程、含硫量、含氮量、含磷量、铜片腐蚀、铁钎试验、博士试验、机械杂质及水分、苯含量、芳、烯烃、氧含量

船用残渣燃料油(ISO821标准)检测项目:密度、运动粘度、碳芳烃指数(CCA)、硫、闭口闪点、酸值、总灰分、水分、倾点、外观等

船用馏分燃料油(ISO822标准)检测项目:密度、运动粘度、十六烷指数、硫、闭口闪点、酸值、总沉淀物、水分、倾点、外观等

废物柴油(GB/T19028)检测项目:铜片腐蚀、氧化性、十六烷指数、馏程、含硫量、含氮量、含磷量、铜片腐蚀、铁钎试验、博士试验、机械杂质及水分、苯含量、芳、烯烃、氧含量

二、燃料用油各个标准以及常规检测项目：

1、国家标准：GB 17930-2016车用汽油全项检测项目19项：抗暴性（研究法辛烷值、马达法辛烷值）、馏程、蒸气压、含硫量、含氮量、含磷量、含铜量、含铁量、密度、机械杂质、铜片腐蚀、铁钎试验、博士试验、机械杂质、水分、倾点、外观等。

而车用汽油的基本的常规指标8项有：

油品检验请咨询本公司李工

行业资讯：

On December 1 in Alberta, Canada, the first phase of the Mackay River Project became operational. As one of CNPC's two solely-invested projects in Canada, the Mackay River Project is operated and managed by Brion Energy, CNPC's subsidiary based in Calgary. The project, located in north Alberta, is planned to produce 35,000bbl/d in the first phase by using SAGD technology, and is expected to reach a capacity of 150,000bbl/d eventually.