

# DYNA51' 游艇 豪华游艇供应

产品名称	DYNA51' 游艇 豪华游艇供应
公司名称	青岛海波尔游艇有限公司
价格	.00/个
规格参数	长:15.55 ( m ) 宽:4.45 ( m ) 深:1.27 ( m )
公司地址	青岛市市南区福州北路31号
联系电话	86-0532-86070019

## 产品详情

长	15.55 ( m )	宽	4.45 ( m )
深	1.27 ( m )	空船排水量	17500KGS ( m3 )
用途	客船		

2011 dyna 51 standard specification list

( 2011?d51標準規範表 )

itemgeneral specification

1. length overall ( include pulpit and fixed platform ) 15.55m ( 51 ' )

全長 ( 包括艙?桿和固定式跳水板 )

2. beam max 4.45m ( 14 ' -6 " )

全寬

3. draft under propellers 1.27m ( 4 ' -2 " )

吃水(至?槳下緣)

4. height above water line to top of mast 5.01m ( 16 ' -5 " )

水線上高?(至擋風玻璃上緣)

5. approx. displacement 17500kgs (38580lbs)

預計排水?

6. fuel capacity 1892l (500 us gals)

燃油容?

7. fresh water capacity 454l (120 us gals)

水箱容?

8. sleeping accomodation 4 ~ 8p

床位

9. twin caterpillar c-7 460hp diesel engines with suitable gears

二部美國卡特彼?c-7 460馬?柴油引擎搭配合適的齒?箱

10. onan generator 17kw/60hz (13.5kw/50hz)

奧南發電機17仟瓦/60赫茲(13.5仟瓦/50赫茲)

11. marine air airconditioner w/reverse cycle hot & cold total 34,000btus

船用?氣設備總共34仟btu

hull form and construction

船殼形狀和結構

1. deep v hull bottom

深v型船底

2. all fiberglass throughout the boat is laid up by vacuum infusion

全船玻璃纖維採真空灌注法積層

3. foam core construction above water line

水線上是強?泡綿夾心結構

4. solid fiberglass construction below water line

水線下是全強化玻璃纖維結構

5. extensive network of transverse and longitudinal stringers glassed in

the hull bottom

全船採縱向和橫向補強結構

6. interior of hull bottom painted out in white pu paint

全部船殼內面底部以白色pu漆粉刷

7. deck sides are foam core construction

甲板?面是強?泡綿夾心式結構

8. cabin tops are balsa core construction

艙間頂部是巴沙木結構

9. hull and deck are bolted and frp bonded together

船殼和甲板接合以?絲和玻璃纖維?結固定

10. moulded non-slip deck surface

dyna craft ltd. 2011\_d51\_std\_spec 2

模造的甲板防?面

11. antifouling

船底漆

12. lamination with vinylester resin on two layers of surface

?層維尼樹脂防水滲透積層