

B FX封箱机系列 包装系列流水线

产品名称	B FX封箱机系列 包装系列流水线
公司名称	上海博睦实业有限公司
价格	.00/个
规格参数	类型:封箱机系列 品牌:博睦 型号:B?FX-6050
公司地址	上海市闸北区南山路100号1112室
联系电话	021-56556997 15900766590

产品详情

类型	封箱机系列	品牌	博睦
型号	B?FX-6050	功率	300 (kw)
电压	220 (V)	重量	205 (kg)
适用行业	其他		

b · fx封箱机系列

产品简介箱子顶部与底部封带 (b · fx6050)

箱子侧边封带 (b · fx5050)

顶部与底部可任意更换

2根打包带带头

打包带重叠长度可调整从55mm-65mm到75mm

翻滚工作台

人工从顶部掀开

刀刃防护装置

曲杆调节装置

腿的长度可调节到240mm

进/出工作台或者3”工作台选择

旋转再轮可造

b · fx系列封箱机主要适用于纸箱的封箱包装，既可单机作业，也可与流水线配套使用，广泛应用在家用电器、纺织、食品、百货、医药、化工等行业。封箱机采用即贴胶带封箱口，经济快速、容易调整，可一次完成上、下封箱动作，采用印字胶带，更可提高产品形象。

b · fxbox sealing machine series

brief introduction

top and bottom drive belts(b · fx6050)

side drive belts(b · fx5050)

interchangeable top bottom tape cartridge

2節top and bottom tape head

tape overlap length can be adjusted from 55mm-65mm to 75mm

roller working table

manual top squeezers

blade guards

crank handle adjustments

leg height adjustment 240mm

infeed/outfeed tables and 3節tape head are optional

optional casters locking/swivel

b · fxseries sealing machine fit for carton packing,it can work indepently,and also can match with production line it is widely used in electrics,spin,foods,goods,medicine,and chernisting,it adopts adhesive belt that is economic and fast,easy to adjust and it can finish the topand bottorn sealing at the same time,printed belt is adopted to make it more beautiful.

主要技术参数main technical parameters

型号 model	b.fk6050	b.fk5050(the automation breaks the co type up)
电源电压voltage	ac110-220v/60-50hz	ac380v/50-60hz
总功率power	300w	360w
输送速度conveyor speed	20.4m/min	22m/min
封箱口位starting area	up-down sealing	up-down sealing
胶带宽度adhesive tape width	48-60mm	48-60mm
封箱长度packing length	150mm	200mm
封箱宽度packing width	12-50cm	50cm
封箱高度packing height	12-60cm	50cm
包装尺寸dimension	1140 × 960 × 1580mm	2040 × 1110 × 1520mm
毛重gross weight	205kg	205kg