

无电源手电筒收音机报警器/野营灯/礼品

产品名称	无电源手电筒收音机报警器/野营灯/礼品
公司名称	长沙市源盛机电贸易有限公司
价格	.00/个
规格参数	电源:太阳能,手摇 光源类型:led 品牌:日本斯特林
公司地址	中国 湖南 长沙市 雨花区长沙出版物交易大楼5楼
联系电话	86-073184151561 13548759598

产品详情

电源	太阳能,手摇	光源类型	led
品牌	日本斯特林	型号	#5600
规格	5600	适用范围	户外用品、防灾产品、广告促销礼品
开关类型	*		

公司为日本斯特林产品湖南代理商,专业销售车用、家用、旅行用、应急用、环保型充电器、应急灯、太阳能充电器、手摇充电器、收音机手电筒、报警器、电子礼品、户外用品、防灾产品、广告促销礼品等。(诚招湖南地级市县经销商)。

出自日本最大环保防灾相关用品第一品牌sterling club,它的隽永造型来自曾经得过g-mark设计大赏的日本设计团队,简易操作的"声" & "光"效果可以达成求生及保全的目的,在日本已经有越来越多人士将sterling club产品置于家里、车上或随身携带,它的实用性可同时展现于居家精品及逃生求救用品。父亲节、母亲节、情人节...不知买啥东西而伤脑筋,这安全的玩意儿,能让你们送者大方受者实惠!

【产品功能】

- 1.手摇手机充电器.2.太阳能对充电电池充电.3.可放干电池.4.可使用dc(火牛)充电,不配送火牛.
- 5.冷光管台灯,6.强光led3pcs.7.am/fm收音机手电筒.8.紧急报警器/闪光灯.

【工作原理】

- 1.太阳能对充电电池充电,充电池再通过开关转换使本机工作(led.收音机.萤光灯.报警).
- 2.手摇发电输出电压经稳压后对充电池充电,充电池再通过开关转换使本机工作(led.收音机.萤光灯.报警).
- 3.ac/dc适配器插入dc插座,dc电压经稳压后对充电池充电,充电池再通过开关转换使本机工作(led.收音机.萤光灯.报警).

4.干电池经过开关转换后直接使本机工作(led.收音机.萤光灯.报警).

5.充电池经过开关转换后直接使本机工作(led.收音机.萤光灯.报警).

【电源参数】	
手摇3分钟(360转)充电	
功能	连续使用时间
led	15-20分钟
萤光灯	2-3分钟
收音机	30 - 40分钟/电位器关闭 1 / 3
报警	8-10分钟
手机	3 分钟/通话 2 0 分钟/待机
太阳光直晒3小时充电 (光照度 3 6 0 0 0 lux 以上)	
功能	连续使用时间
led	2-3小时
萤光灯	2-3分钟
收音机	2-3小时
报警	15分钟
ac/dc适配器(4.5v 300ma)充电3小时(满充电)	
功能	连续使用时间
led	8-9小时
萤光灯	1.5-2小时
收音机	9-10小时
报警	1.5-2小时
手机	1-1.5小时/通话 14-15小时/待机

【功能参数】	
功能	参数
am/fm收音机	am:530-1600khzfm:88-108mhz
报警器	100db(10cm)
3只强光led:	12000-18000mcd 寿命:50000小时
萤光灯	32000mcd,寿命:25000小时
ac/dc适配器对内部电池充电.	5v 200ma
ac/dc适配器对手机充电.	5v 250ma
手摇马达(ac马达)对内部电池充电	5v 300ma
手摇马达(ac马达)对手机充电	5v 350ma
太阳能对内部电池充电	4.5v 45ma(太阳能:6v 80ma 多晶硅)
内部电池	ni-cd aa 2/3 300mah 3.6v
干电池	aa 1.5v x3
输出功率	250mw
耳机接口	3.5mm

包装方式：气泡袋，礼品盒.

item:#5600

features:

a.: five power sources

1. solar panel

2. ac/dc adaptor (not included)

3. rechargeable battery

4. aa dry battery 1.5v x 3 (not included)

5. dynamo

b.: six functions:

1. cell phone charger

2. white led light

3. ccfl

4. ear phone jack

5. am/fm radio

6. siren/blinking

featured five different power sources:

power standing time of dynamo charger

wind the dynamo handle for 360 cycles (about 3 minutes)

function	power standing time	remarks
led light	15-20 minutes	
ccfl	2-3 minutes	
radio	30-40 minutes	normal volume level
siren	8-10 minutes	
mobile phone	3 minutes (talking time) 20 minutes (stand by time)	

power standing time of solar board charger

solar panel expose to 36000lux sunlight for 3 hours

function	power standing time
led light	2-3 hours
ccfl	2-3 minutes
radio	2-3 hours
siren	15 minutes

power standing time of ac/dc adaptor (4.5v 300ma) charged 3 hours

function	power standing time
led light	8-9 hours
ccfl	1.5-2 hour
radio	9-10 hours
siren	1.5-2 hours
mobile phone	1-1.5 hours (talking time) 14-15 hours (stand by time)

specifications

radio frequency	am/530~1600khz fm/88~108 mhz
product size	66*66*230mm
product weight	520 g
main material	abs plastic
packing method	bubble bag, and gift box
luminosity of led	about 12000-18000 mcd
led lifespan	about 50000 hours
luminosity of ccfl	about 32000 mcd
ccfl lifespan	about 25000 hours

*ccfl:cold cathode fluorescent lamp

packing details :

qty/ctn	ctn dim (cm)	n.w./ctn	g.w./ctn
12pcs	35.6*27*37.8	7.50	8.50