

广东塘厦高价回收二手N9010B EXA 信号分析仪产品简介

产品名称	广东塘厦高价回收二手N9010B EXA 信号分析仪产品简介
公司名称	东莞市顺宏缘电子科技有限公司
价格	86000.00/台
规格参数	安捷伦:600MHz N9010B:500V 美国:600MH
公司地址	东莞市塘厦镇莲湖丽景路2号丽荷苑G2 (注册地址)
联系电话	13267531698

产品详情

长年高价回收二手N9010B EXA 信号分析仪使用手册

求购二手安捷伦N9010B回收二手N9010B EXA 信号分析仪

EXA X-Series Signal Analyzer, Multi-touch N9010B

This configuration guide will help you determine which performance options, measurement applications, accessories, and services to include with your new multi-touch EXA or to add as upgrades to an existing EXA.

主要特性和功能

使用快速、灵活的 EXA 应对各种需求

获得对毫米波测量结果经济高效的分析

利用优异的电平精度、DANL 和 TOI，探测大信号遮蔽下的小信号

使用列表扫描模式，在不连续的频率点上快速执行功率测量

X 系列测量应用软件可以简化测试

选件

Frequency Range

N9010B-503 Frequency Range, 10 Hz to 3.6 GHz

N9010B-507 Frequency Range, 10 Hz to 7 GHz

N9010B-513 Frequency Range, 10 Hz to 13.6 GHz

N9010B-526 Frequency Range, 10 Hz to 26.5 GHz

N9010B-532 Frequency Range, 10 Hz to 32 GHz

N9010B-544 Frequency Range, 10 Hz to 44 GHz

Preamplifier

N9010B-P03 Preamplifier, 3.6 GHz

N9010B-P07 Preamplifier, 7 GHz

N9010B-P13 Preamplifier, 13.6 GHz

N9010B-P26 Preamplifier, 26.5 GHz

N9010B-P32 Preamplifier, 100 kHz - 32 GHz

N9010B-P44 Preamplifier, 100 kHz - 44 GHz

Bandwidth

N9010B-B40Analysis Bandwidth, 40 MHz

Performance Options

N9010B-DP2Digital Processor, 2 GB Capture Memory

N9010B-EA3Electronic Attenuator, 3.6 GHz

N9010B-EDPEnhanced Display Package License

N9010B-EMCBasic EMC Functionality

N9010B-FP2Fast Power, up to 40 MHz Bandwidth

N9010B-FSAFine Resolution Step Attenuator

N9010B-MPBMicrowave Preselector Bypass

N9010B-PFRPrecision Frequency Reference

N9010B-TDSTime Domain Scan

N9010B-NF2Noise Floor Extension

Calibration Options

N9010B-A6JANSI Z540-1-1994 Calibration

N9010B-AMGCalibration + Uncertainties + Guardbanding (Accredited)

N9010B-UK6Commercial Calibration Certificate With Test Data

Connection Options

N9010B-CR3Connector, Wideband IF Output

N9010B-CRPCConnector, Programmable Rear IF Output

N9010B-YASY-Axis Output

External Mixing

N9010B-EXMExternal Mixing

Portable packaging

N9010B-PRCPortable Configuration

Security - PC features

N9010B-SF1Security Features, Exclude Launching Programs

N9010B-SF2Security Features, Prohibit Saving Results

N9010B-SSDAdditional Removable Solid State Drive

Source Connectivity

N9010B-ESCEXternal Source Control License

Accessories

1CM113ARack mount flange kit 177.0mm H (4U) - two flange brackets, 2015 color

1CN103AHandle kit 177.0mm H (4U) - two front handles, 2015 color

1CP105ARack mount flange and handle kit 177.0mm H (4U) - two brackets and front handles

1DVR001AROM/CD-R/RW drive

1KBD001AUSB keyboard-smaller keyboard

1MSE001AMouse

MLP001A Minimum loss pad, 50 to 75 ohm

1CR013ARack Slide Kit for 11in, 14in, and 16in Mounting Holes

Additional Documentation

N9010B-AB1Korean localization, user interface and getting started guide

N9010B-AB2Chinese localization, user interface and getting started guide

N9010B-ABESpanish localization, user interface and getting started guide

N9010B-ABFFrench localization, user interface and getting started guide

N9010B-ABJJapanese localization, user interface and getting started guide

N9010B-AKTRussian localization, user interface and getting started guide