

# HOMARTIE浩天企业，覆膜PVC装饰墙板，L-20-64

产品名称	HOMARTIE浩天企业，覆膜PVC装饰墙板，L-20-64
公司名称	海宁市五丰富美森装饰材料厂
价格	.00/个
规格参数	板面形式:覆膜 表面涂层:覆膜 材料:PVC树脂，碳酸钙
公司地址	中国 浙江 海宁市 袁华民丰工业园二区
联系电话	86-057387953636 13511345263

## 产品详情

板面形式	覆膜	表面涂层	覆膜
材料	PVC树脂，碳酸钙	产地	浙江海宁
功能	防潮	厚度	8MM
品牌	HOMARTIE浩天企业	特性	环保，防潮，易安装
型号	T-20-64	规格	5950*200*8MM

专业生产外贸pvc扣板，规格有宽：30cm,25cm,20cm,16cm,60.3cm,59.5cm,等厚：6mm,7mm,7.5mm,8mm,8.5mm,9mm,9.5mm等另有pvc角线、pvc门板系列，可供选择。技术范围内，可按客户所要新规格，开模生产。海宁浩天装饰材料有限公司

海宁浩天装饰材料有限公司的前身是海宁市加德装饰材料厂,座落于美丽的钱塘江北岸。公司通过几年的发展壮大,已成为同行业中一家颇具规模的现代化企业.海宁浩天装饰材料有限公司是一家集生产、销售、自主研发、服务于一体的综合性企业。公司主要生产中高挡pvc扣板、pvc天花板、pvc护墙板等，产品有塑钢板系列、覆膜板系列、珍珠烫系列、高分子镜面板系列、梦幻组合系列等，花色近300种，适于家居、商场、宾馆、酒店、办公场所等的装饰。营销网络遍及全国各地，产品畅销海内外。公司在多年发展的过程中始终贯彻落实高起点、高品质、高效率的三高经营理念，生产出质量过硬及具市场竞争的产品，同时公司已通过iso9001国际质量体系及绿色环保产品的认证，从原有的国内市场，到现在的国际市场，产品销往俄罗斯、土耳其、南美洲及中东国家并有外贸自营出口权。为答谢各地经销商的厚爱，在未来的发展中，我公司会不断努力创新，为天花板装饰行业创造一份新的天地，为人们的生活品质尽心尽力。浩天装饰将为人们提供绚丽多姿的生活空间！

联系人：陈小姐msn：cj@china-pvc-panel.comskype：rosschen106 qq:1341804629邮箱：cj@china-pvc-panel.com/chenjiaoj@gmail.com/ yesiajiao@163.com联系地址：海宁袁花民丰工业园二区联系电话：0573-87953636 13511345263公司网站：

<http://pvcceiling.en.alibaba.com>海宁浩天装饰材料有限公司阿里巴巴国际网

<http://www.china-pvc-panel.com> 海宁浩天装饰材料有限公司国际网

<http://www.haotiankb.com> 海宁浩天装饰材料有限公司中文网

haining haotian

decorative material co., ltd.

introduction of pvc panel, pvc ceiling panel and pvc wall panel

description of product

pvc panel , pvc ceiling , pvc ceiling panel , pvc wall panel , pvc

decorative panel , pvc decorative sheet , pvc board .

pvc resin and calcium carbonate .zhejiang, china .normal printing ,thermal transfer printing(hot foil printed),

peritoneal(laminated) , high glossy ,pearl

40% , 45% , 50% ,60% etc .flat , groove panelmarble , wooden , and other more than 2000 article designs .

characteristic of product

self-fire extinguishing, non-flammable , fire and inflaming retardant.resistance to weather/ special chemicals;  
waterproof / washable.it is impenetrable by insects or termites, and won" t rot or rust.good high temperature impact  
performance .the excellent rigid and superior impacted surface is without any peeling.good aging resistance , durable  
in all mechanical characteristics .hard quality, high intensity and sheen , fadeless ,environmental friendly .the variety of  
colors and patterns .natural wood (marble) grain: showing authentic wood

(marble) structure and artistic sense.

light in weight , the simple and fast installation can save a lot of time and manpower

cost.

easy to be cut, drilled, nailed, sawed, and riveted. diy is all right ;

quick maintenance and no need of painting ;

good resistance fixations .

application

used for ceiling and wall , as hotels , commercial buildings , hospitals , schools , cooking rooms , washing rooms and etc indoor decoration

packaging & delivery

: pvc shrink-film, usually 10pcs/bale or according to per customers" requirements: 15-20 days(40"hq)

other note

fob/cif30% prepayment , 70% before shipment13 produce line , 10400m2each day ,20 \*40 hq /monthone 20 container

specification	thickness(mm)	width(cm)	weight(kg/m2)
	6	18.3	2.05
	5	20	1.8
	6	20	2.0 or 3.0
	6	25	2.1
	6.75	25	2.4
	7	20	2.2 or 2.25
	7	59.5	2.5
	7	60.3	2.5 or 3.0
	7.5	25	2.7
	8	20	2.5 or 2.625
	8	25	2.3 or 2.5

8	16	3.125
8.5	20	2.5 or 3.5
9	20	3.0 or 3.15
9	30	2.95 or 3.085 or 3.16
9	25	3.2
9.5	30	3.9 or 4.0
9.5	10	3.5 or 4.0
9.5	16	3.3 or 3.75
9.5	20	2.625 or 3.5 or 3.75 or 4.125
9.5	6	5.3
11	20	4.4
12	15	3.0
12	20	3.9
13	20	4.375
15	20	4.75
length:5.8m for 20"gp and 5.95m for 40"hq. or according to customer requirement.		