

A48Y带扳手弹簧全启式安全阀

产品名称	A48Y带扳手弹簧全启式安全阀
公司名称	上海舍科阀门有限公司
价格	3000.00/台
规格参数	
公司地址	上海市金山区枫泾镇环东一路65弄3号1898室
联系电话	86-02131326070 13817334493

产品详情

产品描述：

主要零部件材料

NO	零件名称	材料
1	阀体	WCB
2	阀座	ZG2Cr13
3	调节圈	ZG2Cr13
4	阀瓣	2Cr13
5	导向套	2Cr13
6	阀盖	ZG230-450
7	弹簧	50CrVA
8	阀杆	2Cr13
9	扳手	ZG200-400
10	调整螺杆	45
11	保护罩	ZG200-400

密封面材料 "H"堆焊D507,"Y"堆焊Co基硬质合金

外形尺寸和连接尺寸

型号	公称 口径	do	D	K	g	g1	b	f	f1	Z-?d	DN'	D1	K1	g2	g'	b1	f'	f1'	Z1-?d1	L	L1
A48H-1 6C	20	15	105	75	55	16	2	4-1 4	20	105	75	55	16	2	4-14	100	85	270			
	25	20	115	85	65	16	2	4-1 4	25	115	85	65	16	2	4-14	100	85	270			
	32	25	140	100	78	18	2	4-1 8	32	140	100	78	18	2	4-18	115	100	312			
	40	32	150	110	85	18	3	4-1 8	40	150	110	85	18	3	4-18	120	110	320			
	50	40	165	125	100	20	3	4-1 8	50	165	125	100	20	3	4-18	135	120	390			
	65	50	185	145	120	20	3	4-1 8	65	185	145	120	20	3	4-18	140	130	395			
	80	65	200	160	135	20	3	8-1 8	80	200	160	135	20	3	8-18	160	135	400			
	100	80	220	180	155	22	3	8-1 8	100	220	180	155	22	3	8-18	170	160	600			
	125	100	250	210	185	22	3	8-1 8	125	250	210	185	22	3	8-18	190	190	620			
	150	125	285	240	210	24	3	8-2 3	150	285	240	210	24	3	8-23	205	195	625			
	200	150	340	295	265	26	3	12- 23	200	340	295	265	26	3	12-2 3	240	230	798			
250	200	405	355	320	30	3	12- 26	250	405	355	320	30	3	12-2 6	350	320	981				
300	250	460	410	375	30	4	12- 26	300	460	410	375	30	4	12-2 6	350	320	1005				
A48H-2 5	20	15	105	75	55	16	2	4-1 4	20	105	75	55	16	2	4-14	100	85	270			
	25	20	115	85	65	16	2	4-1 4	25	115	85	65	16	2	4-14	100	85	270			

	125	100	270	220	176	188	28	3	4.5	8-26	125	250	210	185	22	3	8-18	190	190	620
	150	125	300	250	204	218	30	3	4.5	8-26	150	285	240	210	24	3	8-23	205	195	625
	200	150	375	320	260	282	38	3	4.5	12-30	200	340	295	265	26	3	12-2 3	240	230	798
	250	200	450	385	313	345	42	3	4.5	12-34	250	405	355	320	30	3	12-2 6	350	320	981
	300	250	515	450	364	408	46	4	4.5	16-34	300	460	410	375	30	4	12-2 6	350	320	1005

A48H-6 4 A48Y- 64	20	15	130	90	51	68	20	2	4	4-18	20	105	75	55	51	16	2	4	4-14	100	95
	25	20	140	100	58	78	22	2	4	4-18	25	115	85	65	58	16	2	4	4-14	100	95
	32	25	155	110	66	82	24	2	4	4-23	32	140	100	78	66	18	2	4	4-18	115	105
	40	32	170	125	76	95	24	3	4	4-23	40	150	110	85	76	18	3	4	4-18	135	115
	50	40	180	135	88	105	26	3	4	4-23	50	165	125	100	88	20	3	4	4-18	160	125
	65	50	205	160	110	130	28	3	4	8-23	65	185	145	120	110	22	3	4	8-18	175	160
	80	65	215	170	121	140	30	3	4	8-23	80	200	160	135	121	22	3	4	8-18	175	160
	100	80	250	200	150	168	32	3	4.5	8-26	100	235	190	160	150	24	3	4.5	8-23	190	180
	150	100	345	280	204	240	38	3	4.5	8-34	150	300	250	218	204	30	3	4.5	8-26	280	260
	A48H-1 00 A48Y -100	20	15	130	90	51	68	22	2	4	4-18	20	105	75	55	51	16	2	4	4-14	100
25		20	140	100	58	78	24	2	4	4-18	25	115	85	65	58	16	2	4	4-14	100	95
32		25	155	110	66	82	24	2	4	4-23	32	140	100	78	66	18	2	4	4-18	115	105
40		32	170	125	76	95	26	3	4	4-23	40	150	110	85	76	18	3	4	4-18	135	115
50		40	195	145	88	112	28	3	4	4-26	50	165	125	100	88	20	3	4	4-18	160	125
65		50	220	170	110	138	32	3	4	8-26	65	185	145	120	110	22	3	4	8-18	175	160
80		65	230	180	121	148	34	3	4	8-26	80	200	160	135	121	22	3	4	8-18	175	160
100		80	265	210	150	172	38	3	4.5	8-30	100	235	190	160	150	24	3	4.5	8-23	190	180
150		100	355	290	204	250	46	3	4.5	12-34	150	300	250	218	204	30	3	4.5	8-26	280	738

