

巨化4TM悬浮细粉 聚四氟乙烯悬浮细粉

产品名称	巨化4TM悬浮细粉 聚四氟乙烯悬浮细粉
公司名称	浙江志扬化工有限公司
价格	60.00/千克
规格参数	浙江巨化:PTFE悬浮细粉
公司地址	衢州市柯城区须江路51号财富中心3幢1113-1115室
联系电话	0570-8880558 13175702955

产品详情

产品名称：聚四氟乙烯悬浮细粉树脂

分子式： $(-CF_2 - CF_2 -)_n$

产品用途：

JF-4TM：本产品清洁度好，可以作为定向膜或填充车削薄膜。主要用于制作电绝缘和电容器膜及其他可靠性要求高的制品。

JF-4TN-S：本品粒径均匀、可以加工大填充制品。

主要用于制作管，棒，板，密封材料等要求较高的制品。

JF-4TN：主要用于制作管，棒，板，密封材料等一般用途制品。

理化特性：蜡质感的白色粉末，平均粒径在20-40um之间，制品熔点 327 ± 5 ，标准比重2.130~2.190。产

品可以在-100 到260 之间稳定使用，具有优异的耐热性、电器绝缘性和耐化学渗透性。

包装与储运：本品按照非危险品运输，运输过程避免剧烈震动、避免高温日照、地面颠簸运输,防止树脂

结团，产品应贮存在清洁，阴凉，干燥的仓库内，以防止树脂发生结团现象及水汽、尘土等杂质的混入

。

包装规格：包装在双层聚乙烯袋内，外包装为防潮的硬质纸桶内，每桶产品净含量（ 20 ± 0.1 ）kg。

Product name:

PTFE Suspension Molding Powder

Chemical structure:

(-CF₂ - CF₂ -)_n

Application:

JF-4TM: Make insulator and capacitor film, etc. It is clean and pure, can make phased film or filled turning film

JF-4TN-S: The particle size is uniform, can make filled products. Make tube, rod, plate and seal material, etc.

JF-4TN : Make tube, rod, plate and seal material, etc.

Physical and chemical properties:

The raw material is waxy white powder, average particle size is 20-40um, the melting point is 327 ± 5 , and the standard specific gravity is 2.130-2.190. The product can be used stably between -100 and 260 , and has excellent heat resistance, electrical insulation and chemical permeability resistance.

Storage & transportation:

Not classified as hazardous for transport. During transportation and storage, avoid heavy shaking, and prevent from solarization. It should stock in clean, cool and dry warehouse, prevent from agglomeration and contamination.

Packing specification :

Packed with sealed PVC bag, load in Water content proof paper barrel. The net weight is (20 ± 0.1) kg per barrel.