

NOHKEN日本能研连杆浮球开关FR30S

产品名称	NOHKEN日本能研连杆浮球开关FR30S
公司名称	山东展悦电子科技有限公司
价格	.00/件
规格参数	
公司地址	邹城市看庄镇工农路189号（注册地址）
联系电话	18162059184 18162059184

产品详情

[NOHKEN](#)日本能研连杆浮球开关FR30S系列

[FR30S-1PFR30S-2PFR30S-3PFR30S-4PNOHKEN](#)日本能研

FR30S-1PFR30S-2PFR30S-3PFR30S-4PFR30S-5PFR30S-6P

FR30VS的型号有;材质为PVC

FR30VS-1PFR30VS-2PFR30VS-3PFR30VS-4PFR30VS-5PFR30VS-6P

FR30PS的型号有:材质为:PP

FR30PS-1PFR30PS-2PFR30PS-3PFR30PS-4PFR30PS-5P

FR30HVS的型号有:材质为:CPVC

FR30HVS-1PFR30HVS-2PFR30HVS-3PFR30HVS-4PFR30HVS-5P

FR30S6:为316不锈钢.FR30S6L为316L不锈钢

浮球参数

外径尺寸直径49*H50

内径尺寸15.4mm

材质SUS316

可测量液体的比重0.55以上

吃水25mm

粘度5P

逆水性可以（注：球上下反转时，逆向工作的意思）

端子盒

材质ADC12

结构IP65

电线接入口JISF20a

法兰

尺寸JIS5K50A

材质SUS304

晶体管管座

外径尺寸直径13.8

材质sus304

L尺寸 (Max)3950mm

其它 (温度)

大检测点7

浮球耐压2MPA

使用温度-10-100

L1尺寸 (Min)50mm

L-Ln50mm

设定间隔(Min)90mm

[日本能研连杆液位开关FR系列](#)

FR20S-1PFR20S-2PFR20S-3PFR20S-4P

FR20S-1P日本NOHKEN日本能研连杆液位开关FR20S-2P

FR20S-1PFR20S-2PFR20S-3PFR20S-4PFR20S-5PFR20S-6P

FR20VS的型号有;材质为PVC

FR20VS-1PFR20VS-2PFR20VS-3PFR20VS-4PFR20VS-5PFR20VS-6P

FR20PS的型号有:材质为:PP

FR20PS-1PFR20PS-2PFR20PS-3PFR20PS-4PFR20PS-5P

FR20HVS-1PFR20HVS-2PFR20HVS-3PFR20HVS-4PFR20HVS-5P

FR20S6:为316不锈钢.FR20S6L为316L不锈钢