

矿用通信信号电缆 MHYA32产品图片

产品名称	矿用通信信号电缆 MHYA32产品图片
公司名称	天津市电缆总厂第一分厂
价格	.00/件
规格参数	
公司地址	河北廊坊大城毕演马工业区
联系电话	0316-5960132 15932637551

产品详情

MHYA32—矿用通信电缆：煤矿用聚乙烯绝缘铝-聚乙烯粘接护层钢丝铠装聚氯乙烯护套通信电缆。

适用范围：用于煤矿井下斜井或竖井，有较强的抗拉作用。

产品采用标准：

Standards implemented

Q/321084KKZ01-2007

电线电缆型号规格见（表1、表2）

Models and specifications of cables and wires (see table 1and 2)

表1 table1

型 号

Model

导体结构（对数）

Conductor structure (pairs)

名 称

Name

适 用 范 围

Scope of application

MHYVR

(PUYVR)

7/0.30、7/0.37、7/0.43、7/0.52

(1~10对、2-7芯)

煤矿用聚乙烯绝缘聚氯乙烯护套阻燃通信电缆

PE insulated PVC sheathed fire retardant communication cables for coal mine

用于平巷、斜巷及机电硐室

Used in level; or slanted channels and power house

MHYBV

(PUYV31)

1/1.0、1/1.38

煤矿用聚乙烯绝缘镀锌钢丝编织铠装聚氯乙烯护套阻燃通信电缆

PE insulated tinned steel wire weave armored PVC sheathed fire retardant communication cables for coal mine

用于机械冲击较高的平巷和斜巷

Served in level and slanted channels where the mechanic impact is strong

MHY32

(PUYV39.39-1)

1/1.38

煤矿用聚乙烯绝缘钢丝铠装聚氯乙烯护套阻燃通信电缆

PE insulated steel wire armored PVC sheathed fire retardant communication cables for coal mine

用于煤矿竖井或斜井作主信号线能承受较大拉力

Served as major signal line in shaft or slanted shaft in coal mines, capable of bearing considerable pull force

MHYVRP

(PUYVRP)

(1~10对、2-7芯)

煤矿用聚乙烯绝缘铜丝编织屏蔽聚氯乙烯护套阻燃通信软电缆

PE insulated copper wire weave shielded PVC sheathed fire retardant communication soft cables

用于井下干扰较大的场合

Served in coal mine where interference is strong

MHYVP

(PUYVP)

煤矿用聚乙烯绝缘铜丝编织屏蔽聚氯乙烯护套阻燃通信电缆

PE insulated copper wire weave shielded PVC sheathed fire retardant communication cables

MHYBVR

(PUYVR31)

7/0.43、7/0.52

煤矿用聚乙烯绝缘镀锌钢丝编织铠装聚氯乙烯护套阻燃通信软电缆

PE insulated galvanized steel wire weave armored PVC shielded fire retardant communication soft cables

用于井下抗冲击较高的平巷和斜巷

Applied in level or slanted channels where impact is heavy

MHYR32

(PUYVR39.39-1)

7/0.52

煤矿用聚乙烯绝缘钢丝铠装聚氯乙烯护套阻燃通信软电缆

PE insulated steel wire weave armored PVC shielded fire retardant communication soft cables

用于煤矿竖井或斜井作主信号线能承受较大拉力

硅橡胶电线

表2 table 2

型号 Model

MHYVR

MHYBV

MHYV32

MHYVR

MHYVP

MHYVR32

对数 × 芯数

No. of pairs ×

No. of cores

1 × 2

1 × 2

1 × 4

1 × 4

1 × 3

1 × 3

1 × 5

1 × 5

1 × 5

1 × 6

1 × 6

1 × 7

1 × 7

2 × 2

2 × 2

3 × 2

3 × 2

4 × 2

4×2

5×2

5×2

6×2

6×2

8×2

8×2

10×2

10×2

命名代号

Codes

煤矿用通信电缆 Communication cables for coal mine.....(MH)

铜质线芯 Copper core 省略 omitted

聚乙烯绝缘 PE insulated Y

聚乙烯内护套 PE inner sheath 省略 omitted

钢丝编织铠装 Steel wire weave armored B

铜丝编织屏蔽 Copper wire weave shielded P

细圆钢丝铠装聚氯乙烯护套 Fine round steel weave shielded 32

聚氯乙烯护套 PVC sheathed V

软型多股铜丝 Soft multiply copper wire R

矿用光缆

产品表示方法

Expression

电缆用型号、规格及标准编号表示。如：

a) 具有5个1/1.38对绞线芯的矿用聚乙烯绝缘镀锌钢丝铠装聚氯乙烯护套阻燃通信电缆应表示为：

MHY32 5×2×1/1.38

b) 具有一个7/0.52星绞线芯的矿用聚乙烯绝缘聚氯乙烯护套阻燃通信电缆表示为：

MHYVR 1×4×7/0.52

A) cable is expressed in model, specifications and standard No. For example:

a) PE insulated tinned steel wire armored PVC sheathed fire retardant communication cable for coal mine with 5 1/1.38 twisted cores is expressed as: MHY32 5×2×1/1.38

b) PE insulated PVC sheathed fire retardant communication cables with 1 7/0.52 twisted core is expressed as:
MHYVR 1×4×7/0.52