

# 兆宏科技蓝宝石光学片/蓝宝石窗口/宝石基片/宝石窗片

产品名称	兆宏科技蓝宝石光学片/蓝宝石窗口/宝石基片/宝石窗片
公司名称	重庆兆宏科技有限公司
价格	.00/件
规格参数	
公司地址	中国 重庆市 重庆北碚区天生路 7 9 号
联系电话	023-63017816 19123160225

## 产品详情

产品规格：

根据用户需求加工

加工直径尺寸范围： 1.00~ 350.00

加工直径公差范围：按GB/T 1804标准规定或用户要求

加工厚度尺寸范围：0.10~20.00

加工厚度公差范围：按GB/T 1804标准规定或用户要求，具体规格以用户提供的参数为准

表面粗糙度：使用面Rz0.1、Rz0.2，装配面及沉油面Rz3.2

PRODUCT SPECIFICATIONS :

Processing according to user needs

Machining diameter size range: 1.00~ 350.00

Machining diameter tolerance range: according to GB/T 1804 standard or user requirements

Processing thickness range: 0.10~20.00

Processing thickness tolerance range: according to GB/T 1804 standard or user requirements

The specific specifications are subject to the parameters provided by the user

技术性能参数：

材料：蓝宝石

面精度(平整度)： /5

中心偏差：0.01mm

对原材料有特殊要求的，可加工C、A、R等晶向的表面。

外观精度：S/D20/10

平行度：2

红外透过率：在633nm波长下 > 85

倒边：0.05

镀膜要求：根据用户要求定制

TECHNICAL PERFORMANCE PARAMETERS:

Material: Sapphire

Surface accuracy (flatness): /5

Center deviation: 0.01mm

If there are special requirements for raw materials, the surface with crystal orientations such as C, A, R can be processed.

Appearance accuracy: S/D20/10

Parallelism: 2

Infrared transmittance: >85 at 633nm wavelength

Chamfering: 0.05

Coating requirements: customized according to user requirements

订货事项：

用户如需其它硬脆材料、规格、精度的产品，请来函、来电或来人商洽。

MATTERS ABOUT ORDER:

If users need other hard and brittle materials, other specifications, and other precision products, please contact us.