

美标H型钢W系列规格齐全一支起售

产品名称	美标H型钢W系列规格齐全一支起售
公司名称	上海铸然供应链（集团）有限公司
价格	6250.00/吨
规格参数	品牌:美标H型钢W 型号:W16*26/31/36/40/45/5 产地:莱钢/日照/马钢
公司地址	上海市宝山区园泰路695号1幢b-231室
联系电话	0539-8755070 17321166960

产品详情

品名规格型号材质每米重量（KG）产地美标H型钢W27*84678.43*252.98*11.68*16.26A992/A36/A572Gr50
125.43莱钢/马钢/日照美标H型钢W27*94683.77*253.75*12.45*18.92A992/A36/A572Gr50140.11莱钢/马钢/日照
美标H型钢W27*102688.09*254.38*13.08*21.08A992/A36/A572Gr50152.14莱钢/马钢/日照美标H型钢W27*114
693.17*255.78*14.48*23.62A992/A36/A572Gr50169.89莱钢/马钢/日照美标H型钢W27*129701.8*254.25*15.49*27
.94A992/A36/A572Gr50191.71莱钢/马钢/日照美标H型钢W27*146695.45*354.71*15.37*24.76A992/A36/A572Gr
50217.45莱钢/马钢/日照美标H型钢W27*161700.79*356.11*16.76*27.43A992/A36/A572Gr50239.99莱钢/马钢/
日照美标H型钢W27*178706.37*357.76*18.41*30.23A992/A36/A572Gr50264.77莱钢/马钢/日照美标H型钢W27
*217722.12*358.52*21.08*38.1A992/A36/A572Gr50322.97莱钢/马钢/日照美标H型钢W24*55598.68*177.93*10.03
*12.83A992/A36/A572Gr5082.284莱钢/马钢/日照美标H型钢W24*62603*178.82*10.92*14.99A992/A36/A572Gr5
092.52莱钢/马钢/日照美标H型钢W24*68602.74*227.71*10.54*14.86A992/A36/A572Gr50101.86莱钢/马钢/日照
美标H型钢W24*76607.57*228.35*11.18*17.27A992/A36/A572Gr50113.51莱钢/马钢/日照美标H型钢W24*8461
2.14*229.11*11.94*19.56A992/A36/A572Gr50125.37莱钢/马钢/日照美标H型钢W24*94617.47*230.25*13.08*22.2
2A992/A36/A572Gr50140.5莱钢/马钢/日照美标H型钢W24*103623.06*228.6*13.97*24.89A992/A36/A572Gr5015
3.52莱钢/马钢/日照美标H型钢W24*104611.12*323.85*12.7*19.05A992/A36/A572Gr50155.31莱钢/马钢/日照美
标H型钢W24*117616.2*325.12*13.97*21.59A992/A36/A572Gr50174.36莱钢/马钢/日照美标H型钢W24*131621.
79*326.52*15.37*24.38A992/A36/A572Gr50195.44莱钢/马钢/日照美标H型钢W24*146628.4*327.66*16.51*27.69
A992/A36/A572Gr50218.01莱钢/马钢/日照美标H型钢W24*162635*329.06*17.91*30.99A992/A36/A572Gr50241.
96莱钢/马钢/日照美标H型钢W21*44524.76*165.1*8.89*11.43A992/A36/A572Gr5065.79莱钢/马钢/日照美标H
型钢W21*48523.75*206.76*8.89*10.92A992/A36/A572Gr5071.62莱钢/马钢/日照美标H型钢W21*50529.08*165.8
6*9.65*13.59A992/A36/A572Gr5074.55莱钢/马钢/日照美标H型钢W21*55528.32*208.79*9.52*13.26A992/A36/A
572Gr5082.11莱钢/马钢/日照美标H型钢W21*57534.92*166.37*10.29*16.51A992/A36/A572Gr5084.79莱钢/马钢/
日照美标H型钢W21*6253****209.3*10.16*15.62A992/A36/A572Gr5092.5莱钢/马钢/日照美标H型钢W21*68
536.7*210.06*10.92*17.4A992/A36/A572Gr50101.55莱钢/马钢/日照美标H型钢W21*73539.5*210.69*11.56*18.8A
992/A36/A572Gr50108.85莱钢/马钢/日照美标H型钢W21*83544.32*212.22*13.08*21.21A992/A36/A572Gr50123.
34莱钢/马钢/日照美标H型钢W21*93549.15*213.87*14.73*23.62A992/A36/A572Gr50138.5莱钢/马钢/日照美标
H型钢W21*101542.54*312.47*12.7*20.32A992/A36/A572Gr50150.76莱钢/马钢/日照美标H型钢W21*111546.35
*313.44*13.97*22.22A992/A36/A572Gr50165.55莱钢/马钢/日照美标H型钢W21*122550.67*314.71*15.24*24.38A

992/A36/A572Gr50181.67莱钢/马钢/日照美标H型钢W21*132554.48*315.98*16.51*26.29A992/A36/A572Gr5019
6.6莱钢/马钢/日照美标H型钢W21*147560.32*317.75*18.29*29.21A992/A36/A572Gr50218.91莱钢/马钢/日照美
标H型钢W21*166570.99*315.47*19.05*34.54A992/A36/A572Gr50247.29莱钢/马钢/日照美标H型钢W21*182577
.09*317.5*21.08*37.59A992/A36/A572Gr50271.59莱钢/马钢/日照美标H型钢W21*201584.96*319.4*23.11*41.4A9
92/A36/A572Gr50299.87莱钢/马钢/日照美标H型钢W18*35449.58*152.4*7.62*10.5A992/A36/A572Gr5052.17莱
钢/马钢/日照美标H型钢W18*40454.66*152.78*8*13.33A992/A36/A572Gr5059.61莱钢/马钢/日照美标H型钢W
18*46458.72*153.92*9.14*15.37A992/A36/A572Gr5068.6莱钢/马钢/日照美标H型钢W18*50456.95*190.37*9.02*1
4.48A992/A36/A572Gr5074.31莱钢/马钢/日照美标H型钢W18*55459.99*191.26*9.91*16A992/A36/A572Gr5082.
07莱钢/马钢/日照美标H型钢W18*60463.3*191.9*10.54*17.65A992/A36/A572Gr5089.34莱钢/马钢/日照美标H
型钢W18*65466.09*192.79*11.43*19.05A992/A36/A572Gr5096.8莱钢/马钢/日照美标H型钢W18*71469.14*193.9
3*12.57*20.57A992/A36/A572Gr50105.63莱钢/马钢/日照美标H型钢W18*76462.53*280.29*10.79*17.27A992/A3
6/A572Gr50113.02莱钢/马钢/日照美标H型钢W18*86467.11*281.69*12.19*19.56A992/A36/A572Gr50128.2莱钢/
马钢/日照美标H型钢W18*97472.19*283.08*13.59*22.1A992/A36/A572Gr50144.61莱钢/马钢/日照美标H型钢
W18*106475.74*284.48*14.99*23.88A992/A36/A572Gr50157.73莱钢/马钢/日照美标H型钢W18*119481.84*286.1
3*16.64*26.92A992/A36/A572Gr50177.59莱钢/马钢/日照美标H型钢W18*130488.95*283.67*17.02*30.48A992/A
36/A572Gr50193.57莱钢/马钢/日照美标H型钢W18*143495.05*284.99*18.54*33.53A992/A36/A572Gr50213.05莱
钢/马钢/日照美标H型钢W16*26398.53*139.7*6.35*8.76A992/A36/A572Gr5039.03莱钢/马钢/日照美标H型钢
W16*31403.35*140.33*6.98*11.18A992/A36/A572Gr5046.33莱钢/马钢/日照美标H型钢W16*36402.84*177.42*7.
49*10.92A992/A36/A572Gr5053.65莱钢/马钢/日照美标H型钢W16*40406.65*177.67*7.75*12.83A992/A36/A572
Gr5059.77莱钢/马钢/日照美标H型钢W16*45409.7*178.69*8.76*14.35A992/A36/A572Gr5067.28莱钢/马钢/日照
美标H型钢W16*50413*179.58*9.65*16A992/A36/A572Gr5074.8莱钢/马钢/日照美标H型钢W16*57417.32*180.8
5*10.92*18.16A992/A36/A572Gr5085.05莱钢/马钢/日照美标H型钢W16*67414.78*259.97*10.03*16.89A992/A36/
A572Gr5099.76莱钢/马钢/日照美标H型钢W16*77419.61*261.49*11.56*19.3A992/A36/A572Gr50114.63莱钢/马
钢/日照美标H型钢W16*89425.45*263.27*13.33*22.22A992/A36/A572Gr50132.56莱钢/马钢/日照美标H型钢W
16*100431.04*264.79*14.86*25.02A992/A36/A572Gr50149.27莱钢/马钢/日照美标H型钢W14*22349*127*5.84*8.
51A992/A36/A572Gr5032.89莱钢/马钢/日照美标H型钢W14*26353.31*127.63*6.48*10.67A992/A36/A572Gr5038
.96莱钢/马钢/日照美标H型钢W14*30351.54*170.94*6.86*9.78A992/A36/A572Gr5044.82莱钢/马钢/日照美标H
型钢W14*34355.09*171.32*7.24*11.56A992/A36/A572Gr5050.65莱钢/马钢/日照美标H型钢W14*38358.14*171.9
6*7.87*13.08A992/A36/A572Gr5056.54莱钢/马钢/日照美标H型钢W14*43346.96*203.07*7.75*13.46*15.5A992/A
36/A572Gr5064莱钢/马钢/日照美标H型钢W14*48350.27*203.96*8.64*15.11A992/A36/A572Gr5071.71莱钢/马
钢/日照美标H型钢W14*53353.57*204.72*9.4*16.76A992/A36/A572Gr5079.11莱钢/马钢/日照美标H型钢W14*
61352.81*253.87*9.52*16.38A992/A36/A572Gr5090.85莱钢/马钢/日照美标H型钢W14*68356.62*254.89*10.54*18
.29A992/A36/A572Gr50101.28莱钢/马钢/日照美标H型钢W14*74359.92*255.78*11.43*19.94A992/A36/A572Gr5
0110.4莱钢/马钢/日照美标H型钢W14*82363.47*257.3*12.95*21.72A992/A36/A572Gr50121.89莱钢/马钢/日照
美标H型钢W14*90356.11*368.81*11.18*18.03A992/A36/A572Gr50134.12莱钢/马钢/日照美标H型钢W14*9935
9.66*369.95*12.32*19.81A992/A36/A572Gr50147.64莱钢/马钢/日照美标H型钢W14*109363.73*370.97*13.33*21.
84A992/A36/A572Gr50162.34莱钢/马钢/日照美标H型钢W14*120367.79*372.62*14.99*23.88A992/A36/A572Gr5
0178.94莱钢/马钢/日照美标H型钢W14*132372.36*374.01*16.38*26.16A992/A36/A572Gr50196.4莱钢/马钢/日
照美标H型钢W14*145375.41*393.7*17.27*27.69A992/A36/A572Gr50216.14莱钢/马钢/日照美标H型钢W14*15
9380.49*395.35*18.92*30.23A992/A36/A572Gr50236.77莱钢/马钢/日照美标H型钢W14*176386.59*397.51*21.08*
33.27A992/A36/A572Gr50262.24莱钢/马钢/日照美标H型钢W12*26310.39*164.85*5.84*9.65A992/A36/A572Gr5
038.7莱钢/马钢/日照美标H型钢W12*30313.44*165.61*6.6*11.18A992/A36/A572Gr5044.52莱钢/马钢/日照美标
H型钢W12*35317.5*166.62*7.62*13.21A992/A36/A572Gr5052.33莱钢/马钢/日照美标H型钢W12*40303.28*203.
33*7.49*13.08A992/A36/A572Gr5059.63莱钢/马钢/日照美标H型钢W12*45306.32*204.34*8.51*14.6A992/A36/A
572Gr5066.94莱钢/马钢/日照美标H型钢W12*50309.63*205.23*9.4*16.26A992/A36/A572Gr5074.4莱钢/马钢/日
照美标H型钢W12*53306.32*253.87*8.76*14.6A992/A36/A572Gr5078.85莱钢/马钢/日照美标H型钢W12*58309.
63*254.25*9.14*16.26A992/A36/A572Gr5086.36莱钢/马钢/日照美标H型钢W12*65307.85*304.8*9.91*15.37A992
/A36/A572Gr5096.66莱钢/马钢/日照美标H型钢W12*72311.45*305.82*10.92*17.02A992/A36/A572Gr50107.4莱
钢/马钢/日照美标H型钢W12*79314.45*306.83*11.94*18.67A992/A36/A572Gr50117.48莱钢/马钢/日照美标H
型钢W12*87318.26*307.97*13.08*20.57A992/A36/A572Gr50129.51莱钢/马钢/日照美标H型钢W12*96322.83*30
8.86*13.97*22.86A992/A36/A572Gr50142.82莱钢/马钢/日照美标H型钢W12*106327.41*310.39*15.49*25.15A992

/A36/A572Gr50157.82莱钢/马钢/日照美标H型钢W12*120333.25*312.93*18.03*28.07A992/A36/A572Gr50178.7
莱钢/马钢/日照美标H型钢W10*22258.32*146.05*6.1*9.14A992/A36/A572Gr5032.85莱钢/马钢/日照美标H型
钢W10*26262.38*156.56*6.6*11.18A992/A36/A572Gr5038.56莱钢/马钢/日照美标H型钢W10*30265.94*147.57*7
.62*12.95A992/A36/A572Gr5044.77莱钢/马钢/日照美标H型钢W10*33247.14*202.18*7.37*11.05A992/A36/A572
Gr5049.06莱钢/马钢/日照美标H型钢W10*39251.97*202.82*8*13.46A992/A36/A572Gr5057.97莱钢/马钢/日照
美标H型钢W10*45256.54*203.71*8.89*15.75A992/A36/A572Gr5067.04莱钢/马钢/日照美标H型钢W10*49253.4
9*254*8.64*14.22A992/A36/A572Gr5072.95莱钢/马钢/日照美标H型钢W10*54256.29*254.76*9.4*15.62A992/A3
6/A572Gr5080.05莱钢/马钢/日照美标H型钢W10*60259.59*256.03*10.64*17.27A992/A36/A572Gr5089.24莱钢/
马钢/日照美标H型钢W10*68264.16*257.3*11.94*19.56A992/A36/A572Gr50101.07莱钢/马钢/日照美标H型钢
W10*77269.24*258.83*13.46*22.1A992/A36/A572Gr50114.55莱钢/马钢/日照美标H型钢W10*88275.34*260.73*1
5.37*25.15A992/A36/A572Gr50131.05莱钢/马钢/日照美标H型钢W10*100281.94*262.64*17.27*28.45A992/A36/
A572Gr50148.78莱钢/马钢/日照美标H型钢W10*112288.54*254.54*19.18*21.75A992/A36/A572Gr50166.71莱钢
/马钢/日照美标H型钢W8*18206.76*133.35*5.84*8.38A992/A36/A572Gr5026.64莱钢/马钢/日照美标H型钢W8
*21210.31*133.86*6.35*10.16A992/A36/A572Gr5031.2莱钢/马钢/日照美标H型钢W8*24201.42*164.97*6.22*10.1
6A992/A36/A572Gr5035.88莱钢/马钢/日照美标H型钢W8*28204.72*165.99*7.24*11.81A992/A36/A572Gr5041.7
9莱钢/马钢/日照美标H型钢W8*31203.2*203.07*7.24*11.05A992/A36/A572Gr5046.23莱钢/马钢/日照美标H型
钢W8*35206.25*203.71*7.87*12.57A992/A36/A572Gr5052.12莱钢/马钢/日照美标H型钢W8*40209.55*204.98*9.
14*14.22A992/A36/A572Gr5059.49莱钢/马钢/日照美标H型钢W8*48215.9*205.99*10.16*17.4A992/A36/A572Gr
5071.43莱钢/马钢/日照美标H型钢W8*58222.25*208.79*12.95*20.57A992/A36/A572Gr5086.57莱钢/马钢/日照
美标H型钢W8*67228.6*210.31*14.48*23.75A992/A36/A572Gr5099.71莱钢/马钢/日照