

PA66 TECHNYL A216V15

产品名称	PA66 TECHNYL A216V15
公司名称	嘉博塑化（上海）有限公司
价格	12.80/千克
规格参数	品牌:法国罗地亚 型号:A216V15 产地:法国
公司地址	上海市青浦区公园路99号舜浦大厦
联系电话	13402012974 13402012974

产品详情

PA66 A 216 V15,PA66 TECHNYL A216V15 美国苏威 PA66 A 216 V15,

山东福建浙江上海江西安微河南重庆江苏嘉博塑化（上海）等地区原厂一级代理分销商供应PA66 TECHNYL PA66 A 216 V15 美国苏威原料,原厂**,品质保证,共创双赢!

PA66 TECHNYL PA66 A 216 V15 美国苏威材料性能为15%玻纤增强级。

PA66 TECHNYL PA66 A 216 V15 美国苏威材料介绍:

材料总称:PA66

材料商标名与型号:TECHNYL A 216 V15

材料中文名称:聚酰胺,尼龙66

材料生产商:美国苏威

产品包装:25KG/包

材料生产地:美国,上海,韩国

Technyl是全球聚酰胺方案专家索尔维工程塑料(Solvay Engineering Plastics)旗下的产品,为世界各大工业**者们的*,问世至今,已迈向了第六十个年头。自1953年来,Technyl便一直本着高性能的精湛质量,为汽车、运输、营造建筑、能源、消费品与工业设备等多元领域,开发具附加价值的革新性产品。

如今,凭借索尔维工程塑料*的专业技术,Technyl家族再次展现强劲实力,推出四个系列的全新细分产品和服务——Technyl Force:

Technyl金属替代 在优化部件设计的同时,有效减低成品的重量

Technyl阻燃 符合*严格的管制标准,达到*的安全成效

Technyl热管理 让发动机组件维持在*理想的运作温度

Technyl流体屏障 在严苛的条件下确保*的耐化学性

Technyl One是索尔维新开发的专利产品。这种树脂具有更高的耐温性能,同时减少了对模具的腐蚀,增加了产品加工稳定性。

主要优势

- 1.*市场的电气性能.
- 2.低温下的加工性能.
- 3.对模具和加工设备的腐蚀较少.

产品特性

- 1.较高UL 黄卡RTI指标,RTI 150 ° C@ 0.4mm
- 2.高阻燃级别: UL94@ 0.4mm, 600V CTI , GWFI 960 ° C @0.8mm
- 3.吸水明显低于普通的聚酰胺,因而尺寸稳定性可以提高30%
- 4.即使玻纤填充量高达50%也可以实现良好的表观质量
- 5.可根据需求配色

应用领域

小型化、多功能化的电气保护设备,如高端微型断路器(MCB),塑壳断路器(MCCB),接触器等要求高电气性能的应用。

Technyl Red

Technyl系列能帮助满足日益提升的发动机小型化需求,在实现轻量化的同时仍能提供出色的性能和功率输出。为克服阻碍发动机小型化的诸多限制,如大幅提高的温度和压力,Technyl RED解决方案经过特殊设计,能够耐受新一代发动机产生的持续高热应力。

如今,已有超过1500万台发动机采用了Technyl热性能技术。新一代的Technyl RED产品将帮助原始设备制造商进一步提升热管理系统的性能。

Technyl REDx是一种新型聚酰胺6.6材料,采用独特的“智能分子”技术,专为需要承受持续热应力的注射成型零部件而设计。该技术能够在运行的*初几个小时内进行自我激活,使材料性能远远超过*初的水平。

这种创新型材料以索尔维工程塑料部门久经验证的热性能专业知识为后盾,在要求严苛的热管理系统中能提供优于传统特种聚合物的*性能,尤其是对于汽车行业。

Technyl REDx “智能分子”技术的秘密在于位于聚合物链中,但不会影响其结构的一种交联剂。这种全新的专利创新技术在注射成型过程中会维持非活性状态,

使材料拥有媲美高流动性PA

6.6的性能。当温度升高时,交联剂会自我增强,从而提升材料的性能。得益于其高流动性和低粘度,Technyl REDx可在低于100度的成型温度下进行加工,帮助用户节约能源,实现简便经济的零部件制造,同时其良好的填充性能还能带来充分的设计自由度。在220度下超过3000小时的老化试验结果表明,不仅其性能在很大程度上得到了保留,其拉伸强度还增加了50%,而且其断裂延伸率并没有降低。

高热应力能使Technyl

REDx的机械强度超过*初的水平。通过提供长期热稳定性,出色的加工性能和*的表观特性,Technyl REDx为高热应用开启了全新的可能性,同时还能降低材料和制造成本。此外,得益于其固有的耐高温性,Technyl REDx省去了在发动机室采用传统工程塑料时可能需要用到的隔热罩。Technyl RED——高温运行零部件的*选择。

Technyl Star

Technyl Star,这套完整的*高流动性技术,会为您带来无限的可能

适度增强的 Technyl Star S 和 AF,非常适用于加工和成型,同时可节省成本、时间和能源。

高度增强的 Technyl Star SX 和 AFX,凭借其高硬度作为金属替代物来减少重量,是*解决方案。

我们 Technyl Star 的 10 年*历程已展示了以下特性:

1.*的机械性能

2.*的外观

3.易加工性

4.高生产效率

嘉博塑化(上海)有限公司原厂一级代理商供应PA66法国罗地亚型号:

TECHNYL A 117 V33 BLACK 61 LP

TECHNYL A 118 V50 BLACK 21

TECHNYL A 118 V50 BLACK 51

TECHNYL A 118L V50 BLACK 2428

TECHNYL A 20 V25 BLACK 25

TECHNYL A 20 V25 NATURAL

TECHNYL A 20 V35 BLACK 25

TECHNYL A 20 V35 NATURAL
TECHNYL A 205F BLACK 21N
TECHNYL A 205F BLACK 651
TECHNYL A 205F NATURAL
TECHNYL A 206 NATURAL Z
TECHNYL A 208F BLACK 21N
TECHNYL A 208K BLACK 10N-L
TECHNYL A 216 BLACK 21N
TECHNYL A 216 NATURAL FA
TECHNYL A 216 NATURAL
TECHNYL A 216 S30 NATURAL
TECHNYL A 216 S40 NATURAL
TECHNYL A 216 V15 BLACK 21N
TECHNYL A 216 V15 NATURAL
TECHNYL A 216 V20 BLACK 21N
TECHNYL A 216 V20 NATURAL
TECHNYL A 216 V25 BLACK 1 NR
TECHNYL A 216 V30 BLACK 21N
TECHNYL A 216 V30 BLACK FA
TECHNYL A 216 V30 NATURAL FA
TECHNYL A 216 V30 NATURAL
TECHNYL A 216 V30 Y17 N NATURAL
TECHNYL A 216 V33 GREY 3067
TECHNYL A 216 V33 NATURAL
TECHNYL A 216E1 V25 BLACK
TECHNYL A 216T V33 BLACK 1N

TECHNYL A 217 BLACK 1N

TECHNYL A 217 BLACK 61

TECHNYL A 217 NATURAL S

TECHNYL A 217-1 NATURAL

TECHNYL A 218 BLACK 21N

TECHNYL A 218 MT15 V25 BLACK 21N

TECHNYL A 218 MT25 V15 BLACK

TECHNYL A 218 MV30 BLACK

TECHNYL A 218 MZ15 V25 BLACK 31N

TECHNYL A 218 NATURAL

TECHNYL A 218 S30 BLACK 21N

TECHNYL A 218 S30 NATURAL

TECHNYL A 218 S40 BLACK 21N

TECHNYL A 218 V15 BLACK 21 N

TECHNYL A 218 V15 BLACK 51

TECHNYL A 218 V15 NATURAL

TECHNYL A 218 V20 BLACK 21N

TECHNYL A 218 V20 BLACK 61

TECHNYL A 218 V20 NATURAL

TECHNYL A 218 V25 BLACK 21

TECHNYL A 218 V25 BLACK 21N

TECHNYL A 218 V25 BLACK 51

TECHNYL A 218 V25 BLACK LM

TECHNYL A 218 V25 NATURAL

TECHNYL A 218 V30 BLACK 21

TECHNYL A 218 V30 BLACK 21NS

TECHNYL A 218 V30 BLACK 34NG

TECHNYL A 218 V30 NATURAL

TECHNYL A 218 V33 BLACK 51

TECHNYL A 218 V33 NATURAL

TECHNYL A 218 V35 BLACK 21N

TECHNYL A 218 V35 BLACK 34NG

TECHNYL A 218 V35 NATURAL

TECHNYL A 218 V35 Y10 NATURAL

TECHNYL A 218 V40 BLACK 21N

TECHNYL A 218 V40 NATURAL

TECHNYL A 218 V43 BLACK 21N

TECHNYL A 218 V50 BLACK 21N

TECHNYL A 218 V50 NATURAL

TECHNYL A 218 Y10 NATURAL

TECHNYL A 218 Y20 BLACK

TECHNYL A 218C V10 NATURAL S

TECHNYL A 218G V30 NATURAL

TECHNYL A 218G V33 BLACK 34N

TECHNYL A 218G1 V25 BLACK 34N

TECHNYL A 218G1 V30 BLACK 34N

TECHNYL A 218G2 V30 BLACK 34N

TECHNYL A 218G2 V50 BLACK 34N

TECHNYL A 218HP V30 BLACK 21N

TECHNYL A 218HP V35 BLACK 21N

TECHNYL A 218HP V50 BLACK 21N

TECHNYL A 218W V30 BLACK FA

TECHNYL A 218W V30 NATURAL

TECHNYL A 218W V33 NATURAL T

TECHNYL A 218W V50 BLACK FA

TECHNYL A 219E1 V30 BLACK

TECHNYL A 219E1 V33 BLACK

TECHNYL A 21T3 V25 BLACK 15N

TECHNYL A 21T4 V25 BLACK

TECHNYL A 221 NATURAL FA

TECHNYL A 221 NATURAL

TECHNYL A 221 NATURAL-1

TECHNYL A 221T1 NATURAL S

TECHNYL A 222 BLACK 1N

TECHNYL A 222 NATURAL

TECHNYL A 222F NATURAL FA

TECHNYL A 225F NATURAL

TECHNYL A 230 NATURAL

TECHNYL A 230 V13 NATURAL

TECHNYL A 238 BLACK 21N

TECHNYL A 238 V13 BLACK 21 N

TECHNYL A 238 V13 NATURAL

TECHNYL A 238F BLACK

TECHNYL A 238J1 BLACK 21

TECHNYL A 238J1 NATURAL

TECHNYL A 246M BLACK 21

TECHNYL A 246M NATURAL

TECHNYL A 256P1 BLACK 2N

TECHNYL A 258P1 BLACK 2N

TECHNYL A 258P2 BLACK 2N

TECHNYL A 302 NATURAL FA

TECHNYL A 402 NATURAL FA

TECHNYL A 402H1 NATURAL

TECHNYL A 422 NATURAL

TECHNYL A 50H1 BLACK

TECHNYL A 50H1 NATURAL

TECHNYL A 50X1 GREY 2572

TECHNYL A 548B V15 BLACK 23 N

TECHNYL A 548B2 V15 BLACK 23N

TECHNYL A 60G1 V25 BLACK 2N

TECHNYL A 60G1 V25 GREY 7035

TECHNYL A 60G1 V25 GREY R7035 LPU

TECHNYL A 60G1 V25 NATURAL-T

TECHNYL A 60G1 V30 BLACK 15N

TECHNYL A 60G1 V30 BLACK 61

TECHNYL A 60G1 V30 BLACK-K

TECHNYL A 60G1 V30 GREY R7035 LPU

TECHNYL A 60G1 V30 NATURAL

TECHNYL A 60Th3 WHITE

TECHNYL A 60X1 V25 BLACK

TECHNYL A 60X1 V25 NATURAL

TECHNYL A 60X1 V30 BLACK

TECHNYL A 718 V30 BLACK 61

TECHNYL A 718 V30 NATURAL

TECHNYL AR 218 V25 BLACK

TECHNYL AR 218 V30 BLACK

TECHNYL AR 218 V50 BLACK

TECHNYL AR 318 V40 BLACK

TECHNYL XA 1570 BLACK

TECHNYL XA 1636 BLACK

TECHNYL XA 1654 GREY 2622

TECHNYL XA 3143 black

所销售地区服务范围:黑龙江省/江苏省/浙江省/安徽省/福建省/江西省/山东省/河南省/湖北省/湖南省/广东省/海南省/四川省/贵州省/云南省/陕西省/甘肃省/青海省/丽水/余姚/昆山/青浦/上海宝山/上海嘉定/乐清/台州/宁波/上海奉贤/常州/太仓/温州/苏州昆山/泰州/台州/上海闵行/慈溪/成都/厦门/金华义乌/瑞安/南京/杭州/南通/上海金山/上海松江/嘉兴/嘉善/江苏无锡/山东/济南/青岛/淄博/枣庄/南/马鞍/淮北/铜陵/安庆/黄山/滁州/阜阳等全国各地供应，均可送货上门！