

BJX隔爆型防爆接线箱 BXK防爆控制箱

产品名称	BJX隔爆型防爆接线箱 BXK防爆控制箱
公司名称	乐清振磊防爆电器有限公司
价格	1.00/件
规格参数	品牌:振磊防爆 型号:电议 产地:乐清
公司地址	浙江省温州市乐清市柳市镇后街村龙坦路71号一楼（注册地址）
联系电话	15057512139

产品详情

BJX51?????/BXJ????? ?? BJX?????????/BXK????? XBK????????? ??/BJX8050/BJX8030?????????

????Application

1??2?????

IIA?IIB?IIC???????

*??IIB?IIC?????

Can be used in Zone 1 and Zone 2 dangerous places.

Can be used in IIA,IIB ?IICgroup explosive atmosphere.

*Please note if want IIB and IIC group .

???? Features

??????,????.

????,????.

????????????,????????

????.

????????***??,????,

????,????????????????

??????.

????????,????????

?,????????????????

BDM ?????????(?:????

?????)

??GB3836-2000,IEC60079????.

Diecastedaluminiumalloy shell withplastic-sprayed surface.

Diecasted into shape,beautiful appearance.

The interface use ourve-seal structure,having the strong functions of

Water-proof,dust-proof.

Use safety-increased special terminal,convenient to connect.

secure ard reliable,the current's specification can be

Determined by clients.

The direction of inlet can be determinde by clients,selecting inlet can be

filled with BDM series cable sealing connector as required

(Note: Indicate if ordering)

Suitable for GB3836-2000, IEC60079 standard request.

Model implication

Technical parameters Inlet diagram

Rated voltage

Rated current Protection grade

3/4 10-14 IP54

*IP55

Main technical parameters

ZBHC-20/20 I? Type ZBHC-20/20 II ?Type ZBHC-20/30 III?Type

ZBHC-20/60 IV? Type ZBHC-20/80 V ? Type ZBHC-20/120 VI? ?ype

IIB Outline example of IIB group junction box