

各类轴承 SKF轴承 精密轴承

产品名称	各类轴承 SKF轴承 精密轴承
公司名称	青岛祥瑞合机电设备有限公司
价格	.00/个
规格参数	是否提供加工定制:否 品牌:详询 型号:齐全
公司地址	青岛市四方区鞍山一路88号1323室
联系电话	0532-3605423575 13605423575

产品详情

是否提供加工定制：否
内径：17（mm）
载荷方向：径向
油润滑方法：滴油润滑
用途：机床主轴
是否进口：非进口

品牌：详询
外径：26（mm）
承载机理：固体摩擦
润滑状态：边界润滑
使用特性：高温
样品或现货：现货

型号：齐全
重量：0.0083（kg）
润滑剂：无润滑
轴瓦材料：铜基合金
是否标准件：标准件
高度：详询（mm）

Im11749/10	17.462	39.878	13.843	14.605	10.668	1.3	1.3
Im11949/10	19.05	45.237	15.494	16.637	12.065	1.3	1.3
m12649/10	21.43	50.005	17.526	18.288	13.97	1.3	1.3
Im12749/10	21.986	45.237	15.494	16.637	12.065	1.3	1.3
Im12749/11	21.986	45.974	15.494	16.637	12.065	1.3	1.3
I44643/10	25.4	50.292	14.224	14.732	10.668	1.3	1.3
m84548/10	25.4	57.15	19.431	19.431	14.732	1.5	1.5
I44649/10	26.988	50.292	14.224	14.732	10.668	3.5	1.3
I45449/10	29	50.292	14.224	14.732	10.668	3.5	1.3
Im67048/10	31.75	59.131	15.875	16.764	11.811		1.3
Im67049a/10	31.75	59.131	15.875	16.7	12	4	1.7
15123/245	31.75	62	18.161	19.05	14.288		1.3
2580/20	31.75	66.421	25.4	25.357	20.638	0.8	3.3
m88048/10	33.338	68.262	22.225	22.225	17.462	0.8	1.5

lm48548/10	34.925	65.088	18.034	18.288	13.97		1.3
25877/20	34.925	73.025	23.812	24.608	19.05	1.5	2.3
25877/21	34.925	73.025	23.812	24.608	19.05	1.5	0.8
2793/20	34.925	76.2	23.812	25.654	19.05	0.8	3.3
31594/20	34.925	76.2	29.37	28.575	23.812	1.5	3.3
3872/20	34.925	85.725	30.162	30.162	23.812	3.5	3.3
l68149/10	35	59.131	15.875	16.764	11.938		1.3
l68149/11	34.988	59.974	15.875	16.764	11.938		1.3
jl69349/10	38	63	17	17	13.5		1.3
2776/20	38.1	76.2	23.812	25.654	19.05	4.3	3.3
2788/20	38.1	76.2	23.812	25.654	19.05	3.5	3.3
418/414	38.1	88.5	26.988	29.083	22.225	3.5	1.5
2789/20	39.688	76.2	23.812	25.654	19.05	3.5	3.3
hm801349/10	40.483	82.55	29.37	28.575	23.02	3.5	3.3
lm300849/11	40.988	67.975	17.5	18	13.5		1.5
18590/20	41.275	73.025	16.667	17.462	12.7	3.5	1.5
lm501349/10	41.275	73.431	19.558	19.812	14.732	3.5	0.8
lm501349/14	41.275	73.431	21.43	19.812	16.604	3.5	0.8
11162/300	41.275	76.2	18.009	17.384	14.288	1.5	1.5
25578/20	42.862	82.931	23.812	25.4	19.05	2.3	0.8
25580/20	44.45	82.931	23.812	25.4	19.05	3.5	0.8
25582/20	44.45	82.931	24.812	26.4	20.05	5	0.8
hm803149/10	44.45	88.9	30.162	29.37	23.02	3.5	3.3
3782/20	44.45	93.264	30.162	30.302	23.812	3.5	3.3
3776/20	44.983	93.264	30.162	30.302	23.812	3.5	3.3
lm102949/10	45.242	73.431	19.558	19.812	15.748	3.5	0.8
lm603049/11	45.242	77.788	19.842	19.842	15.08	3.5	0.8
25590/20	45.618	82.931	23.812	25.4	19.05	3.5	0.8
25590/22	45.618	83.058	23.876	25.4	19.114	3.5	2
25590/23	45.618	82.931	26.988	25.4	22.225	3.5	2.3
lm503349a/10	45.987	74.976	18	18	14		1.5
18690/20	46.038	79.375	17.462	17.462	13.495	2.8	1.5
359a/354a	46.038	85	20.638	21.692	17.462	3.5	1.3
3778/20	47.625	93.264	30.162	30.302	23.812	6.4	3.3
ilm104948/10	50	82	21.5	21.5	17	3	0.5
lm104949/11	50.8	82.55	21.59	22.225	16.51	3.5	1.3
18790/20	50.8	85	17.462	17.462	13.495	3.5	1.5

18790/24	50.8	88.9	18.462	18.462	14.495	3.5	1.3
3780/20	50.8	93.264	30.162	30.302	23.812	3.5	3.3
387/382a	57.15	96.838	21	21.946	15.875	2.3	0.8
387a/382a	57.15	96.838	21	21.946	15.875	3.5	0.8
387as/382a	57.15	96.838	21	21.946	15.875	5	0.8
387s/382a	57.15	96.838	21	21.946	15.875	0.8	0.8
462/453x	57.15	104.775	30.162	29.317	24.605	2.3	3.3
29580/20	60	107.95	25.4	25.4	19.05	3.5	3.3