

LENZE伦茨变频器E82EV152K2C德国参数规格

| | |
|------|-----------------------------|
| 产品名称 | LENZE伦茨变频器E82EV152K2C德国参数规格 |
| 公司名称 | 上海菱联自动化控制技术有限公司 |
| 价格 | 8899.00/台 |
| 规格参数 | 具体价格:来电 原产地:德国 运费:包邮 |
| 公司地址 | 上海市嘉定区华江路129弄6号J |
| 联系电话 | 13052291157 |

产品详情

LENZE伦茨变频器E82EV152K2C德国参数规格

如果您需要一款高性能、高可靠性、广泛应用的变频器，LENZE伦茨变频器E82EV152K2C是您的选择。

具体价格：来电

原产地：德国

运费：包邮

该款变频器是德国LENEZ公司的明星产品，价格是非常优惠的8899元/台。备货丰富，现货供应，货期飞快，让您无需等待就可以快速使用。作为一款德国制造的精品，其品质和性能有着极高的保证，的技术和工艺让它成为市场的佼佼者。

LENZE伦茨变频器E82EV152K2C采用了先进的空间矢量控制技术，其精度和稳定性非常高。同时，它还具有可变输出频率、多种保护机制、广泛的适用性等特点，可以实现对电机的调节和控制，让您的设备运转更加高效、稳定、安全。

除此之外，LENZE伦茨变频器E82EV152K2C还拥有行业的人机交互界面和丰富的接口，支持多种通信方式，可以实现与各种外部设备的连接和数据交换，更加灵活、便捷、快速地满足您的各种需求。

总之，LENZE伦茨变频器E82EV152K2C是一款真正的变频器，既有德国工艺品质的保证，又有良好的性能和功能。我们非常推荐它，并保证每一位客户都可以获得一个满意的产品。

MCS12H14

MCS12H34

MCS12L17

MCS12L39

MCS14D14

MCS14D30

MCS14H12

MCS14H28

MCS14L14

MCS14L30

MCS14P11

MCS14P26

MCS19F12

MCS19F29

MCS19J12

MCS19J29

MCS19P12

MCS19P29

MCS06C41L

MCS06C60L

MCS06F41L

MCS06F60L

MCS06I41L

MCS06I60L

MCS09D41L

MCS09D60L

MCS09F38L

MCS09F60L

MCS09H41L

MCS09H60L

MCS09L41L

MCS12D20L

MCS12D41L

MCS12H15L

MCS12H30L

MCS12L20L

其型号为：

MCS06CXX-RS0B0 MCS06CXXLRS0B0 MCS06CXX-RS0P1 MCS06CXXLRS0P1 MCS09Dxx-RS0B0 MCS12Dxx-RS0B0 MCS14Dxx-RS0B0 MCS09Dxx-RS0B0 MCS12Dxx-RS0B0 MCS09Dxx-RS0P1 MCS12Dxx-RS0P1 MCS14Dxx-RS0P1 MCS09Dxx-RS0P1 MCS12Dxx-RS0P1 MCS09Dxx-RS0P2 MCS12Dxx-RS0P1 MCS14Dxx-RS0P2 MCS09Dxx-RS0P2 MCS12Dxx-RS0P1 MCS06FXX-RS0B0 MCS09FXX-RS0B0 MCS19Fxx-RS0B0 MCS06FXXLRS0B0 MCS09FXXLRS0B0 MCS06FXX-RS0P1 MCS09FXX-RS0P1 MCS19Fxx-RS0P1 MCS06FXXLRS0P1 MCS09FXXLRS0P1 MCS09FXX-RS0P2 MCS09FXXLRS0P2 MCS06IXX-RS0B0 MCS06IXXLRS0B0 MCS06IXX-RS0P1 MCS06IXXLRS0P1 MCS09HXX-RS0B0 MCS12HXX-RS0B0 MCS14Hxx-RS0B0 MCS09HXXLRS0B0 MCS12HXXLRS0B0 MCS09HXX-RS0P1 MCS12HXX-RS0P1 MCS14Hxx-RS0P1 MCS09HXXLRS0P1 MCS12HXXLRS0P1 MCS09HXX-RS0P2 MCS12HXX-RS0P2 MCS14Hxx-RS0P2 MCS09HXXLRS0P2 MCS12HXXLRS0P2 MCS09Lxx-RS0B0 MCS12LXX-RS0B0 MCS14Lxx-RS0B0 MCS09Lxx-RS0B0 MCS12LXXLRS0B0 MCS09Lxx-RS0P1 MCS12LXX-RS0P1 MCS14Lxx-RS0P1 MCS09L xx-RS0P1 MCS12LXXLRS0P1 MCS09L xx-RS0P2 MCS12LXX-RS0P2 MCS14Lxx-RS0P2 MCS09L xx-RS0P2 MCS12LXXLRS0P2 MCS14Pxx-RS0B0 MCS19Pxx-RS0B0 MCS14Pxx-RS0P1 MCS14Pxx-RS0P2 MCS19Pxx-RS0P2

异步伺服电机MCA

低转动惯量、极好的功率尺寸比、运行的可靠性高、扭矩范围为2.0 至 300 Nm、功率范围0.8---53.8KW,产品标准为cURus 和 GOST 认证

MCA10I40

MCA13I41

MCA14L20

MCA14L41

MCA17N23

MCA17N41

MCA19S23

MCA19S42

MCA21X25

MCA21X42

MCA13I34

MCA14L16