



60	15	105	95	60	M24 × 2	16	15	16	20	3-18	200	268	288	6.2
J44Y- 320 L 44Y-3 20	10	90	95	60	M24 × 2	10	10	10	20	3-18	200	260	275	5.7
	15	105	105	68	M33 × 2	17	15	17	20	3-18	200	268	288	6.8
型号	DN	L	D	D1	M	D2	Dn	Dn	b	Z- d	L0	H	H1	重量( kg)
J44Y- 160 L 44Y-1 60	25	120	105	68	M33 × 2	28	23	23	20	3-18	300	225	245	9.1
	32	135	115	80	M42 × 2	37	29	29	22	4-18	300	222	248	11
	40	165	165	115	M52 × 2	47	39	39	28	6-26	350	265	300	20
	50	190	165	115	M64 × 3	59	50	50	32	6-26	400	303	345	30
J44Y- 320 L 44Y-1 60	25	120	115	80	M42 × 2	35	23	23	22	4-18	300	225	245	10.8
	32	132	135	95	M48 × 2	41	29	29	25	4-22	300	222	248	13.5
	40	165	165	115	M64 × 3	58	39	42	32	6-26	350	265	300	23
	50	190	200	145	M80 × 3	70	50	53	40	6-29	400	303	345	39.2
GL44 H-160 GL44 Y-160	65	215	200	145	M80 × 3	73	60	65	40	6-29	710	430	490	81
	80	260	225	170	M100 × × 3	93	75	80	50	6-33	810	520	600	138
	100	290	260	195	M125 × 4	115	95	99	60	6-36	850	595	685	223
GL44 H-320 GL44 Y-320	65	215	225	170	M100 × 3	90	60	68	50	6-33	710	430	490	93
	80	260	260	195	M125 × 4	112	75	85	60	6-36	810	520	600	158

	100	290	300	235	M155 × 4	130	95	103	75	8-39	850	595	285	228
--	-----	-----	-----	-----	-------------	-----	----	-----	----	------	-----	-----	-----	-----

J44H~J47Y~J47H高压角式截止阀结构图: