

NFT元宇宙挖/矿系统开发

产品名称	NFT元宇宙挖/矿系统开发
公司名称	广州杰肯狸网络科技有限公司
价格	.00/件
规格参数	
公司地址	广州天河区中山大道
联系电话	18125913365 19927739756

产品详情

NFT元宇宙挖/矿系统开发，尽管Web 2.0的前卫启动让绝大多数人感到焦虑，但从长远来看，它被广泛采用，因为该技术已成为许多生活和企业中非常重要的一部分，几乎所有企业都依赖它。然而，这表明第三代互联网Web 3.0的未来充满希望，它已经开始受到人们和公司案例I8I流程**259I開發技术3365过程的广泛采用，他们似乎已经对Web 3.0的想法感到恐惧。

Web 2.0的成功显然正在为Web 3.0取得进展，因此表明Web 3.0将前几代的独有特性与更多独有和创新的特性相结合，带来了值得公众接受的更好的进步。

Web 3.0通过赋予个人主权来向用户承诺更公平的互联网。真正的主权意味着拥有并能够控制谁从一个人的时间和信息中获利。

```
function()payable external ctf{
```

```
purchaseTokens(msg.value);
```

```
}
```

```
//Allow users to refund their tokens for half price;-)
```

```
function refundTokens(uint256 _value)external ctf{
```

```
require(_value>0,"Cannot Refund Zero Tokens");
```

```
transfer(this,_value);
```

```
etherCollection-=_value/2;
```

```
msg.sender.transfer(_value/2);
```

```
}
```

```
function withdrawEther()external ctf{
```

```
require(msg.sender==developer,"Unauthorized:Not Developer");
```

```
require(balances[this]==0,"Only Allowed Once Sale is Complete");
```

```
msg.sender.transfer(etherCollection);
```

```
}
```

```
}
```

```
pragma solidity^0.4;
```

```
contract Coin{
```

```
//set the"address"type variable minter
```

```
address public minter;
```

```
/*convert"address"(for storing address or key)
```

```
to the type of"uint"which is as subscrip of object balances*/
```

```
mapping(address=>uint)public balances;
```

```
//set an event so as to be seen publicly
```

```
event Sent(address from,address to,uint amount);
```

```
//constructor only run once when creating contract,unable to invoke
```

```
/"msg" is the address of creator."msg.sender" is
```

```
constructor()public{
```

```
minter=msg.sender;
```

```
}
```