

LEOCH理士DJW12-5.4 12V5.4AH应急灯用

产品名称	LEOCH理士DJW12-5.4 12V5.4AH应急灯用
公司名称	广州市尚驰电子科技有限公司
价格	1.00/1
规格参数	
公司地址	广州市天河区龙口西路577号天隆花苑4楼
联系电话	86-2038471765/38471795 18818809808

产品详情

产品特性

- | | |
|-------------|-----------------|
| 1. 寿命长。 | 2. 自放电率极低。 |
| 3. 容量充足。 | 4. 使用温度范围宽。 |
| 5. 密封性能好。 | 6. 导电性好。 |
| 7. 充电接受能力强。 | 8. 安全可靠的防爆排气系统。 |

应用领域

- | | | |
|------------|----------|------------|
| 1. 多用途的 | 2. 不间断电源 | 3. 电子能源系统 |
| 4. 紧急备用电源 | 5. 紧急灯 | 6. 铁路信号 |
| 7. 航空信号 | 8. 安防系统 | 9. 电子器械与装备 |
| 10. 通话系统电源 | 11. 直流电源 | 12. 自动控制系统 |

电池型号	额定	额定容量(Ah)					外型尺寸 (mm ± 1mm)			
	电压	1.80V	1.80V	1.75V	1.75V	1.67V	长	宽	高	总高
	(V)	20HR	10HR	5HR	3HR	1HR	(L ± 1)	(W ± 1)	(H ± 1)	(H ± 1)
DJW2-4.0	2	4.00	3.72	3.45	3.12	2.48	48 ± 1	25 ± 1	101 ± 1	107 ± 1
DJW4-3.5	4	3.50	3.26	3.00	2.73	2.17	90 ± 1	34 ± 1	59 ± 1	65 ± 1
DJW4-4.0	4	4.00	3.72	3.45	3.12	2.48	47 ± 1	47 ± 1	101 ± 1	107 ± 1
DJW4-4.5	4	4.50	4.19	3.85	3.51	2.79	52.5 ± 1	48 ± 1	94 ± 1	100 ± 1
DJW4-5.0	4	5.00	4.65	4.30	3.90	3.10	91 ± 1	50 ± 1	74 ± 1	74 ± 1
DJW4-8.0	4	8.00	7.40	6.90	6.24	4.95	91 ± 1	50 ± 1	101 ± 1	101 ± 1
DJW4-9.0	4	9.00	8.40	7.75	7.02	5.57	102 ± 1	44 ± 1	95 ± 1	101 ± 1
DJW4-9.0S	4	9.00	8.40	7.75	7.02	5.57	118 ± 1	48 ± 1	130 ± 1	136 ± 1
DJW4-10	4	10.0	9.30	8.60	7.80	6.19	101.5 ± 1	50 ± 1	94 ± 1	100 ± 1
DJW4-20	4	20.0	18.6	17.2	15.6	12.4	149 ± 1	43 ± 1	154 ± 1	160 ± 1
DJW6-0.5	6	0.50	0.47	0.43	0.39	0.25	57 ± 1	14 ± 1	50 ± 1	52 ± 1
DJW6-1.0	6	1.00	0.93	0.86	0.78	0.62	51 ± 1	42 ± 1	51 ± 1	57 ± 1
DJW6-1.2	6	1.20	1.12	1.03	0.94	0.74	97 ± 1	24 ± 1	51.5 ± 1	57.5 ± 1

DJW6-2.0	6	2.00	1.86	1.72	1.56	1.24	43 ± 1	37 ± 1	76 ± 1	76 ± 1
DJW6-2.5	6	2.50	2.33	2.15	1.95	1.55	106 ± 1	42 ± 1	69 ± 1	69 ± 1
DJW6-2.8	6	2.80	2.60	2.40	2.19	1.73	134 ± 1	34 ± 1	60 ± 1	66 ± 1
DJW6-2.8H	6	2.80	2.60	2.40	2.19	1.73	66 ± 1	33 ± 1	97 ± 1	103 ± 1
DJW6-3.2	6	3.20	2.98	2.75	2.49	1.98	134 ± 1	34 ± 1	60 ± 1	66 ± 1
DJW6-3.2H	6	3.20	2.98	2.75	2.49	1.98	66 ± 1	33 ± 1	118.5 ± 1	124 ± 1
DJW6-4.0	6	4.00	3.72	3.45	3.12	2.48	70 ± 1	47 ± 1	100 ± 1	106 ± 1
DJW6-4.2	6	4.20	3.91	3.60	3.27	2.60	70 ± 1	47 ± 1	100 ± 1	106 ± 1
DJW6-4.5	6	4.50	4.19	3.85	3.51	2.79	70 ± 1	47 ± 1	100 ± 1	106 ± 1
DJW6-5.0	6	5.00	4.65	4.30	3.90	3.10	169 ± 1	35 ± 1	70 ± 1	74 ± 1
DJW6-6.0	6	6.00	5.60	5.15	4.68	3.71	70 ± 1	47 ± 1	100 ± 1	106 ± 1
DJW6-6.5	6	6.50	6.00	5.60	5.07	4.02	98 ± 1	56 ± 1	96 ± 1	102 ± 1
DJW6-7.0	6	7.00	6.50	6.00	5.46	4.33	151 ± 1	34 ± 1	94 ± 1	100 ± 1
DJW6-7.2	6	7.20	6.70	6.20	5.61	4.46	151 ± 1	34 ± 1	94 ± 1	100 ± 1
DJW6-7.5	6	7.50	7.00	6.45	5.85	4.64	151 ± 1	34 ± 1	94 ± 1	100 ± 1
DJW6-7.8	6	7.80	7.30	6.70	6.09	4.83	151 ± 1	34 ± 1	94 ± 1	100 ± 1
DJW6-8.0	6	8.00	7.40	6.90	6.24	4.95	151 ± 1	51 ± 1	94 ± 1	100 ± 1
DJW6-8.5	6	8.50	7.90	7.30	6.63	5.26	98 ± 1	56 ± 1	118 ± 1	120 ± 1
DJW6-10	6	10.0	9.30	8.60	7.80	6.19	151 ± 1	51 ± 1	94 ± 1	100 ± 1
DJW6-12	6	12.0	11.2	10.3	9.36	7.43	151 ± 1	51 ± 1	94 ± 1	100 ± 1
DJW6-13	6	13.0	12.1	11.2	10.1	8.05	108 ± 1	70 ± 1	140 ± 1	140 ± 1
DJW6-14	6	14.0	13.0	12.1	10.9	8.67	151 ± 1	51 ± 1	94 ± 1	100 ± 1
DJW6-20	6	20.0	18.6	17.2	15.6	12.4	157 ± 1	83 ± 1	125 ± 1	125 ± 1
DJW6-36	6	36.0	33.5	31.0	28.1	22.3	161 ± 1	87 ± 1	163 ± 1	175 ± 1
DJW6-42	6	42.0	39.1	36.1	32.7	26.0	161 ± 1	87 ± 1	163 ± 1	175 ± 1
DJW8-3.2	8	3.20	2.98	2.75	2.49	1.98	134 ± 1	36.5 ± 1	63 ± 1	69 ± 1
DJW12-0.8	12	0.80	0.74	0.69	0.62	0.50	96 ± 1	25 ± 1	62 ± 1	62 ± 1
DJW12-1.2	12	1.20	1.12	1.03	0.94	0.74	97 ± 1	43 ± 1	52 ± 1	58 ± 1
DJW12-1.9	12	1.90	1.77	1.64	1.48	1.18	178 ± 1	35 ± 1	60 ± 1	66 ± 1
DJW12-2.0NP	12	2.00	1.86	1.72	1.56	1.24	151 ± 1	20 ± 1	89 ± 1	89 ± 1
DJW12-2.0C1	12	2.00	1.86	1.72	1.56	1.24	143 ± 1	24 ± 1	65 ± 1	65 ± 1
DJW12-2.2	12	2.20	2.05	1.89	1.71	1.36	70 ± 1	48 ± 1	98 ± 1	104 ± 1
DJW12-2.3	12	2.30	2.14	1.98	1.80	1.42	178 ± 1	35 ± 1	60 ± 1	66 ± 1
DJW12-2.3C	12	2.30	2.14	1.98	1.80	1.42	182 ± 1	24 ± 1	61 ± 1	61 ± 1
DJW12-2.8	12	2.80	2.60	2.41	2.19	1.73	132 ± 1	33 ± 1	98 ± 1	104 ± 1
DJW12-2.9	12	3.00	2.79	2.60	2.34	1.86	178 ± 1	35 ± 1	60.5 ± 1	66 ± 1
DJW12-3.0	12	3.00	2.79	2.60	2.34	1.86	141 ± 1	33 ± 1	102 ± 1	108 ± 1
DJW12-3.2	12	3.20	2.98	2.75	2.49	1.98	134 ± 1	67 ± 1	60.5 ± 1	66.5 ± 1
DJW12-4.0	12	4.00	3.72	3.45	3.12	2.48	90 ± 1	70 ± 1	101 ± 1	107 ± 1
DJW12-4.5	12	4.50	4.19	3.85	3.51	2.79	90 ± 1	70 ± 1	101 ± 1	107 ± 1
DJW12-5.0	12	5.00	4.65	4.30	3.90	3.10	151 ± 1	53 ± 1	93 ± 1	99 ± 1
DJW12-5.5	12	6.00	5.60	5.15	4.68	3.71	140 ± 1	48 ± 1	102 ± 1	103 ± 1
DJW12-6.0	12	6.00	5.60	5.15	4.68	3.71	90 ± 1	70 ± 1	101 ± 1	107 ± 1
DJW12-6.5	12	6.50	6.00	5.60	5.07	4.02	151 ± 1	65 ± 1	94 ± 1	100 ± 1
DJW12-7.0	12	7.00	6.50	6.00	5.46	4.33	151 ± 1	65 ± 1	94.5 ± 1	100 ± 1
DJW12-7.2	12	7.20	6.70	6.20	5.61	4.46	151 ± 1	65 ± 1	94.5 ± 1	100 ± 1
DJW12-7.5	12	7.50	7.00	6.45	5.85	4.64	151 ± 1	65 ± 1	94.5 ± 1	100 ± 1
DJW12-7.8	12	7.80	7.30	6.70	6.09	4.83	151 ± 1	65 ± 1	94.5 ± 1	100 ± 1

DJW12-8.5	12	8.50	7.90	7.30	6.63	5.26	151 ± 1	65 ± 1	94.5 ± 1	100 ± 1
DJW12-10	12	10.0	9.30	8.60	7.80	6.19	151 ± 1	98 ± 1	95 ± 1	101 ± 1
DJW12-10H	12	10.0	9.30	8.60	7.80	6.19	151 ± 1	65 ± 1	111 ± 1	117 ± 1
DJW12-12	12	12.0	11.2	10.3	9.36	7.43	151 ± 1	98 ± 1	95 ± 1	101 ± 1
DJW12-14	12	14.0	13.0	12.1	10.9	8.67	151 ± 1	98 ± 1	95 ± 1	101 ± 1
DJW12-18	12	18.0	16.7	15.5	14.0	11.1	181.5 ± 1	77 ± 1	167.5 ± 1	167.5 ± 1
DJW12-20	12	20.0	18.6	17.2	15.6	12.4	181.5 ± 1	77 ± 1	167.5 ± 1	167.5 ± 1
DJW12-24	12	24.0	22.3	20.7	18.7	14.9	166.5 ± 1	175 ± 1	125 ± 1	125 ± 1
DJW12-26	12	26.0	24.2	22.4	20.3	16.1	166.5 ± 1	175 ± 1	125 ± 1	125 ± 1
DJW12-26H	12	26.0	24.2	22.4	20.3	16.1	165 ± 1	125 ± 1	175 ± 1	175 ± 1
DJW12-28	12	28.0	26.0	24.1	21.8	17.3	166.5 ± 1	175 ± 1	125 ± 1	125 ± 1
DJW12-30	12	30.0	27.9	25.8	23.4	18.6	195 ± 2	130 ± 1	164 ± 1	180 ± 1
DJW12-33	12	33.0	30.7	28.4	25.7	20.4	195 ± 2	130 ± 1	164 ± 1	180 ± 1
DJW12-35	12	35.0	32.6	30.1	27.3	21.7	195 ± 2	130 ± 1	164 ± 1	180 ± 1
DJW24-1.3	24	1.30	1.21	1.12	1.01	0.80	194 ± 2	44 ± 1	52 ± 1	58 ± 1
DJW24-3.5	24	3.50	3.26	3.00	2.73	2.17	185 ± 2	73 ± 1	70 ± 1	70 ± 1
DJW24-4.0	24	4.00	3.72	3.45	3.12	2.48	300 ± 2	67 ± 1	62 ± 1	68 ± 1