

定制供应压铸装备、压铸自动取件机、压铸水口分离机、全自动取件机械手、锌合金压铸高速伺服取件机

产品名称	定制供应压铸装备、压铸自动取件机、压铸水口分离机、全自动取件机械手、锌合金压铸高速伺服取件机
公司名称	东莞市高必盛压铸智能装备有限公司
价格	33000.00/台
规格参数	品牌:GOBESUN 高必盛 型号:GS-A01 产地:中国东莞
公司地址	广东省东莞市大岭山镇百花洞木棉树路33号101室（注册地址）
联系电话	13823705126

产品详情

定制供应压铸装备、压铸自动取件机、压铸水口分离机，现公司推出高速伺服自动取件机，品牌为GOBESUN，型号为GS-A01，产地位于中国东莞，售价为38000元/台。

产品特点

1. 采用进口伺服电机，定位精度高，稳定性好
2. 自动化程度高，可实现自动上下料、自动分拣等功能
3. 具备安全防护装置，保障操作员安全
4. 结构紧凑，操作简便，易于维护

技术参数

1. 承重：2kg
2. 行程：260mm
3. 定位精度：±0.01mm
4. 电源：AC220V ± 10%，50Hz

GS-A2 高速伺服取件机参数与特性

型号 Model No.	GS-A2
适应压铸机 Applicable Die Casting Machine	30-160T
功率 Power	3500W
水口直径 Diameter of Material Shank	10-35mm
冲压力 Drawing Force	20kgf

气压源Air Pressure Source	5-6.5kgf/cm ²
安装方式Installation Method	落地式standing type
工件重量 Workpiece Weight	3kgs
机械重量Machine Weight	550KGS
外观尺寸External Dimension	2000*1000*1700mm
适应产品尺寸范围Adapt to product size range	220*280mm

高速伺服喷雾自动取件机，属于五金压铸机生产的后续自动化加工工艺，产品的机械特性如下：

- 采用进口伺服驱动、方便、快捷、缩短周期时间，提高生产效率。
- 采用日本光感检测系统，并且配备自动报警功能，保证产品完全取出，达到与压铸机生产紧密协调与配合，保护模具。
- 设备结构紧凑、空间可利用率高、可实现整厂无人化生产升级。
- 造型美观，封闭式结构设计，便于设备的清扫与保养。-具备自动喷雾功能，时间与喷雾量可以任意调节，轻易实现自动取件。
- 采用中文人机界面、操作简单，并且具有固定码显示功能、便于检修。

适应范围：适应于通讯、电子、玩具、家居、箱包等五金压铸产品的配套自动水口分离及联机生产应用。

The high-speed servo spray automatic picking machine belongs to the follow-up automatic processing technology of metal die-casting machine production. The mechanical characteristics of the product are as follows:

- Shorten cycle time and improve production efficiency.
- Adopting a Japanese photosensitive detection system and equipped with automatic alarm function, ensuring complete product removal, achieving close coordination and cooperation with die-casting machine production, and protecting the mold.
- The equipment has a compact structure, high space utilization rate, and can achieve unmanned production upgrade of the entire factory.
- Beautiful appearance, enclosed structural design, easy to clean and maintain equipment- With automatic spray function, the time and spray amount can be adjusted at will, so that automatic picking can be easily realized.

-Adopting a Chinese human-machine interface, easy to operate, and with fixed code display function for easy maintenance.

Scope of application: Suitable for supporting automatic water outlet separation and online production applications of hardware die-casting products such as communication, electronics, toys, home furnishings, bags, etc.

伺服自动取件机广泛应用于压铸、塑胶、电子、五金等行业的生产流水线上，填补空白，受到广大用户的青睐。如果您需要定制非标型号的伺服自动取件机，欢迎来电咨询，我们将为您提供优质的服务。

我们此款高速伺服喷雾自动取件机，属于五金压铸机生产的后续自动化加工工艺，产品的机械特性如下：

-采用精密伺服驱动，精密线型导轨，运行高效稳定。

-采用日本光感检测系统，并且配备自动报警功能，保证产品完全取出，达到与压铸机生产紧密协调与配合，保护模具。

-自动定时定量给润滑系统加油，更安全，更节能。

-机身角度可调整与压铸机哥林柱平行。

-造型美观，封闭式结构设计，便于设备的清扫与保养。采用中文人机界面，操作简易，并具备故障码显示功能，方便检修。

-具备自动喷雾功能，时间与喷雾量可以任意调节，轻易实现自动取件。

Customized supply of die-casting equipment, die-casting automatic pick-up machines, and die-casting water inlet separators. The company now offers servo automatic pick-up machines under the brand Goldsun, model GS-A01, with a production location in Dongguan, China, priced at 42000 yuan per unit.

Servo automatic pick-up machines are widely used in production lines in industries such as die-casting, plastic,

electronics, and hardware, filling the gap in the domestic market and being favored by a large number of users. If you need to customize a non-standard servo automatic pickup machine, please feel free to call us for consultation. We will provide you with the highest quality service.

Our high-speed servo spray automatic picking machine belongs to the follow-up automatic processing technology of metal die-casting machine production. The mechanical characteristics of the product are as follows:

-Adopting precision servo drive and precise linear guide rail, the operation is efficient and stable.

-Adopting a Japanese photosensitive detection system and equipped with automatic alarm function, ensuring complete product removal, achieving close coordination and cooperation with die-casting machine production, and protecting the mold.

-Automatic timed and quantitative refueling of the lubrication system is safer and more energy-efficient.

-The angle of the body can be adjusted parallel to the Corinthian column of the die-casting machine.

-Beautiful appearance, enclosed structural design, easy to clean and maintain equipment. Adopting a Chinese human-machine interface, it is easy to operate and has a fault code display function for easy maintenance.

-With automatic spray function, the time and spray amount can be adjusted at will, so that automatic picking can be easily realized.

东莞市高必盛压铸智能装备有限公司自动化机械产品目录分享

发货装运展示：

提问

1、自动化机械质保怎么样？

工厂承诺整机3年质保、零配件终身提供。

2、免费安装与调试吗？

东莞工厂实施现场安装调试服务，并指导客户轻松掌握操作技术。