

NK technologies继电器AS0-NODC-120

产品名称	NK technologies继电器AS0-NODC-120
公司名称	上海航欧机电设备有限公司
价格	.00/件
规格参数	
公司地址	上海市普陀区中江路388弄1号楼905室
联系电话	021-51085161 13045641319

产品详情

2015年NKTECHNOLOGIES工厂上海航欧中国区销售

NK technologies电流互感器NK technologies烟雾报警器NK technologies指示灯NK technologies传感器NK technologies电流传感器NK technologies接地故障传感器NK technologies变送器NK technologies检测开关NK technologies继电器NK technologies转换开关NK technologies电流变送器NK technologies变换器NK technologies湿度传感器NK technologies油位传感器NK technologies接头

Solid-Core

AS0-NOAC-24U FieldAdjustable,3-350mASetpointRange,24VAC/VDCPowered

CPF 20的滤芯 现货查询

CPF-20 现货查询

CPS11D-7AA21 PH:1-12 现货查询

CPS71D-7TB21 PH:0-14 现货查询

CPT-DIN.AV5.3.H.A1.AX 现货查询

CR1430 现货查询

CR171F06R 现货查询

CR2-5 120/5A 现货查询

CR221C10R 现货查询

CR224C10R 现货查询

CR4120-400 现货查询

CR4120-5 现货查询

CR4520-75 现货查询

CR8-1/XCR81 现货查询

CS AR-01VE02 现货查询

CS Transmitter (包含EL-30264) 现货查询

CS-50CD-P 现货查询

CS-650-R1 现货查询

CS100P10A 现货查询

AS0-NOAC-120 FieldAdjustable,3-350mASetpointRange,120VACPowered

AS0-NCAC-24U FieldAdjustable,3-350mASetpointRange,24VAC/VDCPowered

AS0-NCAC-120 FieldAdjustable,3-350mASetpointRange,120VACPowered

AS0-NODC-24U FieldAdjustable,3-350mASetpointRange,24VAC/VDCPowered

NK technologies继电器AS0-NODC-120 FieldAdjustable,3-350mASetpointRange,120VACPowered

AS0-NCDC-24U FieldAdjustable,3-350mASetpointRange,24VAC/VDCPowered

AS0-NCDC-120 FieldAdjustable,3-350mASetpointRange,120VACPowered

AS1Series,ACCurrentSwitches

Solid-Core

AS1-NOU-FF AdjustableSetpoint,1-150Amps,FrontTerminals,SmartLED

AS1-NOU-FF-NL AdjustableSetpoint,1-150Amps,FrontTerminals,w/oLED

AS1-NOU-FF-GO Fixed0.75AmpMaximumSetpoint,FrontTerminals,w/oLED

AS1-NOU-FT AdjustableSetpoint,1-150Amps,TopTerminals,SmartLED

AS1-NOU-FT-NL AdjustableSetpoint,1-150Amps,TopTerminals,w/oLED

AS1-NOU-FT-GO Fixed0.75AmpMaximumSetpoint,TopTerminals,w/oLED

AS1-NCU-FF AdjustableSetpoint,1-150Amps,FrontTerminals,SmartLED

AS1-NCU-FT AdjustableSetpoint,1-150Amps,TopTerminals,SmartLED

AS1-NCU-FT-NL AdjustableSetpoint,1-150Amps,TopTerminals,w/oLED

AS1-NCU-FT-GO Fixed0.75AmpMaximumSetpoint,TopTerminals,w/oLED

Split-Core

