

ST7920控制器液晶，SPI串口液晶HG160322

产品名称	ST7920控制器液晶，SPI串口液晶HG160322
公司名称	杭州清达光电技术有限公司
价格	面议
规格参数	
公司地址	北京市海淀区花园东路32号花园公寓
联系电话	010-62000662,82036512 13701081790

产品详情

详情可 QQ 453189731 或
010-62000662,13701081790联系

ST7920控制器液晶，SPI串口液晶H
G160322

1.160*32点阵

2.3.3V/5V供电可选

3.黄绿模式和蓝模式可选

4. 内置ST7920控制器，带中文字库

5.可显示2行汉字，每行10个


6.并口和串口可选

型号	规格	模块大小	显示尺寸	接口	控制器	背光	备注	PDF
HG160322	160*32	2.0*4.0	99.0*24.0	SPI	ST7920	LED	图形液晶模块	

	"		
	/		
	-		
	-		

IMUM
RATING

S	I	t	S
e	y		
S	-	5	
u	0.		
p	.5		
p	3		
I			
y			
S	-	7	
u	0		
p	.		
p	3		
I			
y			
I	-		
n	0		
p	.		
u	3		



t				
	T-7			
	20			
	0			
	ST-8			
t	S30			
o	T0			
r				
a				
g				
e				
T				
e				

ELECTR
ICAL C
HARAC
TERISTI
CS (VD
D=5.0V,
Ta=25



ty e				
l n p u t	0-			
l n p u t L o	- - 0	0 . 6		
	0-			
	. 8			

		0-0	
		.	4
SI	-	35	
u			
p			
p			
l			
y			
L	-	6-	
		.	5

LED BA

CKLIGH

T SPECI

FICATI

ONS

(Ta=25

)	l	t	F	F
	e	o	o	
	r	r		
	w	w		
	a	a		
	d	d		
	V	C		

		olu
		tarr
		ge
		en
		t
Y	4.2	
E	1 0	
L	V0	
L		
	3.4	
	1 5	
	V	

NOTES: 1. Built-in ST7920
 (With Chinese Char ROM)
 controller 2. Yellow green/blue
 mode optional 3. 5V/3.3V power
 supply optional 4. Parallel
 mode/serial mode optional