

HGS128641串口OLED模组，12864串口OLED

产品名称	HGS128641串口OLED模组，12864串口OLED
公司名称	杭州清达光电技术有限公司
价格	500.00/篇
规格参数	
公司地址	北京市海淀区花园东路32号花园公寓
联系电话	010-62000662,82036512 13701081790

产品详情

详情可 qq 453189731 或 010-62000662,13701081790联系]

hgs128641串口oled模组，12864串口oled,hgs128641

1.128*64点阵，2.7英寸

2.黄字和绿字可选

3.超低温工作

4.内置ssd1325控制器

5.3.3v/5v可选

型号	规格	模块大小	显示尺寸	接口	控制器	背光	备注	pdf
hgs128641系列	128*64	85.0*58.0	65.0*33.0	spi	ssd1325	----	图形oled显示模块	

+ 产品资料

pin connections

pin	sym	level	func
	bol		tion
1	vss	0v	gnd

mechanical data

item	nomin	unit
	al dim	
	ension	

2	vdd	+5v	power supply for logic
3	/res		reset signal, active "1"
4	d/c		data/command select
5	/wr		write signal
6	/rd		read signal
7 14	db0 db7	h/l	data bus line serial mode: d1—si d0—sc l.
15	/cs		chip

module size (width x height)	85.0x58.0mm
viewing area (width x height)	65.0x33.0mm
dot pitch (width x height)	0.48x0.48mm
dot size (width x height)	0.455x0.455mm

absolute maximum

ratings	item	symbol	min.	max.	unit
	supply voltage (logic)	vdd- vss	0	3.5	v
	supply voltage (loaded)	vcc- vss	0	16.0	v
	input voltage	vi	0	vdd	v
	operating temperature	opr	-30	70	

			enab le sig nal
16 20	nc	-	no c onn ectio n

notes: 1. 3v/5v

power supply optional 2. built-in
controller 3. parallel/serial interface
optional 4. display color :
yellow/green

ting temp.				
stora ge temp.	tstg	-40	80	

electrical characteristics

(vdd=5.0v, ta=25)

	ity	ity	mu
m m in p. ax ni			
b . . t			
ol			
in vi 0. - vdv			
p h 8v d			
ut d			
hi d			
gh			
vo			
lta			
ge			
in vilvs - 0. v			
p s 2v			
ut d			
lo d			
w			
vo			
lta			
ge			
o vo 0. - vdv			
ut h 9v d			
p d			
ut d			
hi			
gh			

vo				
lta				
ge				
o	vovs-	0.	v	
ut	l s	1v		
p		d		
ut		d		
lo				
w				
vo				
lta				
ge				
su	id-	tb-	m	
p	d	d	a	
pl				
y				
cu				
rr				
en				
t				
ol	vc	12	13	13v
ed	c-	.5	.0	.5
di	vs			
sps				
la				
y				
vo				
lta				
ge				
(g				
re				
en				

