

市场推送：Delta

12-5810-010福州到各地省市县区域/直送2023全+境+派+送

产品名称	市场推送：Delta 12-5810-010福州到各地省市县区域/直送2023全+境+派+送
公司名称	福建中立恒自动化设备有限公司
价格	.00/件
规格参数	
公司地址	福建省福州市鼓楼区温泉街道五四路9号宁德大厦（宏福大厦）10层1064室
联系电话	15659159037 15659159037

产品详情

主营产品：DCS集散式控制系统、PLC可编程控制器、数控系统、

(CPU处理器、模块、卡件、控制器、伺服驱动、工作站、驱动器、

马达、内存卡、电源，机器人备件等)各类工控产品

Baurer Motor 209979/1 1.5 HP 280 Gear 5.0/2.5A 230/460V 1680RPM 60HZ

BDI BD222 Dimensions: 2"x71-1/2" laced Belt

BECKER 1814972 Vacuum Pump Type: VT 4.16 850/850mbar 1420/1700min-1 16/19m3/h

Becker 21340203 Oil Less Vacuum Pump, Type D, 80, 4R

BECKER B 1401883 Vacuum Pump 1420/1700RPM Inlet Capacity 7.5 Vacuum 850

BECKHOFF BK9000 Ethernet TCP/IP Bus Coupler for up to 64 Bus Terminals

Beckhoff C3620 Operator Panel Display Touch Interface, Mainboard EPOX3BXA-0

Beckhoff Ethernet Coupler BK9000 W/Module(s) KL2032 KL1104 KL1194 KL9010 24VDC

Beckhoff Industrial Touchscreen Panel CP6502-0001-0030 100-240VAC 50/60HZ

Beckhoff KL2541 Stepper Motor Terminal Module 50VDC / 5A

Beckhoff KL3052 2xAnalog Input Single Ended, 50Ohm 4....20mA 24V

Beckhoff Schaltschrank-Industrie-PC C6240-0010, 100-240V 50/60HZ

Bege Aandrijftechniek BV Type: AM90L BA4 IEC60034 3 Motor No. 797396-006

BEI H25D-SS-1000-ABZC-5406R-LED-SCS120/DB25-S Encoder

BEI Industrial Encoder XH25D-SS-2000-ABZC-8830-LED-SM18

BEI Industrial Encoder XH25D-SS-2048-ABZC-4469-SM18 Encoder

Beijer Exter T70 Operator Interface

Belden Datatwist(R) S F/UTP 2412F Cat 6 Cable apx. 60+ Q16404

Bell Mark EY1090 Rev A Control Board

Bell-Mark Easy Print EY1018 Board

Bellofram 221-961-111 Type 1000 Transducer 125-150

Belt Assortment - One Lot Of 23 Models

Belt Tension and Position Pneumatic Control, Hoffman Enclosure, With Numatics

Bemis 132519 Cylinder Bore: 3-1/4 Stroke: 3

Bemis 143158 Cylinder Bore: 2 1/2 Stroke: 15

Bemis 143632 Cylinder Bore: 1 1/2 Stroke: 12

BENSHAW RBX-1-S-240A-15C Open Chassis Soft Start 240FLA 3PH 600VAC

Berger Lahr TLD012F Drive 0063401200001 300VAC (MAX)

Bernstein 601.6119.016 Safety Interlock Switch 10A 500VAC

Bernstein 608.1186.018 Limit Switch ENK-SU1 AV, 10A 500VAC

Bima QCAE-V1 80B4 Electric Motor 230/460V, 3.6/2.1A, 3PH, 50HZ w/ Reducer 15:1

Bimba 174-DXDEH 1-1/2 in Bore 4 in Stroke Cylinder

Bimba 312 5 DXPB 2 in Bore 2 1/2 in Stroke Cylinder

Bimba C-176-DX Cylinder

Bimba CSS-00333-A Pneumatic Actuator (For a Weber)

Bimba DW-1259-SR Double Wall Double Acting Cylinder 4" Bore, 9" Stroke

Bimba Filter/Regulator Combination & Lubricator AP20-C2A1DNL

Bimba PneuMoment PM-095-AMR Pneumatic Actuator Cylinder

Bimba PT-0968045-B1R Pneu-Turn, Rotary Actuator, 150PSI

Bimba SR-175.5-D Pneumatic Cylinder 8" x 11/2

Bindicator RF-series RF9C2S1S-3A Level Probe Assembly 120VAC, 4W

Bircher TZMBh24ACDC Timing Relay, 6A, 250VAC, 24VAC/DC

BISON 013Q257-0750 AC Gearmotor 1/20HP 115V 60HZ 1.6A 2RPM Ratio: 750:1

Bison 016-242-2228 Gear Motor, 115 V, 2.3 A, 1 PH

Bison 151-B00-3001 Gear Motor 115VAC 3.8A 60HZ

Bison Minarik 507-02-124 Gearmotor, 1/8HP, 90V, .33A, Ratio:45:1 40RPM

BJ-Gear Worm Gear 10-12 07172-48

BJ-Gear Worm Gear 10-12 R8.08

Blak-Ray ML-49 Longwave Ultraviolet Lamp Solid State Battery Operated

Block Autotransformer MSU 5044/02 480VA(core rating) 230-500V

Block EMI-Filter HLD 110-500/16 Interference Suppression 520VAC 16A

Block-Trafo Transformer B 0209126 FA-NR:317375 2500VA

BODINE 30R1BECI-D4 Gear Motor 115V .33A 60HZ 19RPM 1/50HP 1PH Torque: 40lb.in.

Bodine 32D5BEPM-5F Gearmotor 130VDC 1.0A 20:1 Ratio

BODINE 33A5BEPM-5F GEARMOTOR 1/8HP 130VDC .91A 62RPM Ratio: 40:1 Torque: 55lb-in

BODINE 34B4BEBL-E3 Electric Gearmotor 1/4HP 130VDC 2.0A 83RPM Ratio 30:1

BODINE 42A5BEPM-E3 DC GearMotor 130V 1.8A 1/4HP Ratio 40:1 Torque 180lb-in

Bodine 48R5BFSY-E3 1/6HP 115V 60HZ 1PH 6.4A 90RPM Torque: 90 lb-in Ratio: 20:1

BODINE 48R5BFSY-E3 Electric GearMotor 115V 60HZ 1PH 6.4A 1/6HP 108RPM

Bodine Electric 33A3BEPM-Z2 Gear Motor 130V

Bodine Electric 33A5BEPM-5F Gearmotor 1/8HP, 130V, DCHZ

Bodine Electric 34R4BFCI-W4 Gearmotor 1/15 HP, 115V, 1PH, 1.0A, Ratio 314.43:1

Bodine Electric 42R3BFCI-E4 Gear Motor, 1/12HP, 115V, 1 Phase, 1/2A, 180:1 Ratio

Bodine Electric 42R4BFCI-5L Gearmotor 1/8Hp115V 1PH 1.7A 170RPM Ratio 10:1

Bodine Electric 42X5BFSI-E3 Motor/Gearbox Combo

Bodine Electric 850 DC Motor Control 115 VAC, 50/60 Hz, 9.0A

Bodine Electric ABL-3912E DC Speed Control 12 Amp 115VAC

Bodine Electric BSH-200 DC Motor Speed Controller 115V

Bodine Electric Co. 835 Adjustable DC Motor Control FPM 1/12, 1/8, 1/6HP, 115VAC

Bodine Electric DC Motor Control Model 830

Bodine Electric Gearmotor 34R4BFCI-W4 115V 60HZ 1PH 1A 1/15HP 5.4RPM Ratio:312.4

Bodine Electric WPM2109E1 DC Motor Speed Controller 115V

Bodine Fractional Horsepower Gearmotor NCI-54RL 115V 1.4A 1.8HP 1600RPM 60:1 1PH

BONDINE ELECTRIC 42R6BFPP-F3 Gear Motor

BONFIGLIOLI MVF 44/F Gear Box

Bonfiglioli Riduttori BN80B4 230/460V 50/60Hz 0.9/0.75kW 3Ph Ratio 24:1

BONFIGLIOLI RIDUTTORI MAS 20/P GearBox

Bosch 0 820 055 052 Directional Valve 5/2-Way single Solenoid with Spring Return

Bosch 0 821 300 353/911 Filter Regulator w/Guage Distribution Block

BOSCH 8 101 305 152 Communication Board

Bosch 8101304064 Controller

Bosch 8-101-305-733

BOSCH PLC Card-Rack Chassis W/Cards

Bosch Rexroth 0811403104 Hydraulic Proportional Directional Control Valve

Bosch Rexroth 0811403105 Hydraulic Proportional Directional Control Valve

Bosch Rexroth DKC02.3-040.7.FW Eco-Drive Servo Drive

Boston ADUTF-869729 1/4Hp 208-230/460V 1.3-1.2/.6A 1725Rpm 60Hz 3Ph

BOSTON AEUTF-B 69730 Gear Motor 1/3HP 208-230/460V 1725RPM 60HZ 3PH

Boston F72615B56 Gear Box Reducer Ratio 15, 1150 Output, 2.47HP Input

Boston Gear 231DPH-20 Speed Reducer Ratio 20.03 : 1, 1750RPM, Input HP: 2.430

Boston Gear 60182 Regenerative DC Motor Control 12A, 250V, ABC12

Boston Gear 700 Series Cat# F72615B5G Ratio 15 Input 2.47 Out 1150

Boston Gear 700 Series F72440STB5C30MNI Ratio: 40 Input: .96

BOSTON GEAR ACUT-B 69728 Gearmotor .17HP 208-230/460V 1.3-1.2/.6A 1725RPM 60HZ

Boston Gear Box F721-15-B7 HP1.400 Ratio 15

Boston Gear Drive Reducer SRF72610NB5G 1750Rpm 3.63Hp 10:1 Ratio

Boston Gear Motor V92500-B 1/4HP 1750RPM 90A/100/50F 3A/.6/1.2F Fr: 56C

Boston Gear PM950AT-B FR:56C 90VDC 4.8A 1/2HP 1750RPM

Boston Gear Reducer 700 Series F71530ZTB5J Ratio: 30

Boston Gear Reducer BKSF842BRF22KB5 Ratio:22 1HP Max Torque:592 1750RPM

Boston Gear Reducer BKSRF72120NB5G 1.4HP Ratio:20 Output Torque:892

Boston Gear Reducer F715-5-B5-G Ratio:5 1.72HP Torque Out:291 1750RPM

Boston Gear Reducer F715-5-B5-G Ratio:5 1.74HP Torque Out:281 1750RPM

Boston Gear Reducer RF718-10-K-B56 10:1

Boston Gear Reducer RF718-20-ZT-B5-J Ratio: 20:1 0.97HP Right Hand

Boston Gear Reducer SF842BR-11K-B5 Ratio:11 3.57HP Max Torque Out:1260 1750RPM

BOSTON GEAR SF842BR-11K-B5 Input HP 3.57 Output Torque 1260 LB-IN Ratio: 11

Boston Gear Speed Reducer F72615B5G 2.47HP Ratio:15 Output Torque:1150

Boston Gear Speed Reducer F726-40-B5-G 1.33HP 40:1 Output Torque 1512

Boston Gear Speed Reducer F726-50-B5-G 1.08HP 50:1 Output Torque 1484

Boston Gear Speed Reducer F73240B5J Ratio:40:1 2.1HP Output Torque:2444

Boston Gear Speed Reducer HF718-10-B5-H-P16 1.61HP Torque 536 10:1

Boston Gear Speed Reducer HF718-20-B5-H-P16 0.97HP 20:1 Output Torque 590

Boston PM950TF Motor/ Gearbox 1/5HP,1750RPM, 90V, 5A, FR:56C Ratio: 20

Boston SSHF726-50K-B5-HS-P19 Gear Reducer Ratio: 50.00 Output Torque: 1484LB-IN

Boxer AEC 6810 Fanless Embedded Control Panel

BR Automation 8MSA3M.R0-72 Electric Motor IN 0.94A MN 1.2Nm NN 3000 min-1 IP65

Brad Harrison 105000A07M100 Mini Change 5P Female Straight 10M 20/5 AWG PVC Cord

Brad Harrison 10P Male Straight 301002A01F120 12' 16/10AWG PVC Cord

Brad Harrison 34405 Control Connector 8P Male Plug 12' 12/8 Cord ()

Brad Harrison 3R1004A20A120 Connector 10P Female Straight 12" #16AWG PVC Leads

Brad Harrison 61165-90 Mini-Change Cordset, 4P Female 90 Degree 10M 18-4PVC Cord

Brad Harrison 9P Female Straight 12" #16AWG PVC Lead 3R9004A20A120

Brad Harrison 9P Male Straight 20' 16/9 AWG PVC Cord 309002A01F200

Bradley Thermostatic Mixing Valve S59-2080T with Optional Cabinet

Brady Y70208 Anti Slip Tape Black 6"x24" 72/Pack

Bray Controls 92-0630-11300-532 Butterfly Valve, 2", Actuator 50-0406-12610-532

Brecoflex Timing Belt 10AT5/840 U 022 02272 *Lot of 11*

Brodersen UNIC TXM On Delay Electronic Timer, S418

Bronco II B161S-E176 Adjustable Speed Drive

Brook Crompton T-DA71MBD/03-04 .37/.44KW 1380/1690RPM 50/60HZ Ratio:16

Brook Crompton T-DA80MAD/03-06 .55/.66KW 1380/1690RPM 50/60HZ Ratio:16

Brook Hansen AC Motor/Reducer Z500178 1.5HP 208-230/460V 5.2-5.0/2.5A Ratio:20

Brovind Elettronica Controller CA106/A NC-02N

Brown Pestell EuroMotor 5AZ 71B-4 B14P105, 0.37KW, 220-240/380V, 3PH, 1.9/1.1 A,

Browning 1VP40-7/8 Pulley Driver Variable Pitch Sheave Bore 7/8"

Browning 2AK94X1 Finished Bore Sheave, 1" Bore, Uses 3L, A Belt, 2 Grooves ()

Browning Bevel Gear Box 6HB1-LR10 Bevel Gear Box 1:1 Approx 1" Shaft Dia 1"

Browning E186 Motor 1HP, 1755/1440RPM, 3 Phase, Frame: 143T w/ Gear Ratio 3.42

Browning E186A Motor 1HP, 1755/1440RPM, 3 Phase, Frame: 143T w/ Gear Ratio 3.42

Browning E190 Motor 2/1.5HP, 1725/1435RPM, 3 Phase, Frame: 145T

Browning E190A 2/1.50HP 6.5-6.2/3.1A 208-230/460V 50/60HZ 1725/1435RPM 3PH

Browning E190A Motor 2/1.5HP, 1725/1435RPM, 3 Phase, Frame: 145T

Browning H8018X1 1/2 Bore to Size Sprocket w/18 Teeth

Browning Motor E186A 1HP 3Ph Frame 143T W/ CB IRA6GWF2MT143T1 Ratio: 26

Browning Speed Reducer 154C1-LR20L-8712 Model:E Ratio:20:1 1750RPM .70HP

Browning Sprocket 18 Teeth H8018X1 1/2 Bore:1/2"

Browning Syncrogear Reducer GWP E439/N06120962N FR.6 Ratio:70 0.64HP 1750RPM

Browning Syncrogear Reducer Ratio: 47 Type: 6WP Frame: 6 Input: .94HP at 1750RPM

Browning TP-20 X 7/8 187765 Torq/Pro Ball Detent Clutch

Browning VS-340 2 1/2 Insert Bearing w/ 2 Bolt Pillow Block Bearing VPS-340