

# 加拿大标准 SOR/2010-261 摇篮及摇床的安全测试

|      |                                     |
|------|-------------------------------------|
| 产品名称 | 加拿大标准 SOR/2010-261<br>摇篮及摇床的安全测试    |
| 公司名称 | 深圳市实测通技术服务有限公司                      |
| 价格   | .00/件                               |
| 规格参数 | 测试周期:5-7天<br>寄样地址:深圳宝安<br>价格费用:电话详谈 |
| 公司地址 | 深圳市罗湖区翠竹街道翠宁社区太宁路145号二单元705         |
| 联系电话 | 17324413130 17324413130             |

## 产品详情

### SOR/2010-261 Cribs, Cradles and Bassinets Regulations, 童床,摇篮及摇床的安全测试

| Clause                      | Test Requirement   |
|-----------------------------|--|
|                             | physical part 物理机械部分   |
|                             | Surface Coating (CCPSA Soluble Sb, As, Cd, Ba, Se), 表面涂层测试 (CCPSA 溶出锑、砷、镉、钡、硒) |
|                             | Surface Coating (CCPSA Total Pb, Total Hg), 表面涂层测试 (CCPSA 总铅总汞含量)              |
|                             | Flammability (CAN/CGSB-4.2, No. 27.5-2008)                                     |
| INFORMATION AND ADVERTISING |  |
| 3                           | GENERAL PROVISIONS   |
| 5                           | PRESENTATION OF INFORMATION  |
| 8                           | CRIBS, CRADLES AND BASSINETS   |
| 10                          | CRIBS  |
| 11                          | CRADLES  |
| 12                          | BASSINETS  |
| 13                          | GENERAL PROVISIONS-shearing or pinching  |
| 14                          | surface coating  |

|    |                                |
|----|--------------------------------|
| 15 | requirement on rock angle      |
| 16 | STRENGTH AND SOLIDITY OF SLATS |
| 17 | bound opening                  |
| 18 | Flammability                   |
| 19 | test on mesh                   |
| 20 | requirement on mattress        |
| 21 | entanglement hazard            |
| 22 | sharp point and sharp edge     |
| 23 | small part                     |
| 24 | coil spring                    |
| 25 | requirement on the openings    |

cribs (means a product whose primary function is to provide sleeping accommodation for a child, that includes sides to cover a sleeping surface area that is greater than 5 500 cm<sup>2</sup>.)

|       |  |
|-------|--|
| 26    | requirement of the height                                      |
| 29 1) | locking system for the movable side                            |
| 2)    | force requirement  |
| 3)    | requirement of move-upward side of a crib                      |
| 4)    | latching or locking mechanism of every rotating side of a crib |
| 5)    |  |
| 30    | latch and structural integrity requirement for folding cot     |
| 31    | requirement of post  |
| 32    | requirement of toe hold  |
| 33    | TEST OF MATTRESS SUPPORT                                       |
| 34    | structural integrity   |

cradles (means a product whose primary function is to provide sleeping accommodation for a child, that includes sides to cover a sleeping surface area that is greater than 4 000 cm<sup>2</sup> but less than or equal to 5 500 cm<sup>2</sup>.)

|    |                               |
|----|-------------------------------|
| 35 | height requirement            |
| 36 |                               |
| 37 | requirement of locking system |
| 38 | structural integrity          |

39 TEST OF MATTRESS SUPPORT

40 strenght of the locking system(depends on clause 38)

bassinets(means a product whose primary function is to provide sleeping accommodation for a child, that includes sides to the sleeping surface and has a sleeping surface area that is less than or equal to 4 000 cm<sup>2</sup>.)

41 height requirement

42 static load

Remark:

Sample required: 2 sets of completed products with assembly instruction (if applicable) is recommended. 1 more set required for toxicity testing.

样品要求: 2套成品并附带安装说明书(如有的话). 如需做毒性测试需要加送一套样品.

Turnaround time: Normal ( 12 working days).

所需时间: 标准( 12个工作日).

Sample for reference 参考图片:

>Sample Report 报告样本 :