

# 三菱低压电器

产品名称	三菱低压电器
公司名称	无锡野津商贸有限公司
价格	.00/台
规格参数	
公司地址	无锡新区长江北路19-16
联系电话	86-51088251620 18951504222

## 产品详情

经营产品：传感器：接近开关，限位开关，微动开关，光电开关，编码器

液压与气动：气缸，油缸，电磁阀，手动阀，碟阀，气源处理元件

低压配电：接触器，断路器，继电器，按钮开关，软启动，温控器

变频与传动：变频器，电机，PLC，电源 仪器仪表:流量计，液（物）位计，压力变送器

优势品牌：施耐德TE，西门子SIEMENS，三菱MITSUBISHI，ABB，LS，富士FUJI，和泉IDEC，明纬MW，欧姆龙OMRON，图尔克TURCK，倍加福P+F，神视SUNX，邦纳BANNER，霍尼韦尔HONEYWELL,爱福门IFM，亚德客AIRTAC，黑田精工KURODA，气力可CHELIC，诺冠NORGREN，CKD,费斯托FESTO，宝帝BURKERT，油研YUKEN，派克PARKER,横河YOKOGAWA，罗斯蒙特ROSEMOUNT，E+H

我公司一级代理日本三菱低压电器系列产品，欢迎广大客户询价订购！ TH-N12KP 0.24A TH-N12KP 0.35A TH-N12KP 0.5A TH-N12KP 0.7A TH-N12KP 0.9A TH-N12KP 1.3A TH-N12KP 1.7A TH-N12KP 2.1A TH-N12KP 2.5A TH-N12KP 3.6A TH-N12KP 5.0A TH-N12KP 6.6A TH-N12KP 9A TH-N12KP 11A TH-N12KPCX 5.0A TH-N12KPCX 0.24A TH-N12KPCX 3.6A TH-N12KPCX 6.6A TH-N12KPCX 1.7A TH-N12KPCX 2.1A TH-N20KP 0.24A TH-N20KP 0.35A TH-N20KP 0.5A TH-N20KP 0.7A TH-N20KP 0.9A TH-N20KP 1.3A TH-N20KP 1.7A TH-N20KP 2.1A TH-N20KP 2.5A TH-N20KP 3.6A TH-N20KP 5.0A TH-N20KP 6.6A TH-N20KP 9.0A TH-N20KP 11A TH-N20KP 15A TH-N20KP 19A TH-N60KP 15A TH-N60KP 22A TH-N60KP 29A TH-N60KP 35A TH-N60KP 42A TH-N60KP 54A TH-N120KP 42A TH-N120KP 54A TH-N120KP 67A TH-N120KP 82A TH-N20TAKP 22A TH-N20TAKP 29A TH-N20TAKP 35A TH-N20KPSR 0.5A TH-N20KPSR 0.9A TH-N20KPSR 1.3A TH-N20KPSR 1.7A TH-N20KPSR 2.5A TH-N20KPSR 3.6A TH-N20KPSR 5A TH-N20KPSR 6.6A TH-N20KPSR 9A TH-N20KPSR 11A TH-N20KPSR 15A TH-N20KPSR 19A TH-N60TAKP 67A TH-N60TAKP 82A TH-N60TAKP 95A TH-N120TAKP 105A TH-N120TAKP 125A TH-N220RHKP 82A TH-N220RHKP 105A TH-N220RHKP 125A TH-N220HZKP 125A TH-N220HZKP 150A TH-N220RHKP 150A TH-N220RHKP 180A TH-N220RHKP 210A TH-N220RHKPSR 150A TH-N220RHKPSR 180A TH-N400RHKP 105A TH-N400RHKP 125A TH-N400RHKP 150A TH-N400RHKP 180A TH-N400RHKP 250A TH-N400RHKP 330A TH-N400HZKP 250A TH-N60KPSR 22A TH-N60KPSR 29A TH-N60KPSR 35A TH-N60KPSR 42A TH-N60KPSR 54A TH-N120TAKPSR 105A TH-N20TAKPSR 22A TH-N20TAKPSR 29A TH-N20TAKPSR 35A TH-N60TAKPSR 67A TH-N60TAKPSR 82A TH-N120KPSR 82A TH-N12SR 2.1A TH-N12SR 3.6A TH-N12SR 5A TH-N12SR 11A TH-

N18 15A TH-N12 0.12A TH-N12 0.17A TH-N12 0.24A TH-N12 0.5A TH-N12 1.3A TH-N12 2.1A TH-N12 2.5A TH-N12 3.6A TH-N12 6.6A TH-N12 9A TH-N20 19A TH-N20TA 22A TH-N60TAKPSR 95A TH-N600KP,250A TH-N600KP,330A TH-N600KP,500A TH-N600KP,660A CP30-BA 1P 1-M 0.5A CP30-BA 1P 1-M 0.3A CP30-BA 1P 1-M 1A CP30-BA 1P 1-M 2A CP30-BA 1P 1-M 3A CP30-BA 1P 1-M 5A CP30-BA 1P 1-M 7A CP30-BA 1P 1-M 10A CP30-BA 1P 1-M 15A CP30-BA 1P 1-M 30A CP30-BA 1P 9-M 15A CP30-BA 1P 9-M 3A CP30-BA 1P 9-M 20A CP30-BA 2P 1-M 1A CP30-BA 2P 1-M 2A CP30-BA 2P 1-M 3A CP30-BA 2P 1-M 5A CP30-BA 2P 1-M 7A CP30-BA 2P 1-M 10A CP30-BA 2P 1-M 15A CP30-BA 2P 1-M 20A CP30-BA 2P 1-M 30A CP30-BA 3P 1-M 10A CP30-BA 1P 1-MD 1A CP30-BA 1P 1-MD 2A CP30-BA 1P 1-I 10A CP30-BA 1P 2-I 20A CP30-BA 2P 1-I 10A CP30-BA 2P 1-I 2A CP30-BA 1P 1-S 1A CP30-BA 2P 2-M 1A CP30-BA 2P 2-M 2A CP30-BA 2P 2-M 3A CP30-BA 2P 2-M 7A CP30-BA 2P 2-M 5A CP30-BA 2P 2-M 10A CP30-BA 2P 2-M 15A CP30-BA 2P 2-M 20A CP30-BA 3P 2-I 10A CP30-BA 3P 1-M 5A CP30-BA 3P 1-M 30A CP30-BA 2P 1-S 1A CP30-BA 2P 1-S 5A CP30-BA 1P 2-M 1A CP30-BA 1P 2-M 2A CP30-BA 1P 2-M 3A CP30-BA 1P 2-M 5A CP30-BA 1P 2-M 7A CP30-BA 1P 2-M 10A CP30-BA 1P 2-M 15A S-N10 AC100V S-N10 AC120V S-N10 AC200V S-N10 AC220V 1B S-N10SA(CX) 1A AC200V S-N12 AC120V S-N18 AC100V S-N18 AC220V S-N18CX AC220V S-N20 AC100V S-N20 AC120V S-N21 AC120V S-N25 AC120V S-N25 AC200V S-N10 AC220V S-N10 AC400V S-2XN10 AC220V S-2XN11 AC220V S-2XN20 AC220V S-N10CX AC230V S-N11 AC100V S-N11 AC120V S-N11 AC120V 1B S-N11 AC200V S-N11 AC220V S-N11 AC220V 1B S-N11CX AC230V S-N11CX AC220V S-N11CX AC120V S-N11CX AC100V S-N11 AC400V S-N12 AC200V S-N12 AC220V S-N12CX AC220V S-N12CX AC230V S-N12SA AC230V S-N12SACX 2A AC200V S-N300 AC100V S-N220 AC100V S-N12 AC400V S-N20 AC220V S-N20CX AC220V S-N21 AC220V S-N21CX AC220V S-N25 AC220V S-2XN25 AC220V S-N25CX AC220V S-N35 AC200V S-N35 AC380V S-N35 AC220V S-N35CX AC220V S-N35CX AC120V S-N50 AC100V S-N50 AC200V S-N50CX AC200V S-N50CX AC220V S-N65 AC100V S-N65 AC200V S-N65CX AC200V S-N80 AC100V S-N80 AC200V S-N95 AC200V S-N125 AC200V S-N150 AC100V S-N150 AC200V S-2XN150QM AC200V S-2XN150 AC220V S-N180 AC200V S-2XN180 AC200V S-2XN180QM AC200V S-N220 AC200V S-N300 AC200V S-2XN300 AC200V S-2XN300QM AC200V S-N400 AC200V S-N600 AC200V S-N800 AC200V S-N20 AC380-400V S-N21 AC400V S-N25 AC400V S-N35 AC400V S-N50 AC400V S-N65 AC400V S-2XN65 AC400V S-N80 AC400V S-N95 AC400V S-2XN95 AC400V S-N125 AC380V-AC400V S-N150 AC400V S-2XN150 AC400V S-N180 AC380V S-N220 AC400V S-N300 AC380V S-N400 AC380V S-N600 AC380V S-N800 AC400V S-2XN21 AC230V S-2XN35 AC220V S-2XN65 AC200V S-N35 AC120V UN-CV110 UN-CV112 UN-CV120 UN-CV125 UN-CV200 UN-CV250 UN-CV251 UN-CZ500 UN-CV603 UN-CV2055 UN-CZ605 UN-CZ800 UN-CZ801 UN-RR400 UN-RR406 UN-CZ2200 UN-SA21、 AC200V UN-SY21 UN-SA23,AC200V UN-SA25,AC200V UA-AX21,2A2B UA-AX600 UA-AX2131,3A1B UA-ML50 UN-RM20 UN-RR555 US-H20 US-H20DD 20A BH559N350 BH569N350 BH759N303 BH759N302 BH769N302 BH609N300 SD-Q11 DC24V SD-QR11 DC24V SD-QR12 DC24V SD-Q12 DC24V SD-Q19 DC24V MSOD-QR11 3.6A 380V DC24V MSOD-QR11 2.1A 380V DC24V SD-N11 DC24V SD-N11CX DC24V SD-N12 DC24V SD-N21 DC24V SD-N21 DC100V SD-N35 DC24V SD-N11 DC220V SD-N21 DC220V SD-N21 DC125V SD-N21CX DC24V SD-N21CX DC48V 2A2B SD-2XN21 DC220V SD-2XN21 DC24V SD-N35 DC100V SD-N35 DC110V SD-N35 DC24V SD-N35CX DC48V SD-N35 DC220V SD-N50 DC220V SD-N50 DC125V SD-2XN50 DC220V SD-N65 DC220V SD-N65 DC24V SD-2XN65 DC220V SD-N80 DC110V SD-N80 DC220V SD-2XN80 DC220V SD-N95 DC220V SD-2XN95 DC220V SD-N125 DC220V SD-N150 DC220V SD-N150 DC24V SD-2XN220 DC220V SD-N300 DC220V SD-2XN300 DC220V SD-N400 DC220V SD-2XN400 DC220V SD-N600 DC220V SD-2XN35 DC220V SD-2XN95 DC220V SD-2XN125 DC220V SD-2XN150 DC220V SD-2XN220 DC220V 2A2B SD-2XN300 DC220V SD-2XN600 DC220V SD-N800 DC220V SD-2XN800 DC220V SR-N4 AC100V 4A SR-N4 AC220V 4A SR-N8 AC100V 8A SR-N8 AC110V 8A SR-N4 2A2B DC11V SR-N4 2A2B AC120V SR-N4 3A1B AC220V SR-N4 3A1B AC110V SR-N4CX AC220V 2A2B SR-N8 4A4B AC100V SR-N8 6A2B AC100V SR-N8 6A2B AC220V SR-N8 4A4B AC120V SR-N8CX AC120V 8A SR-N8 4A4B AC220V SR-N4 2A2B AC200V SR-N4 2A2B AC220V SR-N4 2A2B AC380V SRD-N4 2A2B DC100V SRD-N4 2A2B DC220V DUD-A30 DC220V DUD-K180 DC220V TEXT-INDENT: 18.75pt">型号 电流 ( 中间值 ) ( A ) TH-N12 0.12 , 0.17 , 0.24 , 0.35 , 0.5 , 0.7, 0.9, 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9, 11 TH-N12KP 0.12 , 0.17 , 0.24 , 0.35 , 0.5 , 0.7, 0.9, 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9, 11 TH-N12CX 0.12 , 0.17 , 0.24 , 0.35 , 0.5 , 0.7, 0.9, 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9, 11 TH-N12SR 0.12 , 0.17 , 0.24 , 0.35 , 0.5 , 0.7, 0.9, 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9, 11 TH-N18 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9,

11, 15 TH-N18CX 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9, 11, 15 TH-N20 0.24, 0.35, 0.5, 0.7, 0.9, 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9, 11, 15, 19 TH-N20KP 0.24, 0.35, 0.5, 0.7, 0.9, 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9, 11, 15, 19 TH-N20CX 0.24, 0.35, 0.5, 0.7, 0.9, 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9, 11, 15, 19 TH-N20SR 0.24, 0.35, 0.5, 0.7, 0.9, 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9, 11, 15, 19 TH-N20KPSR 0.24, 0.35, 0.5, 0.7, 0.9, 1.3, 1.7, 2.1, 2.5, 3.6, 5, 6.6, 9, 11, 15, 19 TH-N20TA 22, 29, 35 TH-N20TAKP 22, 29, 35 TH-N20TASR 22, 29, 35 TH-N20TACXKP 22, 29, 35 TH-N20TAKPSR 22, 29, 35 TH-N60 15, 22, 29, 35, 42, 54 TH-N60KP 15, 22, 29, 35, 42, 54 TH-N60KPSR 15, 22, 29, 35, 42, 54 TH-N60TAKP 67, 82, 95 TH-N60TAKPSR 67, 82, 95 TH-N120KP 42, 54, 67, 82 TH-N120KPSR 42, 54, 67, 82 TH-N120TAKP 105, 125 TH-N120TAKPSR 105, 125 TH-N220RHKP 82, 105, 125, 150, 180, 210 TH-N220RHKPSR 82, 105, 125, 150, 180, 210 TH-N220HZKP 82, 105, 125, 150, 180, 210 TH-N220HZKPSR 82, 105, 125, 150, 180, 210 TH-N400RHKP 105, 125, 150, 180, 250, 330 TH-N400RHKPSR 105, 125, 150, 180, 250, 330 TH-N400HZKP 105, 125, 150, 180, 250, 330 TH-N400HZKPSR 105, 125, 150, 180, 250, 330 TH-N600KP (注) 250, 330, 500, 660 TH-N600KPSR (注) 250, 330, 500, 660

S-N10 S-N11 S-N12 S-N18 S-N20 S-N21 S-N25 S-N35 S-N50 S-N65 S-N80 S-N95 S-N125 S-N150 S-N180 S-N220 S-N300 S-N400 S-N600 S-N800 型号 (直流操作) SD-N11 SD-N12 SD-N21 SD-N35 SD-N50 SD-N65 SD-N80 SD-N95 SD-N125 SD-N150 SD-N220 SD-N300 SD-N400 SD-N600 SD-N800

S-N10 S-N12 S-N20 S-N21 S-N25 S-N35 S-N50 S-N65 S-N80 S-N95 S-N125 S-N150 S-N180S-N220 -N300 S-N400 S-N600 S-N800热过载继TH-N12KP0.12A, 0.17A, 0.24A, 0.35A, 0.5A, 0.7A, 0.9A, 1.3A, 1.7A, 2.1A, 2.5A, 3.6A, 5A, 6.6A, 9A, 11A TH-N20KP 0.24A, 0.35A, 0.5A, 0.7A, 0.9A, 1.3A, 1.7A, 2.1A, 2.5A, 3.6A, 5A, 6.6A, 9A, 11A, 15A, 19A TH-N20TAKP 22A, 29A, 35A TH-N60KP 优惠接触器 型号 S-N10 S-N11 S-N12 S-N20 S-N21 S-N25 S-N35 S-N50 S-N65 S-N80 S-N95 S-N125 S-N150 S-N180 S-N220 S-N300 S-N400 S-N600 S-N800 热过载继电器 TH-N12KP 0.12A, 0.17A, 0.24A, 0.35A, 0.5A, 0.7A, 0.9A, 1.3A, 1.7A, 2.1A, 2.5A, 3.6A, 5A, 6.6A, 9A, 11A TH-N20KP 0.24A, 0.35A, 0.5A, 0.7A, 0.9A, 1.3A, 1.7A, 2.1A, 2.5A, 3.6A, 5A, 6.6A, 9A, 11A, 15A, 19A TH-N20TAKP 22A, 29A, 35A TH-N60KP 15A, 22A, 29A, 35A, 42A, 54A TH-N60TAKP 67A, 82A, 95A TH-N120KP 42A, 54A, 67A, 82A TH-N120TAKP 105A, 125A TH-N220RHKP 82A, 105A, 125A, 150A, 180A, 210A TH-N400RHKP 105A, 125A, 150A, 180A, 250A, 330A 型号 额定电流A 额定分断能力Ics/Icu KA 500VAC 带瞬时脱扣 极数 固定式 抽出式 AE630-SS 315-630 250-500 157-315 65/65 3 AE1000SS 500-1000 65/65 3 AE1250-SS 625-1250 65/65 3 AE1600-SS 800-1600 65/65 3 AE2000-SS 1000-2000 800-1600 625-1250 85/85 3 AE2500-SS 1250-2500 85/85 3 AE3200-SS 1600-3200 85/85 3 AE4000-SSA 3200-4000 85/85 3 AE4000-SSC 3200-4000 85/85 3 AE500-SS 2500-5000 130/130 3 × AE6300-SS 3150-6300 130/130 3 × AE630-SS 315-630 250-500 157-315 65/65 4 AE1000-SS 500-1000 65/65 4 AE1250-SS 625-1250 65/65 4 AE1600-SS 800-1600 65/65 4 AE2000-SS 1000-2000 800-1600 625-1250 85/85 4 AE2500-SS 1250-2500 85/85 4 AE3200-SS 1600-3200 85/85 4 AE4000-SSA 3200-4000 85/85 4 漏电断路器 (ELCB) 型号 额定电流 (A) 分断能力 (Icu) KA 400VAC 3极 4极 NV30-CS 5, 10, 15, 20, 30 2.5/230V × NV63-CW 16, 20, 25, 32, 40, 50, 63 5 × NV125-CW 63, 80, 100, 125 10 × NV250-CW 125, 150, 175, 200, 225, 250 18 × NV400-CP 250, 300, 350, 400 36 × NV630-CP 500, 600, 630 5 × NV32-SW 6, 10, 16, 20, 25, 32 7.5 × NV125-SW 16, 20, 25, 32, 40, 50, 63 30 NV250-SW 16, 20, 32, 40, 50, 63, 80, 100, 125 30 NV400-SP 125, 150, 175, 200, 225, 250 45 × NV400-SEP 250, 300, 350, 400 45 NV630-SP 200-400可调 45 × NV630-SEP 500, 600, 630 45 NV630-HEP 300-630可调 70 × NV800-SEP 300-630可调 45 × NV800-HEP 400-800可调 70 × NV63-HW 16, 20, 25, 32, 40, 50, 63 10 × NV125-HW 16, 20, 32, 40, 50, 63, 80, 100 50 NV250-HW 125, 150, 175, 200, 225 50 NV400-HEP 200-400可调 70 注:表中" "表示为有此型号," × "表示无此型号 塑壳断路器(MCCB) 型号 额定电流 (A) 分断能力 (Icu)KA 400VAC 2极 3极 4极 NF30-CS 3, 5, 10, 15, 20, 30 1.5 × NF63-CW 3, 4, 6, 10, 16, 20, 25, 32, 40, 50, 63 5 × NF125-CW 50, 63, 80, 100, 125 10 × NF250-CW 125, 150, 175, 200, 225, 250 18 × NF400-CP 250, 300, 350, 400 36 × NF630-CP 500, 600, 630 36 × NF800-CEP 400-800可调 36 × NF32-SW 3, 4, 6, 10, 16, 20, 25, 32 5 × NF63-SW 3, 4, 6, 10, 16, 20, 25, 32, 40, 50, 63 7.5 NF125-SW 16, 20, 32, 40, 50, 63, 80, 100, 125 30 NF125-SGW RT 16-25, 25-40, 40-63, 63-100, 80-125可调 36 NF125-SGW RE 16-32, 32-63, 63-100, 75-125可调 36 × NF160-SW 125, 150, 160 30 NF160-SGW RT 125-160可调 36 NF160-SGW RE 80-160可调 36 × NF250-SW 125, 150, 175, 200, 225, 250 30

NF250-SGW RT 125-160,160-250可调 36      NF250-SGW RE 125-250可调 36 ×      NF400-SP  
 250,300,350,400 45      NF400-SEP 200-400可调 45 ×      NF630-SP 500,600,630 45      NF630-SEP  
 300-630可调 45 ×      NF800-SEP 400-800可调 45 ×      NF1000-SS 500-1000可调 85 ×      NF1250-SS  
 600-1250可调 85 ×      NF63-HW 10,16,20,25,32,40,50,63 10      NF125-HW 16,20,32,40,50,63,80,100 50  
 NF125-HGW RT 16-25,25-40,40-63,63-100,80-125可调 75      NF125-HGW RE  
 16-32,32-63,63-100,75-125可调 75 ×      NF160-HW 125,150,160 50      NF160-HGW RT 125-160可调 75  
 NF160-HGW RE 80-160可调 75 ×      NF250-HW 125,150,175,200,225,250 50      NF250-HGW  
 RT 125-160,160-250可调 75      NF250-HGW RE 125-250可调 75 ×      NF400-HEP 200-400可调 70 ×  
 NF630-HEP 300-630可调 70 ×      NF800-HEP 400-800可调 70 ×      供应三菱低压产品 AE630-SW  
 AE1000-SW AE1250-SW AE1600-SW AE2000-SW AE2000-SWA AE2500-SW AE3200-SW AE4000-SWA  
 AE4000-SS AE5000-SS AE6300-SS AE630-SW AE1000-SW AE1250-SW AE1600-SW AE2000-SW AE2000-SWA  
 AE2500-SW AE3200-SW AE4000-SWA AE4000-SS AE5000-SS AE6300-SS NF30-CS NF63-CW NF125-CW  
 NF250-CW NF400-CP NF630-CP NF800-CEP NF32-SW NF63-SW NF125-SW NF125-SGW RT NF125-SGW RE  
 NF160-SW NF160-SGW RT NF160-SGW RE NF250-SW NF250-SGW RT NF250-SGW RE NF400-SP NF400-SEP  
 NF630-SP NF630-SEP NF800-SEP NF1000-SS NF1250-SS NF1600-SS NF63-HW NF125-HW NF125-HGW RT  
 NF125-HGW RE NF160-HW NF160-HGW RT NF160-HGW RE NF250-HW NF250-HGW RT NF250-HGW RE  
 NF400-HEP NF630-HEP NF800-HEP NF63-CW NF125-CW NF250-CW NF400-CP NF630-CP NF32-SW  
 NF63-SW NF125-SW NF250-SW NF400-SP NF400-SEP NF630-SP NF630-SEP NF800-SEP NF63-HW  
 NF125-HW NF250-HW NF400-HEP NF630-HEP NF800-HEP BH-D6 BV-D 优惠接触器型号 S-N10 S-N11 S-  
 N12 S-N20 S-N21 S-N25 S-N35 S-N50 s-N65 S-N80 S-N95 S-N125 S-N150 S-N180 S-N220 S-N300 S-N400 S-  
 N600 S-N800

## 热过载继电器

TH-N12KP /0.12A,0.17A,0.24A,0.35A,0.5A,0.7A, 0.9A,1.3A,1.7A,2.1A,2.5A,3.6A,5A,6.6A,9A,11A TH-N20KP  
 /0.24A,0.35A,0.5A,0.7A,0.9A,1.3A,1.7A,2.1A,2.5A,3.6A,5A,6.6A,9A,11A,15A,19A TH-N20TAKP /22A,29A,35A  
 TH-N60KP /15A,22A,29A,35A,42A,54A TH-N60TAKP / 67A,82A,95A TH-N120KP /42A,54A,67A,82A TH-  
 N120TAKP/ 105A,125A TH-N220RHKP / 82A,105A,125A,150A,180A,210A TH-N400RHKP /  
 105A,125A,150A,180A,250A,330A

型号 额定电流A 额定分断能力Ics/Icu KA 500VAC 带瞬时脱扣 极数 固定式 抽出式 AE630-SS  
 315-630 250-500 157-315 65/65 3      AE1000SS 500-1000 65/65 3      AE1250-SS 625-1250 65/65 3  
 AE1600-SS 800-1600 65/65 3      AE2000-SS 1000-2000 800-1600 625-1250 85/85 3      AE2500-SS 1250-2500  
 85/85 3      AE3200-SS 1600-3200 85/85 3      AE4000-SSA 3200-4000 85/85 3      AE4000-SSC 3200-4000  
 85/85 3      AE500-SS 2500-5000 130/130 3 ×      AE6300-SS 3150-6300 130/130 3 ×      AE630-SS 315-630  
 250-500 157-315 65/65 4      AE1000-SS 500-1000 65/65 4      AE1250-SS 625-1250 65/65 4      AE1600-SS  
 800-1600 65/65 4      AE2000-SS 1000-2000 800-1600 625-1250 85/85 4      AE2500-SS 1250-2500 85/85 4  
 AE3200-SS 1600-3200 85/85 4      AE4000-SSA 3200-4000 85/85 4      漏电断路器 (ELCB) 型号  
 额定电流 (A) 分断能力 (Icu) KA 400VAC 3极 4极 NV30-CS 5,10,15,20,30 2.5/230V × NV63-CW  
 16,20,25,32,40,50,63 5 × NV125-CW 63,80,100,125 10 × NV250-CW 125,150,175,200,225,250 18 ×  
 NV400-CP 250,300,350,400 36 × NV630-CP 500,600,630 5 × NV32-SW 6,10,16,20,25,32 7.5 ×  
 NV125-SW 16,20,25,32,40,50,63 30      NV250-SW 16,20,32,40,50,63,80,100,125 30      NV400-SP  
 125,150,175,200,225,250 45 × NV400-SEP 250,300,350,400 45      NV630-SP 200-400可调 45 ×  
 NV630-SEP 500,600,630 45      NV630-HEP 300-630可调 70 × NV800-SEP 300-630可调 45 ×  
 NV800-HEP 400-800可调 70 × NV63-HW 16,20,25,32,40,50,63 10 × NV125-HW 16,20,32,40,50,63,80,100  
 50      NV250-HW 125,150,175,200,225 50      NV400-HEP 200-400可调 70

注:表中" "表示为有此型号," × "表示无此型号 塑壳断路器(MCCB) 型号 额定电流 (A) 分断能力  
 (Icu)KA 400VAC 2极 3极 4极 NF30-CS 3,5,10,15,20,30 1.5 × NF63-CW 3,4,6,10,16,20,25,32,40,50,63 5  
 × NF125-CW 50,63,80,100,125 10 × NF250-CW 125,150,175,200,225,250 18 × NF400-CP  
 250,300,350,400 36 × NF630-CP 500,600,630 36 × NF800-CEP 400-800可调 36 × × NF32-SW

3,4,6,10,16,20,25,32 5 × NF63-SW 3,4,6,10,16,20,25,32,40,50,63 7.5 NF125-SW  
 16,20,32,40,50,63,80,100,125 30 NF125-SGW RT 16-25,25-40,40-63,63-100,80-125可调 36  
 NF125-SGW RE 16-32,32-63,63-100,75-125可调 36 × NF160-SW 125,150,160 30 NF160-SGW RT  
 125-160可调 36 NF160-SGW RE 80-160可调 36 × NF250-SW 125,150,175,200,225,250 30  
 NF250-SGW RT 125-160,160-250可调 36 NF250-SGW RE 125-250可调 36 × NF400-SP  
 250,300,350,400 45 NF400-SEP 200-400可调 45 × NF630-SP 500,600,630 45 NF630-SEP  
 300-630可调 45 × NF800-SEP 400-800可调 45 × NF1000-SS 500-1000可调 85 × NF1250-SS  
 600-1250可调 85 × NF63-HW 10,16,20,25,32,40,50,63 10 NF125-HW 16,20,32,40,50,63,80,100 50  
 NF125-HGW RT 16-25,25-40,40-63,63-100,80-125可调 75 NF125-HGW RE  
 16-32,32-63,63-100,75-125可调 75 × NF160-HW 125,150,160 50 NF160-HGW RT 125-160可调 75  
 NF160-HGW RE 80-160可调 75 × NF250-HW 125,150,175,200,225,250 50 NF250-HGW  
 RT 125-160,160-250可调 75 NF250-HGW RE 125-250可调 75 × NF400-HEP 200-400可调 70 ×  
 NF630-HEP 300-630可调 70 × NF800-HEP 400-800可调 70 × 供应三菱低压产品 AE630-SW  
 AE1000-SW AE1250-SW AE1600-SW AE2000-SW AE2000-SWA AE2500-SW AE3200-SW AE4000-SS AE5000-SS  
 AE6300-SS AE630-SW AE1000-SW AE1250-SW AE1600-SW AE2000-SW AE2000-SWA AE2500-SW AE3200-SW  
 AE4000-SWA AE4000-SS AE5000-SS AE6300-SS NF30-CS NF63-CW NF125-CW NF250-CW NF400-CP  
 NF630-CP NF800-CEP NF32-SW NF63-SW NF125-SW NF125-SGW RT NF125-SGW RE NF160-SW  
 NF160-SGW RT NF160-SGW RE NF250-SW NF250-SGW RT NF250-SGW RE NF400-SP NF400-SEP NF630-SP  
 NF800-SEP NF1000-SS NF1250-SS NF1600-SS NF63-HW NF125-HW NF125-HGW RT NF125-HGW RE  
 NF160-HW NF160-HGW RT NF160-HGW RE NF250-HW NF250-HGW RT NF250-HGW RE NF400-HEP  
 NF630-HEP NF800-HEP NF63-CW NF125-CW NF250-CW NF400-CP NF630-CP NF32-SW NF63-SW  
 NF125-SW NF250-SW NF400-SP NF400-SEP NF630-SP NF630-SEP NF800-SEP NF63-HW NF125-HW  
 NF250-HW NF400-HEP NF630-HEP NF800-HEP BH-D6 BV-D AE630-SW MB225-SW AE1000-SW NF32-SW  
 AE1250-SW NF63-HW AE1600-SW NF125-SW AE2000-SW NF160-SW AE2500-SW NF250-SW AE3200-SW  
 NF400-SP AE4000-SSA NF630-SP AE5000-SW NF125-HW AE6300-SW NF160-HW NF30-CS NF250-HW  
 NF63-CW NF125-SGW RT NF125-CW NF160-SGW RT NF250-CW NF250-SGW RT NF400-CP NF125-HGW  
 RT NF630-CP NF160-HGW RT NF800-CEP NF250-HGW RT MB60-SW NF400-SEP NF630-SEP MB100-SW  
 NF800-SEP TH-N120KP NF400-HEP TH-N120TAKP NF630-HEP TH-N220RHKP NF800-HEP TH-N400RHKP  
 NF1000-SS S-N10 NF1250-SS S-N11 NF1600-SS S-N12 NV-2F S-N20 NV60-KC S-N21 NV60-KCM S-N25  
 NV60-KCM S-N35 NV125-SW S-N50 NV250-SW S-N65 NV125-HW S-N80 NV250-HW S-N95 NV400-SEP\* S-  
 N125 NV630-SEP\* S-N150 NF32-SW S-N180 NF63-CW/HW S-N220 MB30-SW/MB50-SW S-N300  
 NF125-CW/SW/HW S-N400 MB100-SW S-N600 NF160-SW/HW S-N800 NF250-CW/SW/HW UN-AX2 1A1B  
 AuxiliaryContactBlock(1周) MB225-SW UN-AX4 2A2B -DO-(1周) NF400-CP/SP/SEP/HEP W UN-AX80 -DO-  
 NF630-CP/SP/SEP/HEP W UN-AX150 -DO- NF800-CEP/SEP/HEP W UN-AX600 -DO-  
 NF1000-SS/NF1250-SS/NF1600-SS W UN-ML11 MECHANICAL INTERLOCK(2-3周) NF32-SW UN-ML21  
 -DO- NF63-CW/HW UN-ML80 -DO- MB30-SW/MB50-SW UN-ML150 -DO- NF125-CW/SW/HW UN-  
 ML220 -DO- MB100-SW S-N10 NF160-SW/HW S-N11 NF250-CW/SW/HW S-N12 NF250-SGW/HGW S-N20  
 MB225-SW S-N21 NF400-CP/SP/SEP/HEP W S-N25 NF630-CP/SP/SEP/HEP W S-N35 NF800-CEP/SEP/HEP W  
 S-N50 NF1000-SS/NF1250-SS/NF1600-SS W S-N65 TH-N12KP S-N80 TH-N20KP S-N95 TH-N20TAKP S-N125  
 TH-N60KP S-N150 TH-N60TAKP S-N180 S-N300 S-N220 S-N400 S-N800 S-N600 S-N10 S-N11 S-N12 S-N18 S-  
 N20 S-N21 S-N25 S-N35 S-N50 S-N65 S-N80 S-N95 S-N125 S-N150 S-N180 S-N220 S-N300 S-N400 S-N600 S-  
 N800

热继电器 ( MCE ) TH-N系列 TH-N12 TH-N12KP TH-N12CX TH-N12SR TH-N18 TH-N18CX TH-N20  
 TH-N20CX TH-N20SR TH-N20TA TH-N20TA SR TH-N20KP TH-N20KP SR TH-N20TAKP TH-N20TAKP SR  
 TH-N20TAKP CX TH-N60KP TH-N60KP SR TH-N60TAKP TH-N60TAKP SR TH-N120KP TH-N120KP SR  
 TH-N120TAKP TH-N120TAKP SR TH-N220RHKP TH-N220RHKP SR TH-N220HZKP TH-N220HZKP SR TH-  
 N400PHKP TH-N400RHKP SR TH-N400HZKP TH-N400HZKP SR TH-N600KP TH-N600KP SR

小型断路器 ( MCB ) BH-D6 B,C型 BH-D6

小型断路器 ( MCB ) BH-D10 B,C型 BH-D10 小型断路器 ( MCB ) BH-D6S B,C型 BH-D6S S-N25 50A S-N35 60A K10 20A CJK5-9 K11 20A CJK5-12 K12 20A CJK5-12 K20 32A CJK5-22 K21 32A CJK5-22 K25 50A CJK5-30 K35 60A CJK5-40 K50 80A CJK5-50 K65 100A CJK5-63 SC-0 20A SC-03 20A SC-05 20A SC-5-1 32A SC-1N 50A 漏电保护器 ( RCCB ) BV-D型 BV-D 接触式继电器 3TH82-80 JZC1 3TH82-62 JZC1 3TH82-44 JZC1 3TH80-22 JZC1 3TH80-40 JZC1 3TH80-31 JZC1 CJK2-6.3 CTX4.LC1 D093.099 D0910 0910 D123.129 D1210.1201 D163.169 D1810.1801 D253.259 D2510 D2501 D3210.D3201 D403.D4011 D503.D5011 D633.D6511 D803.D8011 D953.D9511 CA2DN1299 JZC4 CA2DN1319 JZC4 CA2DN1409 JZC4 B9 CJK8 B12 CJK8 B16CJK8 B25 CJK8 B30CJK8 B37 CJK8 B45 CJK8 B65 CJK8 B85 CJK8 B105 CJK8 B170 CJK8 B250 CJK8 B 30C CJK8 B 25C CJK8 B 50C CJK8 B 65C CJK8 B 75C CJK8 S-N10 20A S-N11 20A S-N12 20A S-N20 32A S-N21 32A S-N25 50A S-N35 60A K10 20A CJK5-9 K11 20A CJK5-12 K12 20A CJK5-12 K20 32A CJK5-22 K21 32A CJK5-22 K25 50A CJK5-30 K35 60A CJK5-40 K50 80A CJK5-50 K65 100A CJK5-63 SC-0 20A SC-03 20A SC-05 20A SC-5-1 32A SC-1N 50A 接触式继电器 3TH82-80 JZC1 3TH82-62 JZC1 3TH82-44 JZC1 3TH80-22 JZC1 3TH80-40 JZC1 3TH80-31 JZC1 CJK2-6.3 CTX4.LC1 D093.099 D0910 0910 D123.129 D1210.1201 D163.169 D1810.1801 D253.259 D2510 D2501 D3210.D3201 D403.D4011 D503.D5011 D633.D6511 D803.D8011 D953.D9511 CA2DN1299 JZC4 CA2DN1319 JZC4 CA2DN1409 JZC4 B9 CJK8 B12 CJK8 B16CJK8 B25 CJK8 B30CJK8 B37 CJK8 B45 CJK8 B65 CJK8 B85 CJK8 B105 CJK8 B170 CJK8 B250 CJK8 B 30C CJK8 B 25C CJK8 B 50C CJK8 B 65C CJK8 B 75C CJK8 S-N10 20A S-N11 20A S-N12 20A S-N20 32A S-N21 32A S-N25 50A S-N35 60A K10 20A CJK5-9 K11 20A CJK5-12 K12 20A CJK5-12 K20 32A CJK5-22 K21 32A CJK5-22 K25 50A CJK5-30 K35 60A CJK5-40 K50 80A CJK5-50 K65 100A CJK5-63 SC-0 20A SC-03 20A SC-05 20A SC-5-1 32A SC-1N 50A S-N10 AC220V 110V 380V S-N11 AC220V 110V 380V S-N12 AC220V 110V 380V S-N20 AC220V 110V 380V S-N21 AC220V 110V 380V S-N25 AC220V 110V 380V S-N35 AC220V 110V 380V S-N50 AC220V 110V 380V S-N65 AC220V 110V 380V S-N80 AC220V 110V 380V S-N95 AC220V 110V 380V S-N125 AC220V 110V 380V S-N150 AC220V 110V 380V S-N180 AC220V 380V S-N220 AC220V 380V S-N300 AC220V 380V S-N400 AC220V 380V S-N600 AC220V 380V

NF30-CS 5A 10A 15A 20A 30A NF32-SW 10A 16 20A 25A 32A

NF63-CW 10A 16A 20A 25A 32A 40A 50A 63A NF63-HW 10A 16A 20A 25A 32A 40A 50A 63A

NF125-CW 50A 63A 80A 100A 125A NF125-SW 50A 63A 80A 100A 125A NF125-HW 50A 63A 80A 100A 125A

NF250-CW 125A 150A 175A 200A 225A 250A NF250-SW 125A 150A 175A 200A 225A 250A NF250-HW 125A 150A 175A 200A 225A 250A

NF400-CPW 300A 350A 400A NF400-SW 300A 350A 400A NF400-HW 300A 350A 400A

NF630-CPW 400A 500A 600A 630A NF630-SW 400A 500A 600A 630A

TH-N12KP TH-N20KP TH-N20TAKP TH-N60KP TH-N60TAKP TH-N125KP TH-N125TAKP

接触式继电器 3TH82-80 JZC1 3TH82-62 JZC1 3TH82-44 JZC1 3TH80-22 JZC1 3TH80-40 JZC1 3TH80-31 JZC1 CJK2-6.3 CTX4.LC1 D093.099 D0910 0910 D123.129 D1210.1201 D163.169 D1810.1801 D253.259 D2510 D2501 D3210.D3201 D403.D4011 D503.D5011 D633.D6511 D803.D8011 D953.D9511 CA2DN1299 JZC4 CA2DN1319 JZC4 CA2DN1409 JZC4 B9 CJK8 B12 CJK8 B16CJK8 B25 CJK8 B30CJK8 B37 CJK8 B45 CJK8 B65 CJK8 B85 CJK8 B105 CJK8 B170 CJK8 B250 CJK8 B 30C CJK8 B 25C CJK8 B 50C CJK8 B 65C CJK8 B 75C CJK8 S-N10 20A S-N11 20A S-N12 20A S-N20 32A S-N21 32A S-N25 50A S-N35 60A K10 20A CJK5-9 K11 20A CJK5-12 K12 20A CJK5-12 K20 32A CJK5-22 K21 32A CJK5-22 K25 50A CJK5-30 K35 60A CJK5-40 K50 80A CJK5-50 K65 100A CJK5-63 SC-0 20A SC-03 20A SC-05 20A SC-5-1 32A SC-1N



NF250-SGWRE , NF160-SW , NF160-SGWRT , NF160-SGWRE , NF400-SW , NF400-SEW , NF630-SE , NF630-SEW , NF800-SEW , NF1000-SEW , NF1250-SEW , NF1600-SEW ; 高性能型 : NF63-HW , NF125-HW , NF125-HGWRT , NF125-HGWRE , NF160-HW , NF160-HGWRT , NF160-HGWRE , NF250-HW , NF250-HGWRT , NF250-HGWRE , NF400-HEW , NF630-HEW , NF800-HEW。

NV系列漏电断路器 : 经济型 : NV63-CW , NV125-CW , NV250-CW , NV400-CW , NV630-CW ; 标准型 : NV32-SW , NV63-SW , NV125-SW , NV250-SW , NV400-SW , NV630-SW , NV630-SEW , NV800-SEW ; 高性能型 : NV63-HW , NV125-HW , NV250-HW , NV250-HW , NV400-HEW , NV630-HEW , NV800-HEW。

三菱接触器S-N10 S-N11 S-N12 S-N18 S-N20 S-N21 S-N25 S-N28 S-N35 S-N38 S-N48 S-N50 S-N65 S-N80 S-N95 S-N125 S-N180 S-N220 S-N300 S-N400 S-N600 S-N800,等低压电器。三菱低压电器