

市场推送：EZKB-L3AA- AAAA福州到各地省市县区域/直送2023全+境+派+送

产品名称	市场推送：EZKB-L3AA-AAAA福州到各地省市县区域/直送2023全+境+派+送
公司名称	福建中立恒自动化设备有限公司
价格	.00/件
规格参数	
公司地址	福建省福州市鼓楼区温泉街道五四路9号宁德大厦（宏福大厦）10层1064室
联系电话	15659159037 15659159037

产品详情

主营产品：DCS集散式控制系统、PLC可编程控制器、数控系统、

(CPU处理器、模块、卡件、控制器、伺服驱动、工作站、驱动器、

马达、内存卡、电源，机器人备件等)各类工控产品

MIDWEST ELECTRIC MIXER VT313V, W/20 HP NORD GEAR MOTOR

MIETHER BRG PROD CO FSAF-220 HOUSING & FAG 22220EASMC3 BEARING

MIGATRON, ULTRASONIC SENSOR, RPS-326-240, AC 115VAC, HZ60, WATTS 4, DC 15-24VDC,

MIKAWA GIJUTSU KOGYO CO. DRY SEPARATOR MD4, 9.9 MAX PRESS, 800 MAX FLUX

MIKRO PULVERIZER #3 PERFORATED SCREEN, .010 HB, 304 STAINLESS STEEL, 34627

MIKRO PULVERIZER SCREEN ASSY #3 HAMMER MILL, 34601, 3/16RD, 11G, STEEL

MIKRO PULVERIZER SCREEN ASSY, .010 HB, 26G, 304 STAINLESS STEEL, 341319

MIKRO PULVERIZER SCREEN ASSY, 16G & LIGHTE, 304 STAINLESS STEEL, 341195

MIKRON INSTRUMENT CORP CABLE 14337-A-6, 2752-2

MIKROPUL CORP SEQUENCE TIMER BOARD, 86M/H, 13100286, ELECTRONIC DESIGNS

MIKROPUL DIFFERENTIAL PRESSURE TRANSMITTER, 211108, 0 - 10 INCHES OF WATER

MIKROPUL, CIRCUIT BOARD, 133073

MIKROPULL MIKROPULSE DP TIMER SYSTEM CONTROL PANEL 13102099, 24 VDC,

MILBANK DUAL METER BOX

MILBANK SERIES 9700L TYPE 3R ENCLOSURE 30 4 WIRE 600 VAC 200 AMP CONTINUOUS

MILLER 1983 CONSTANT POTENTIAL WELDING POWER SOURCE CP-300, W/ S-52E WIRE FEEDER

MILLER CONSTANT VOLTAGE DC WELDING POWER SOURCE CP-300, MIG WELDER, W/ S-54E

MILLER FLUID POWER COMPANY CYLINDER MODEL A77T, BORE: 5, STROKE:6, 150 PSI

MILLER FLUID POWER CYLIND, J-72R2N-0200-4200-0138-N22-9, 2" BORE, 42" STROKE

MILLER FLUID POWER CYLINDER, AJ1??C , PSI 250, BORE 3-1/4, STROKE 6, ROD 1- 3/8

MILLER FLUID POWER CYLINDER, H84R1B, 2-1/2" BORE, 12" STROKE, 5000 PSI

MILLER FLUID POWER, CYLINDER, J84B2N, 2500 PSI, 3-1/4" BORE, 63" STROKE

MILLER HOFFT CLUTCHES

MILLER HYDRAULIC CYLINDER APPROX 10" STROKE, 3.25" BORE, 1.75" SHAFT DIAMETER

MILLER HYDRAULIC CYLINDER MOD: A77

MILLER HYDRAULIC CYLINDER, H84R1B, 2-1/2 BORE, 12 STROKE, 93606802

MILLER STAR BUSHING KIT 051-KR074-63 5/8" DIA ROD

MILLER, CYLINDER, SERIES A, A-62B2C-02.50-8.000-0100-N11-0

MILLING AND DRILL PRESS TOOL HOLDERS LOT OF 18, DEVLIEG & MISC.

MILLIPORE WEIGHT FLUID ANALYSIS MONITOR MAWP037PM, LOT OF 42

MILLIPORE, WEIGHT FLUID CONTAMINATION ANALYSIS MONITOR MAWP037PM, LOT OF 48

MILLTRONICS AIRANGER XPL, ULTRASONIC LEVEL TRANSCIEVER, 10 CHANNELS

MILLTRONICS COMPU-M, 100/115/200/230 V, 15 VA, 50/60 Hz, 5 A @ 250 V

MILLTRONICS CONTACTING TACHOMETER NCT-2, S82725, 057762

MILLTRONICS MOTION FAILURE ALARM-4 MODEL P, 4P, 115VAC, 10 AMP MAX

MILLTRONICS WATT TRANSDUCER WT 9200, CAT NO. 95011110, 115V, 4VA

MILLTRONICS, REMOTE MOUNTED PRE-AMPLIFIER, RMA-2, 050602105D0

MILLTRONICS, SPEED SENSOR, MD-2000A, 24250471, 15VDC, TYPE 4 ENCL.

MILLTRONICS, SPEED SENSOR, MD-36, MSI-24-50-2478A, 15VDC

MILLTRONICS/SIEMENS COMPUSCALE I COMPUFLO, COMPUSCALE II TERMINAL

MILLTRONICS/SIEMENS MFA 4-1221 MOTION FAILURE ALARM CIRCUIT BOARD 10 AMP MAX

MILLTRONICS/SIEMENS MULTIRANGER PLUS LEVEL SENSOR RELAY CONTROLLER, .3-15M RNAGE

MILTON ROY, ROUTINE PREVENTIVE MAINTENANCE RPM KIT, 61760123551, 1716372

MILTRONICS COMPU-M INTEGRATOR MODULE,

MILVACO MILWAUKEE IBBM GATE VALVE, 2885M, SIZE 4", 9" OUTLET, 8 BOLT, CAST IRON

MILWAUKEE CYLINDER MOD H-41, 3000PSI, BORE 3.25, STROKE 2 APPROX 1.375 SHAFT DIA

MILWAUKEE CYLINDER, B7367 A73LR, 4" BORE, 9.5" STROKE, 250 PSI

MILWAUKEE CYLINDER, CYLINDER, B8844, BORE 2 1/2", STROKE 1, SERIAL NO 1920727

MILWAUKEE HYDRAULIC CYLINDER 1500PSI, BORE 6", STROKE 11", 2 1/2" SHAFT DIA, H31

MILWAUKEE HYDRAULIC CYLINDER 3000PSI, BORE 4", STROKE 6", 2" SHAFT DIA, MOD H-21

MILWAUKEE HYDRAULIC CYLINDER MOD H-21, BORE 2", STROKE 4", 1" SHAFT DIA, 3000PSI

MINCO, DIGITAL TEMPERATURE METER, XIHFGCX 3L, EXPLOSION PROOF

MINEBEA CO. STEPPER MOTOR, 172807-001, 2.25V, 3.0A, ASTROSYN

MINEBEA-MATSUSHITA MOTOR CORPORATION STEPPER MOTOR, 33801, 23KM-K033-26V

MINEBEA-MATSUSHITA STEPPER MOTOR 46197-1, 23KM-K033-26V

MISC LOT OF 12 COLLETS, 15/16", 1", 7/8", 25/32", 27/32", 29/32", 13/16", 31/32"

MISC. 5C COLLETS LOT OF 10, 7/64"-39/64"

MISC. 5C COLLETS LOT OF 15

MISC. 5C COLLETS LOT OF 15

MISC. COLLETS LOT OF 9, 1/16"-1"

MISCELLANEOUS CENTERING TOOL HOLDER

MISCELLANEOUS ILLUMINATED PUSH BUTTONS, AMBER, 200+ ITEM LOT!!

MISCELLANEOUS NAME BRAND REAMERS 9/16", 1/2", LOT OF 4, SPECIFICATIONS IN ADD

MISCELLANEOUS TOOL HOLDER

MISSION BOLT ASSY B3701A, PART NO. 601102494

MISSION PRODUCTS GROUP, SEAT 080110000, SM P5, 5-WG-1, NATIONAL OILWELL VARCO

mitsubishi AC SERVO AMPLIFIER MR-J3700A4, MRJ SERIES, AMP 7KW, 400V, 3 PHASE

MITSUBISHI AC SERVO AMPLIFIER, MR-J40A1-UL, 400W, 100-120V, 50/60 HZ, 9.0A

MITSUBISHI CIRCUIT BOARD, BD624A997H02, SB-AG

MITSUBISHI DRILL BIT, TAWSN0105

MITSUBISHI ELECTRIC CORPORATION MAGNETIC CONTACTOR TYPE S-A150, 100-110V

MITSUBISHI ELECTRIC CORPORATION MAGNETIC CONTACTOR TYPE S-A50, 100-110V

MITSUBISHI ELECTRIC DC SERVO MOTOR HD100-11

MITSUBISHI ELECTRIC DC SERVO MOTOR HD200-11

MITSUBISHI ELECTRIC SERVO AMPLIFIER MR-J3-500A4, MR-J SERIES, 5kW, 400 VOLT

MITSUBISHI ELECTRIC, DIAROL, SPINDLE DRIVE CONTROLLER, DL-SBZ-2-15K-X-R

MITSUBISHI ELECTRIC, SUPERLINE MOTOR, TYPE: SE-EF, 1/2 HP, 60 HZ. 220 VOLTS

MITSUBISHI ELECTRIC, SUPERLINE MOTOR, TYPE: SE-ERF, 0.4KW, 1750 RPM

MITSUBISHI FINESTOP ELECTRONIC SPEED REDUCER, FS-1500A, 200/220V, 50/60HZ

MITSUBISHI NO FUSE BREAKER, NF50-CS 3P 50A, 50 AMPS, 600 VAC, 3 POLES

MITSUBISHI NO-FUSE BREAKER NF400-CA, 250 AMPS, 3 POLE

MITSUBISHI PROJECTOR LAMP VLT-XD600LP, ORIGINAL LAMP WITH HOUSING FOR PROJECTOR

MITSUBISHI SERVO MOTOR HF-SP7024BK, 7KW, BRK, NO KEYWAY, 3AC INPUT, 284 V, 16A

MITSUBISHI TERMINAL BLOCK MR-TB50, 1CA836, SERVO DRIVE ASSEMBLY

MITSUBISHI, NO-FUSE BREAKER, NF225-C, 150 AMP, 460VAC, 250VDC

MITTLER BROS, INDUSTRIAL TUBE BEADING MACHINE

MITUTOYO MICROMETER, 118-120, PMUD6-1"V, 0-1" RANGE, 0.0001" GRADUATION

MITUTOYO MICROMETER, 118-129, PMU6-1"V, 0-1" RANGE, 0.0001" GRADUATION

MITUTOYO, DIAL HEIGHT GAGES, NO. 192-608,0-40 MAX., OAH 48"

MITUTOYO, DIAL THICKNESS GAGE, 2804-10, GAUGE, 7326, 6 JEWELS, 0-10, 0.05" RANGE

MITUTOYO, SURFACE TEST III, 178-903E, POWERS ON

MODICON 7-SLOT RACK, AS-H819-209, CHASSIS, AS-9534-002, 984 SERIES

MODICON MEMORY MODULE, AS-M680-108, EXECUTIVE CARTRIDGE ASSEMBLYM 09596

MODICON, BATTERY BACK-UP ASSEMBLY, AS-5378-002

MODICON, CIRCUIT BOARD, AS-C810-100, 8-5/8" X 8-1/8" X 3/4"

MODICON, COAX SPLITTER, MA-0185-100(B), 14DB TAP

MODICON, FOUR POSITION BACKPLANE, 140-XBP-004-00

MODICON, INPUT MODULE, AS-B275-501, 10 - 60 VDC

MODICON, OUTPUT MODULE, AS-B828-016, 5V, TTL, 16 POINT

MODICON, PC BOARD, ALU 512, 1982, MADE IN U.S.A.

MODICON, SCHNEIDER AUTOMATION, 16 POSITION BACKPLANE, XBP01600, 31011833990

MODINE, HYDRONIC UNIT HEATER, HSB18S01, 30013512-5083

MODULAR CONTROLS SOLENOID VALVE SV1-10-C-2-115

MOHAWK 5E MEGALAN CABLE, M55989, RISER, WHITE, 24 AWG, 4 PR, NEC TYPE: CMR

MOHAWK BELDEN CDT OPTICAL FIBER CABLE M9A039, 600 SERIES, AT LEAST 200' ROLL

MOLINE, FLANGE BEARING, 1-3/16" BORE, 4-BOLT, TYPE E

MONARCH CORTLAND, OUTPUT BOARD, E49984, E49983 REV

MONARCH HYDRAULICS DYNA-LIFT Z06-4RP12-1, 6000 LB CAPACITY, EMERSON 8751 MOTOR

MONARCH M2 FORKLIFT TIRE, PRESS ON TREAD PATTERN, 18 X 5 X 12-1/2"

MONITOR LABS ZIRCONIA OXYGEN ANALYZER #LS420

MONODE, POWER UNIT, 150-C/M-150, 120/240 VOLTS, 5 AMPS

MONROE PMP, CONTINUOUS PIANO HINGE, CC74145096, 5MVU7, 8FT LONG, LOT OF 4

MONROE, ISOPROBE ELECTROSTATIC VOLTMETER, MODEL 244

MOOG BRUSHLESS SERVOMOTOR TYPE FAS, K1-080-030-00-00-G6, W/ ENCODER X73H-1000

MOOG CIRCUIT BOARD A97920-001 ADAPTER CARD

MOOG CIRCUIT BOARD, 82R307A 149-62437-1 PCB

MOOG CIRCUIT BOARD, MODEL #123138, 4 3/4" X 3 1/4"

MOOG HYDRAULIC VALVE, MOD #72-101, SER #1335

MOOG SYNCHRO TRANSMITTER, CGH-8-LA-7

MOOG VALVE 72-175

MOOG VALVE MODEL D661-431D

MOOG/FLOW-TORK, ROTARY ACTUATOR, A500-94-CB-ET-MS1-RKH-N

MOORE INDUSTRIES PWT WATT TRANSDUCER, PWT/460AC,5A/0-5V/1E-120AC [SM]

MOORE INDUSTRIES, PRESSURE TO CURRENT TRANSMITTER, PIX/3-15PSIG, 1690089

MOORE PRODUCTION TOOLS KNIFE BAND 5-SLOT 13" BLADE

MORI SEIKI PROGRAMMING MANUAL MFNC-L1 (SUPPLEMENT)PM-005001-E

MORRIS, PUMP CASING, 1116200BF, CAST IRON, 3" THREADED BORE, 12-3/4" LENGTH

MORRIS, PUMP CASING, 66016-66015, CAST IRON, 3" THREADED BORE, 12-3/4" LENGTH

MORSE - EMERSON RAIDER GEAR REDUCER, 175Q56LR50, 50:1 RATIO, 472 LB-IN TORQUE

MORSE - EMERSON RAIDER GEAR REDUCER, 206Q56R10, 10:1 RATIO, 636 LB-IN TORQUE

MORSE 465702 TORQUE LIMITER 250A-1 5/8" BORE, 20 LB-FT MAX TORQUE, 1400 RPM

MORSE CLUTCH 619617, KK-17, 17MM BORE, 40 MM OD, 12MM WIDTH, BACK STOP BEARING

MORSE COTTERED #80-2C CHAIN, 1" PITCH, 5/8" WIDTH, APPROX 9 FT 10 IN LENGTH

MORSE DRILL BIT, 2", OVERALL LENGTH 18", DEPTH OF HOLE 6"

MORSE GEAR REDUCER FI32 60 145TC L, FI3260145TCL, 1.58 HP, 60:1 RATIO

MORSE RAIDER GEAR REDUCER 262ULR60, 60:1, .79HP

MORSE RIVETED #120 CHAIN, 1 1/2" PITCH, 1" WIDTH, 4 FT LENGTH

MORSE ROLLER CHAIN, 40-3R, 3-ROW, RIVETED, 1/2" PITCH, 17 FT LONG

MORSE ROLLER CHAIN, 60-2R, 3/4" PITCH, STANDARD RIVETED, 10 FT LENGTH

MORSE TAPER DRILL SLEEVE ADAPTER, 6-5, LOT OF 2

MORSE TAPER DRILL SLEEVE ADAPTER, 6-5, LOT OF 3

MORSE TAPER REAMER NO.5 H3 2D, STRAIGHT FLUTE, HSS, 6-1/4", 13-1/4" OAL

MORSE, BUSHING KIT, 203BU104, 1-1/4" BORE

MORSE, CUTTER, 1-1/2 HSS, 7" LONG, 1-1/2" CUTTING DIAMETER

MORSE, POWER-LINE SPEED REDUCER, H-5-01, SIZE 2303, RATIO 0160, C140

MORSE, TORQUE LIMITER, 465703, 250A-1, 3/4" BORE, 1000 RPM, 20 LB-FT

MORSE, TORQUE LIMITER, 500-A, OD 5 1/8", BORE D 1 1/4", BORE LENGTH 3"

MORSE, TORQUE LIMITER, 700-A, OD 7 1/8", BORE D 1 15/16", BORE LENGTH 3 7/8"